



Pentair Pool Products



Since 1939 Halogen has been leading the way in the Swimming Pool Industry. With one of the oldest catalogs in the industry, Halogen has continuously provided high-quality pool and spa products throughout

the United States. Serving Residential, Commercial, and Institutional facilities for over 80 years, we've built our reputation on providing excellent customer service. product expertise, and a huge inventory of in-stock items.

It is our intention that this catalog is used as a valuable resource to provide "almost everything for your pool." More valuable than this catalog is our knowledgeable sales staff, which averages over 25 years' experience. It's these quality people that give your purchases from Halogen "VALUE" you won't receive anywhere else. Whatever your swimming pool supply needs may be, please call toll free at 1-833-SWIM-327.

We look forward to serving vou.

Halogen Supply Co.

CONDITIONS OF SALE

PRICE INFORMATION-All prices are F.O.B. Chicago unless otherwise stated. DUE TO MARKET CONDITIONS. PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Minimum billing \$10.00. All orders under \$10.00 are cash.

TAXES-All Illinois customers are subject to Illinois sales tax of 10.25% and all Michigan customers are subject to 6% sales tax. All tax exempt customers must provide us with proof of exemption in writing.

SHIPPING-All orders requiring shipping will be sent via Best Way at Halogen's discretion. All shipping charges plus a \$3.25 handling charge will be added to customers invoice.

TRANSPORTATION CLAIMS-All reasonable precautions are taken in packing goods for shipment, but we are unable to be responsible for goods damaged or lost in transit. Recovery claims must be filed with the common carrier by the purchaser within the time limit allowed by such a carrier, the loss or damage claim should be noted on the original copy of the freight bill by the receiver.

RETURNS—Merchandise returned for credit must be approved for return by a Halogen authorized representative and must be accompanied by proof of purchase and reason for return. All returns are subject to handling and restocking charges as determined by the product manufacturer and Halogen Supply Company, Inc.

ORDERING-Catalog numbers will expedite the shipment. Weights shown are approximate and a separate billing will be necessary where special packaging for export is required.

TERMS-Net 30 days where credit rating is satisfactory. A service charge of 11/2% per month is charged on invoices over 30 days old.

INDEX

Description Page

New Products

SECTION A • MAINTENANCE

- 2 Poles & Leaf Skimmers
- 3 Brushes, Scrubbers & Wysiwash Sanitizer
- 4 Vacuum Heads & Parts
- Vacuum Hoses, Leaf Traps & Discharge Hose 5
- 6 Havward Automatic Cleaners & Parts
- 7 **Residential Automatic Cleaners & Parts**
- **Dolphin Automatic Cleaners & Parts** 8
- 9 Portable and Hand Held Vacuums
- **Olympic Pool Paint** 10
- Ramuc Pool Paint 11 12
- Tiles, Grout, Caulk & Sealant 13

Sealers & Patchina Material

SECTION B • PUMPS, FILTERS, HEATERS & PARTS

- 14 Pentair & Starite Pumps
- 15 Pentair Pumps & Motors
- 16 Commercial Pump Parts
- 17 Pump Parts
- 18 Replacement Pump Motors
- 19 Diatomaceous Earth Filters & Sand Filters
- 20 **Cartridge Filters**
- 21 **Replacement Filter Cartridges**
- Filter Parts 22
- 23 Filter Valves & Valve Parts
- 24 Pentair Heaters
- 25 Ravpak Heaters
- 26 Pentair, Coates & Jandy Heaters
- 27 Havward Products
- 28 Heater Parts
- 29 Heater Parts
- **SECTION C PLUMBING SUPPLIES**
- 30 Plumbing Valves
- Specialty Tools & Winterizing Products 31
- SECTION D LIGHTING AND WHITE GOODS
- 32 Pool Lights
- Pool Lights & Replacement Bulbs 33
- 34 Cycolac Pool Fittings & Skimmers

SECTION E • DECK EQUIPMENT

- Ladders, Rails & Accessories 35
- SR Smith Residential 36
- SR Smith Diving Boards, Towers, 37 Starting Platforms & Life Guard Chairs
- Paragon Dive Towers, Starting Platforms & Lifeguard Chairs 38 Competitor Racing Lanes, Reels & Pace Clocks
- ADA Compliant Pool Access Lifts 39

HOURS

MONDAY THROUGH FRIDAY: 8 A.M. to 5 P.M.

SATURDAY: 8 A.M. to NOON (Except December, January & February) WINTER HOURS: 8 A.M. to 4 P.M. Monday through Friday **CLOSED SUNDAYS**

Taylor Specialty Kits & Reagents Taylor Test Kits Lamotte Test Kits & Accessories Test Kits, Thermometers & Patio Clocks SECTION G • SAFETY EQUIPMENT Sians & Safety Lines Safety Equipment & Lifequard Umbrellas SECTION H • COVERS, INFLATABLES AND TOYS Solar Covers & Reels Winter Covers VGB Main Drain & Safety Vacuum Release System VGB Frames & Grates

SECTION I • COMMERCIAL EQUIPMENT

- Energy Saving Systems Filters, Variable Frequency Drives, 50 Level Controls & Total System Controllers
- 51 Flow Meters

Paae

40

41

42

43

44

45

46

47

48

49

Description

SECTION F • TEST KITS AND SUPPLIES

- 52 Level Controllers, Flow Switch, Gauges & Accessories
- 53 Basket Strainers, Pump Connectors, Thermometers, Sight Glasses & Service Clamps
- Pulsar Chlorine Feeder Systems & Stenner Peristaltic Pumps 54
- Chemical Feeders (Diaphraam, Erosion & Peristaltic). 55 Chemical Storage Tanks
- Automatic Chemical Controllers .Ozone Generators Float Valves. 56 Pipe Flanges & Flange Gaskets
- 57 Commercial Valves (Butterfly, Check, Float & Solenoid Valves)
- 58 **Chemical Feeder Parts**
- Chemical Feeder Parts, Tubing & Tubing Fittings 59
- Chemical Controller Parts & Probes 60
- 61 Automation

SECTION J • ABOVE GROUND

- A/G Liners, Patch Kits, Ladders 62
- SECTION K SPA ACCESSORIES & SUPPLIES
- 63 Spa Accessories
- **SECTION L CHEMICALS**
- 64 King Technology
- 65 Sea Klear/Nature 2
- 66 Chemical Water Balance Products
- 67 Leisure Time Spa Chemicals
- 68 GLB Pool Products
- 69 **GLB Pool Products**
- Chemicals 70
- 71 Chemicals
- 72 **Stabilized Chlorine & Bromine**
- 73 Natural Chemistry

This catalog contains copyrighted materials which may not be reproduced without our consent. Any reproduction or duplication in any form is forbidden.

JANDY VS FLOPRO - VARIABLE-SPEED PUMP



PowerfulPerformance

The improved VS FloPro 2.7HP now generates higher head pressure and flow rates to accommodate large pool and spa designs with features such as waterfalls, jets, in-floor cleaning and solar heating systems.

115v/230vDualVoltageCapability

The ability to operate with either 115v or 230v power sources provides installation flexibility and eliminates expensive main power rewiring, making the VS FloPro 2.7HP the ideal aftermarket replacement pump.

Add iQPUMP01 for Instant Automation

Two auxiliary relays can be used to control other pool equipment, such as booster pumps and salt chlorinators, for easier installation and operation. No need for additional timeclocks!

Choose Your Own Controller (required)

Designed to work with the following Jandy control systems for complete programmability and customization (controller sold separately):

- Jandy AquaLink[®] Automation Systems
- iQPUMP01 with iAquaLink® App Control
- JEP-R Controller

AdditionalFeatures

Adjustable base for seamless direct replacement of a variety of other pumps in the aftermarket

- Zero Clearance TEFC Motor for cool, quiet operation in tight spaces
- 2"x 2" unions included or utilize 2" internal threads
- Easy Controller Setup auto detects connection to an automation system or a traditional controller, eliminating the need to adjust settings manually
- RS485 Quick Connect Port for faster installation and maintenance
- Drv Contact Relav Control
- Tool-free lid for easy debris removal
- Ergonomic easy-transport handle

| Cat. No. | Voltage | Full Load Amps | THP | WEF | Ship Wt. | Price |
|--------------|---------|-------------------|------|---------|-------------|------------|
| VSFHP270DVA2 | 115/230 | 16.0-10.5 | 2.70 | 8.7/7.3 | 53 lbs. | \$2,423.00 |

ROLL-N-VAC

The Original Wheelbarrow Vacuum!

There are many advantages of having a commercial wet/drv vacuum that empties into a wheelbarrow.

- It holds a high capacity. A typical wheelbarrow approved for use with the Roll-n-Vac will hold around 20 gallons of material.
- It easily navigates rough terrain.
- It is easy to dispose of waste. Just lift the Roll-n Vac unit off of the wheelbarrow and wheel it away!

Concrete Slurry:

The Roll-n-Vac Hydrovac2 is ideal when used, for example, as a concrete slurry vacuum. It will suck up concrete slurry about 2x as fast as a regular wet/dry vac.

Pool Service Applications:

The Roll-n-Vac is also a favorite of pool service professionals and makes a great professional pool maintenance vacuum. There are many reasons why the Roll-n-Vac is the best wet/dry vac for pool service professionals. First, it is especially useful for sand filter changes. The Roll-n-Vac Hydrovac2 can accomplish in around 5 minutes which traditionally would take the better part of an hour.

Furthermore, the Roll-n-Vac can be used to clean up "green slime" out of empty pools. The Roll-n-Vac's strong suction allows the user to keep the unit and wheelbarrow up on the pool deck while workers use the long hose (also available in 30ft.) to clean out the pool from below. All waste is transported up top and is ready to dispose of.

*Wheelbarrow sold separately

| RNVHD-2 ROLL-N-VAC. | . \$ 2,370.90 |
|---------------------|----------------------|
| RNVHOSE-20 20' HOSE | \$ 167.63 |

JANDY IQPUMP01 FOR VARIABLE-SPEED PUMPS

INSTANT PUMP AUTOMATION

iQPUMP01 enables app control for Jandy variable-speed pumps. A mobile pump user interface that allows pool professionals to easily install, set up, and control the pump using a smartphone and the iAquaLink app, *iQPUMP01's built-in hotspot technology* makes set up and programming simple even without Internet access.

iQPUMP01 is compatible with all Jandy Pro Series variable-speed pumps and doesn't require a JEP-R user interface or other automation system. No more bending, climbing, and leaning over hot equipment to access a tiny keypad and difficult-to-read display. Installers can program pump cycles, initiate one-touch quick-clean, and service variable-speed pumps remotely to reduce on-site service visits and increase energy efficiency for the pool owner.

| IQPUMP01 |
|----------|
|----------|





INTELLIFLO3[™] VSF VARIABLE SPEED AND FLOW POOL PUMP



VARIABLE SPEED TECHNOLOGY REDUCES ENERGY COSTS UP TO 90%

Proprietary sensorless flow control maintains optimal flow for pool and spa combos with water features.

- WiFi or Bluetooth wireless technology:
 - Easy control and installation.
 - Remote monitoring option via the Pentair Pro App.
 - Seamless software updates for feature enhancements.
- Optional built-in automation can control up to two relay devices right from the pump via the Pentair Home App.
- Lav in bonding-lug trav for easy wire attachment on retrofits.
- 2.5" Union Kit

| Cat. No. | Pump Model | Full Load Amps | THP | WEF | Ship Wt. | Price |
|-------------|---------------|-------------------|-----|-----|-------------|---------------------|
| 01-1075 | 208-230 | 12.4-11.2 | 3 | 7.1 | 55 lbs. | \$ 2,817.7 4 |

RAYPAK® AVIA

Managing your pool heater has never been easier or smarter. AVIA is built with an innovative Wi-Fi enabled control system that allows you to

Raupak

manage your pool heater and onenaccessory through the Raymote app. No need for a separate control panel to manage your pool heater.

| Cat. No. | Model No. | Price |
|-------------|--------------|------------|
| 018032 | P-R264A-EN-C | \$4,168.00 |
| 018033 | P-R404A-EN-C | \$5,080.00 |





POLES & LEAF SKIMMERS



HAND SKIMMERS & LEAF RAKES

For professional, commercial and residential use.



K. #R16C 16" pocket with stainless steel construction and a protective vinyl coating. \$105.50





M. #SP500 Spartan easy-flip leaf rake. \$51.03



0. #R121196 Heavy duty skimmer net w/ aluminum frame \$32.49



P. #R121186 Flexible skimmer with 4' handle. . . \$32.49

Q. **#R121166** Flexible skimmer net with polyester screen and polypropylene frame. . . \$**18.66**



POLE HANGERS





All poles over 8 feet must ship via truck



NYLON BRUSHES



- A. #R111330 36" Heavy Duty Curved Brush, Aluminum Back, Nylon Bristles



| D. #4000 18" Straight Brush, Aluminum Back, Nylon Bristles (residential or commercial use) | \$38.43 |
|---|---------------------|
| E. #R111386 18" Curved Brush, Plastic Back, Nylon Bristles w/end Cap for vinyl liners | s |
| (residential use) | ^{\$} 16.36 |



| G. #R111626 9" Straight Brush, Aluminum Back, Stainless Bristles | \$47.04 |
|---|-------------------|
| H. #R111616 6" Straight Brush, Aluminum Back, Stainless Bristles | \$ 29.7 2 |
| | . \$ 23.88 |

ACID WASH/TILE/DECK BRUSHES





 I. #6020
 10" Wood Acid Brush, Tapered.
 \$21.63

 J. #469
 5" Wood Acid Brush, Tapered
 \$17.85

 K. #9600
 10" Plastic Acid Brush, Dual Sided, Threaded
 \$30.45

WYSIWASH SANITZER



The Wysiwash Sanitizer is not only a hose-end sprayer. It is a precisely calibrated, scientifically designed and tested, patented sanitizing system.

The Wysiwash System will effectively clean, sanitize, and eliminate odors while blasting away dirt with a jet stream of water.

The hydro-injection venturi system produces a solution of hypochlorous acid that is up to 120 times more effective than liquid bleach!!!

Wysiwash is so easy to use that you will sanitize more often with increased effectiveness. Simply connect the Wysiwash Sanitizer to the hose and spray. There is no need to worry about proper dispensing-it's automatic!

#WYS-101-ID WYSIWASH Sanitizing Unit only. .\$157.50 #20255 WYSIWASH Caplets 5.9 lbs \$81.80

HANDLES & SQUEEGEE



| l. #471 | 6ft Wood Tapered Handle | \$ 13.12 |
|-----------------|---|-----------------|
| м. #471A | 6ft Wood Plastic Threaded Handle | \$ 15.73 |
| N. #7090 | Aluminum deck squeegee 22" must attach a tapered Handle | \$ 19.55 |

BRUSHES WYSIWASH SCUBBERS

PAINTING SUPPLIES & ACCESSORIES




| 0. #1525 2 Qt. Plastic Paint Tra | y | | | | | | | | | | \$ 8.61 |
|----------------------------------|------|----|-----|----|----|--|--|--|--|--|---------------------|
| P. #1526 9" Roller Frame | | | | | | | | | | | ^{\$} 9.15 |
| Q. #1527 9" Roller Cover | | | | | | | | | | | |
| R. #1528-02 2" Wide Paint Brus | sh . | | | | | | | | | | \$ 3.84 |
| S. #1528-04 4" Wide Paint Brus | sh . | | | | | | | | | | ^{\$} 11.04 |
| T. #SCREEN 5 Gallon Bucket Scre | en . | | | | | | | | | | \$10.55 |
| U. #LN28 28 Mil Large Blue Glo | ves | (r | eus | ap | e) | | | | | | \$ 7.60 |

HAND HELD SCRUBBERS



| V. | #8500 | Hand Held Scrubber w/2 White Light Duty Pads | . \$ 16.49 |
|----|-------|--|--------------------------|
| | #8530 | White light Duty Replacement Pad | \$10.01/pair |
| W. | #8510 | Hand Held Scrubber w/2 Blue Medium Duty Pads | \$16.70 |
| | #8532 | Blue Medium Duty Replacement Pad | \$10.80/pair |
| X. | #8520 | Hand Held Scrubber w/2 Brown Heavy Duty Pads | . \$17.01 |
| | #8534 | Brown Heavy Duty Replacement Pad | ^{\$} 11.59/pair |

SWIVEL SCRUBBERS, SPONGES & SCRUBBER PADS



| Y. #8000 Swivel joint snap-in handle, Fits Most Pool Poles, includes White |
|--|
| Light Duty Scrubber Pads |
| #8030 White Light Duty Scrubber Pads for 8000 Scrubber \$18.45/pair |
| Z. #8010 Swivel joint snap-in handle, Fits Most Pool Poles, includes Blue |
| Medium Duty Scrubber Pads |
| #8032 Blue Medium Duty Scrubber Pads for 8010 Scrubber . \$18.79/pair |
| AA. #6510 Corner Heavy Duty Scrubber Brush, Fits Most Pool Poles \$33.08 |
| BB. #8600 Spa Pad 6" x 9", Will Not Scratch Spa Surface |
| CC. #8700 Spa Sponge 3½" x 6", Soft, Absorbent, Will Not Scratch Spa Surface. \$7.54 |
| DD. #8541 Scouring Pad 6" x 9½", Heavy Duty |
| |

VACUUM CLEANERS & VACUUM PARTS

Commercial Vacuums

PRO-VAC®

These patented vac heads will clean a pool bottom in up to half the time, Unique suction chamber concentrates vacuum velocity equally. Has metal swivel handle and adjustable wheels that increase or decrease vacuum velocity. Special flex strips guide debris into exclusive suction chamber. Swivel connection for 1½" vac hose while 2" fits directly on body. Recommended by Service Pros throughout the world.



A. #R201276 14" Width. \$155.19



B #R201286 22" Width. \$197.23



C. #R201296 29" Width. \$239.34

RESIDENTIAL CONCRETE POOL VACUUM

4



VINYL LINER VACUUM



F. CLEAR VIEW VACUUM HEAD

#R201540 Brushes for 196 Vacuum Head . . \$19.91



G. ECONO TRIANGULAR VACUUM



H. VINYL LINER VACUUM–SPECIAL CONTOUR Shape designed to keep vacuum on pool floor at all times. Replaceable brushes and vinyl bumpers. Fits 1¼"-1½ vacuum hose

| #K2U133U | °40.20 |
|---|-------------------------|
| #R201526 Brushes for 193 New Style Vacuum Head | ^{\$} 16.76 |
| # R201302 Brushes for 198 Old Style Vacuum Head | ^{\$} 10.08 |



Designed for use with a garden hose, 1¼", or 1½" vacuum hose. Unit is complete with silt bag, hose adapter, shut-

plete with silt bag, hose adapter, shutoff valve for garden hose use and snapadapt handle. Includes brush attachment for use on vinyl pools.

#R201146 \$41.45

J. #R201696 Replacement bag for #201146 Mini-Vac \$10.17

K. SPA WAND®

| Simple, effective hand-held cleanil | ng device |
|-------------------------------------|-------------------|
| for spas. | |
| #5-300-00 Spa Wand Pro XL | \$ 198.6 4 |
| #5-400-00 Residential Spa Wand . | \$108.38 |
| #5-500-00 Spa Wand Pro | \$176.15 |

PARTS



| M. #R201408 Metal swivel handle– Fits most standard vac heads. Swivel feature allows freedom to steer in any direction with ease \$ 39.51 |
|---|
| N. #R201420 Metal handle fits most vac heads \$23.29 |
| 0. #R201476 Plastic handle fits most vac heads \$8.19 |
| P. #R201557 Ball bearing wheel fits most vac heads |
| Q. #R03022 Polyurethane wheel 1 ³ %" \$5.79 |
| R. #R03021 White wheel |
| S. #R03101 Pin for most vinyl vac heads \$3.24 |
| T. #R03086 Pin for small vac head \$2.34 |
| U. #R201458 Axle for ball bearing wheel \$2.31 |
| V. #R201456 Axle for most wheels \$4.98 |
| W. #22001 Plastic spring clip – Used to clip handles |
| into poles on all brushes and vac heads . \$3.06 |

833 SWIM 327 8 3 3 · 7 9 4 6 · 3 2 7 www.halogensupply.com



SWIMMING POOL VACUUM HOSES

A. COMMERCIAL VACUUM HOSE

Materflex vacuum hose is a high quality, heavy duty, professional grade, swivel cuffed, spiral formed hose with a inner and outer core giving it extreme flexibility and durability. A flat exterior profile keeps snags to a minimum while a smooth interior allows for a better flow.

| # 425-50 1½″ x 50′ | \$134.55 | # 424-50 2″ x 50′ | \$255.56 |
|---------------------------|----------------------|----------------------------|----------------------|
| # 425-75 1½″ x 75′ | ^{\$} 215.06 | # 424-100 2" x 100' | ^{\$} 509.74 |
| #425-100 1½" x 100' | \$ 286.47 | | |

B. VACUUM HOSE

Our 1½" Smoothflex vacuum hose is a high quality, medium duty, swivel cuffed hose with excellent flexibility. Durable enough for professionals, yet lightweight enough for the residential user. Round ribs make it easy to handle. Our 1¼" Valueflex vacuum hose is a high quality, light duty hose with excellent flexibility. Durable enough for everyday use but lightweight. Comes standard with swivel cuff.

| # 423-25 1½″ x 25′ \$ 60.93 | #1990-18 1¼″ x 18′ . \$36.29 |
|---|------------------------------|
| #423-30 1½″ x 30′ \$71.06 | #1990-21 1¼″ x 21′ . \$40.59 |
| #423-35 1½″ x 35′ \$83.66 | #1990-27 1¼″ x 27′ . \$49.95 |
| #423-40 1½″ x 40′ \$94.75 | #1990-30 1¼″ x 30′ . \$55.49 |
| #423-50 1½" x 50' . \$118.44 | #1990-36 1¼″ x 36′ . \$66.58 |

C. ABOVE GROUND FILTER HOSE

Our 1½" premium cuff filter hose provides the strength and flexibility necessary for your filter needs. This hose has Ultraviolet inhibitors and features retail packaging.

| | | | | J | 3. |
|---------|-------|---|----|-------|-----------------|
| #1995-3 | 11/2" | X | 3′ | • | \$15.43 |
| #1995-4 | 1%" | х | 4′ | | \$ 17.73 |
| #1995-6 | 1%" | Х | 6′ | | \$ 22.35 |
| #1995-8 | 1%" | Х | 8′ | | \$ 27.00 |
| | | | | | |

DISCHARGE HOSE





VACUUM HOSE PARTS & ACCESSORIES

| E. #9042100 Standard hose cuff, 1 ¹ / ₄ " for vacuum hoses | \$14.65 |
|---|---------|
| #9012100 Swivel hose cuff, 1½" for vacuum hoses | \$18.60 |
| | \$22.72 |
| #90621 H.D. hose cuffs, 1½" for vacuum hoses | \$10.95 |



F. #FG-VHG VACUUM HOSE REEL

Easy snap together assembly for holding and storing bulky vacuum hoses. Made of high density polyethylene. Color is white \$82.95

G. HOSE HUGGER - Vacuum Hose Carrier

| #HH200 Hose Hugger 3" x 34" will accommodate 2" x 50" hose | co oo |
|--|----------------|
| or 150' electrical cord | \$9.00 |
| or 100' garden hose | \$ 7.85 |



HEAVY DUTY DISCHARGE HOSES

HEAVY DUTY BLUE DISCHARGE HOSE

| #410 | 1½" Heavy duty discharge hose made of PVC reinforced with | | | | |
|----------------|---|--|--|--|--|
| | high strength PVA yarn | | | | |
| H. #411 | 2" Heavy duty discharge hose made of PVC reinforced with | | | | |
| | high strength PVA yarn | | | | |
| #415 | 3" Heavy duty discharge hose | | | | |

ALUMINUM HOSE FITTINGS

| 1. #ABF-200 2" Aluminum shank w/brass swivel nut | \$ 28.24 |
|--|-----------------|
| #ABF-300 3" Aluminum shank w/brass swivel nut | \$ 54.20 |
| J. #ABM-200 2" Aluminum shank w/male threads | \$ 11.88 |
| #ABM-300 3" Aluminum shank w/male threads | \$ 27.92 |



VACUUM HOSES, ACCESSORIES, LEAF TRAPS

LEAF TRAPS ETC

K. CLEAR SEE-THRU SNAP-OPEN LEAF TRAP

Features snap open/close lid and large handle for ease of carrying. Clear housing lets you see debris collecting. For use with automatic suction type pool cleaners or conventional vacuum heads. Traps most debris in polyester bag. Also available with 25 sq. ft. cartridge (with special plug).

| #R211084 1 | 1½" Leaf Trap w/mesh bag & 3 ft. hose \$136.65 | |
|------------|--|--|
| #R211086 2 | 2″ Leaf Trap w/mesh bag & 3 ft. hose \$153.03 | |
| #R211518 F | ine silt bag only \$ 32.24 | |
| #R211516 / | Mesh bag only \$16.29 | |
| #R172653 2 | 25 sq. ft. cartridge only w/plug \$51.48 | |



L. #B5118X LEAF MASTER



M. #1148J STAIN MASTER BY JANDY





HAYWARD POOL CLEANERS & PARTS

COMMERCIAL POOL CLEANERS

A. TIGERSHARK® 2

TigerShark® 2 commercial robotic cleaner is perfect for the class B pool market. It calculates pool size with an on-board computer for the most efficient cleaning pattern. The unit's ability to clean for 7 consecutive hours provides adequate time to clean a larger pool in a timely manner. Powerful on-board pump vacuums dirt and debris, while scouring pool bottom, walls, inclines and steps. It features a patented easy-clean removable cartridge that can simply be rinsed with a garden hose.

- On-board intelligent computer calculates pool size and most efficient cleaning pattern
- Preset 7-hour clean cycle automatically turns off when done
- Powerful on-board pump sucks up dirt and debris
- Scours pool bottom, walls, inclines and steps for a complete clean
- Patented easy-clean removable cartridge can be rinsed with a garden hose
- TigerShark 2 features a 100' cord
- #RC9956GRCC TigerShark 2 \$3,719.00



HAYWARD[®]

Easy-to-clean filter cartridge



TECHNICAL SPECIFICATIONS

| Description | Specification |
|-----------------------------|--|
| Rec. Pool Size | Up to 30' x 60' |
| Gallons Circulated | 4500 GPH |
| Filter Micron Porosity/Area | 5/1000 sq. in. |
| Motor System | Non-oil filled, microprocessor |
| Cleaning Speed | 55 sq. ft/minute |
| Cleaning Cycle | 7-hours bottom, wall and waterline |
| Recurring Cleaning Cycle | No |
| Cord Length | 100' |
| Swivel | No |
| Out-of-Water Sensor | No |
| Voltage | 115/50 24VDC |
| Height/Width/Length | 11" x 16" x 16" |
| Caddy Cart | Included with CC Part Number Models |
| Warranty | 1-year limited warranty on parts and labor |
| | |

RESIDENTIAL POOL CLEANERS

B. AQUAVAC ® 6 SERIES


AquaVac® 6 Series pool cleaners are reinventing the robotic cleaner market with first-of-their-kind capabilities. While other cleaners can lose suction, AquaVac 6 Series cleaners feature patented SpinTech™ filterless technology with 18 hydrocyclones, maintaining maximum suction power. The six variable-speed-driven rollers with adaptive traction offer wall-to-wall cleaning on any pool surface and the unique TouchFree™ debris canister, with a quick release button, is designed for effortless cleanup. AquaVac 6 Series cleaners are the perfect solution for pool owners who want the latest in innovation and smart technology.

| #RCH601CUY AquaVac 600 | | | | \$1,737.90 |
|------------------------|--|--|--|------------|
| #RCH651CUY AquaVac 650 | | | | \$1,948.45 |

TIGERSHARK PARTS



- Spin Tech filterless technology maintains constant suction
 HexaDrive[™] adaptive traction expertly navigates, climbs and scrubs all pool surfaces
- TouchFree debris canister empties and rinses itself with the press of a simple quick release button
- Wi-Fi* offers control from an iPhone[®], iPad[®], or Android[™] device, SpotClean remote steering and multiple programmable color themes (AquaVac 650 only)
- Aqua Vac 600 operates on a recurring 48-hour cleaning mode, while Aqua Vac 650 offers a programmable weekly cleaning schedule
- Caddy cart and power supply included with both models



RESIDENTIAL POOL CLEANERS



Powered by triple jets and a separate booster pump, the Polaris 380 is one of our most powerful, durable cleaners and is suitable for all in-ground pools. Sweeps, scrubs and vacuums the bottom, walls and steps of the pool prolonging the life of your filtration system. **#2005 Polaris Vac Sweep Cleaner**

Model 380 Only. \$1,841.76



The PB4-60 booster pump delivers the best combination of high perfermance power, quiet operation, and durability.



#PB-4 Polaris Booster Pump only . . . \$732.38

BOOSTER PUMP PARTS

| R0536300 Polaris Booster Pump Volute | \$80.03 |
|--|---------|
| R0536400 Polaris Booster Pump Impeller | \$43.74 |
| R0445500 Polaris Booster Pump Mechanical Seal | \$32.51 |
| R0536600 Polaris Booster Pump Backplate Oring | \$19.31 |
| R0536700 Polaris Booster Pump Backplate | \$80.03 |



RESIDENTIAL AUTOMATIC POOL CLEANERS & PARTS

POLARIS PARTS

| A. #9-100-1012 Polaris 380/360 Leaf Bag \$68.15 |
|---|
| B. #9-100-1014 Polaris 380/360 All Purpose Bag \$62.33 |
| C. #9-100-1015 Polaris 380/360 Sand/Silt Bag \$66.67 |
| D. #9-100-1021 Polaris 380/360 All Purpose Zipper Bag\$74.54 |
| E. #9-100-1008 Polaris Wheel, Double-Side 380/360 . \$22.23 |
| F. #9-100-1108 Polaris Ball Bearing 380/360/ATV \$13.88 |
| G. #9-100-1017 Polaris Belt kit 380/360 \$52.54 |
| H. #9-100-3105 Polaris Sweep Hose Scrubber \$4.37 |
| I. #9-100-9001 Polaris UWF Connector Assembly \$49.59 |
| J. #6-500-00 Polaris Universal Wall Fitting \$6.93 |
| K. #48-080 Polaris Inline Filter 480/380/280 \$ 97.00 |
| L. #A-20 Polaris 180 /280/360/380 Float \$11.34 |
| M. #B-5 Polaris 180/380 Sweep Hose Complete \$ 54.81 |
| N. #B-10 Polaris Wear Rings 380/360/280/180 \$ 3.94 |
| - |
| ····· |
| P. #C-10 Polaris Tire, White 380/360/380/180 \$16.38 |
| Q. #D-15 Polaris Nut, Feed Hose 380/280/180 \$6.44 |
| R. #D-20 Polaris Swivel, Ball Bearing 380/280/180 . \$20.77 |
| S. #D-45 Polaris Feed Hose, White Hard 380/280/180 \$51.82 |
| T. #G-52 Polaris Back-Up Valve Kit 380/280/180 . \$134.98 |
| U. #C-6 Polaris Wheel, Large 280/180 \$20.45 |
| V. #C-55 Polaris Wheel Screw (1) 280/180 \$2.90 |
| W. #C-60 Polaris Ball Bearings, Wheels 280/180 \$14.56 |
| X. #C-80 Polaris Ball Bearings, Turbine 280/180 \$26.24 |
| Y. #K-13 Polaris 280 All Purpose Bag, Zippered \$72.14 |
| Z. #K-14 Polaris 280 Sand/Silt bag, Velcro \$64.71 |
| AA. #K-16 Polaris 280 All Purpose Bag, Velcro \$64.31 |
| |



DOLPHIN POOL CLEANERS

COMMERCIAL POOL CLEANERS



Automated robotic cleaner for shallow pools

A proven workhorse, the Maytronics Wave 60 robotic pool cleaner is the ideal solution for small hotel, condo, and apartment pools up to 50 feet. The Wave 60 saves you valuable time when it comes to maintaining your facility pool with its easy, plug-and-play operation.

WAVE 60 Product Specifications

| #DL1060-US WAVE 60 |) Cleaner \$1,849.00 | |
|--------------------|-----------------------------|--|
| Cleaning coverage | Floor, Walls, and Waterline | |
| Ideal pool length | Up to 50 ft. | |

wave80

The trusted name for commercial pool cleaners

Engineered for power, the Maytronics WAVE 80 robotic pool cleaner is the ideal solution for small to mid-sized condo, apartment, and neighborhood pools up to 68 feet.

| WAVE 80 Product Specifications |
|--------------------------------|
|--------------------------------|

| Ideal pool length | Up to 68 ft. | |
|-------------------|--|--|
| Cleaning coverage | Floor, Walls, and Waterline | |
| Brushing | Dual Scrubbing Brushes + Center Active Scrubber | |

#DL1080 WAVE 80 Cleaner \$2,699.00

wave₁₂₀

Automated robotic cleaning for shallow pools

Designed for large pools up to 121 feet, put the power of two robots to work at once with the Mavtronics Wave 120 commercial robotic pool cleaner. Ideal for universities. YMCAs. and water parks,.

WAVE 120 Product Specifications

| Ideal pool length | Up to 121 ft. |
|--|-----------------------------|
| Cleaning coverage | Floor, Walls, and Waterline |
| Brushing Quad Scrubbing Brushes | |
| #DL9359 WAVE 120 Cleaner \$7.099.00 | |

maytr nics Exceptional Pool Experience

The Wave of New Technology in Public Pool Cleaners **A Dolphin for Every Pool**

Automatic Pool Cleaners

wave 200x

- Wave 200 XL key features and advantages (Outstanding results:
- Line by-line cleaning process state-of-the-art programmable tracking systematically cleans the pool floor one path at a time.
- AutoDirect intelligent, self-learning technology and multiple scanning modes delivers systematic, independent and fast cleaning of any large institutional pool of any shape or type.
- Multi Pattern Scanning advanced navigation system and powerful technology ensure complete pool coverage. Highly efficient clog-free filtration with spiral three layer system -
- simultaneously separates and filters rough fine and ultra-fine dirt. Spiral flow system spins the water with large debris off the course filter net. The course filter mesh retains the large particles allowing the cartridge filter to run longer.

The ultra-fine debris is caught in a large pleated cartridge filter. Top access, with snap-in/out separation of the layers, for easy and convenient maintenance and cleaning.

Easy, everyday operation and maintenance - with interactive MMI for intuitive programming and diagnosis of pool cleaner, including: Automatic pool entry and exit using "Drive to pool; and "Drive home" features. Choice of programs and multiple operation modes displayed on a user-friendly LCD screen. Remote control for manual manoeuvring to clean hard-to-reach pool corners.

Full filter bag indicator. Operation delay feature.

- Multipurpose Caddy with Auto Cable Release transports the robot and automatically releases just enough cable to reach the far end of the pool, prevents kinks and tangles, simply crank the reel to neatly rewind the cable.
- Multi pool cleaning setup of up the four different scanning modes and remote control IDs provides optimizes cleaning of multiple different pools with a single robot

Ideal for pools: up to 108 ft in length Cable length: 115 ft Weight : 52 lbs Warranty: 36 months or 3000 hours on non-wearable

• #7200 Wave 200XL Cleaner \$9,999.00

wave100

The best value for money in institutional cleaning Dolphin Wave 100 Highly efficient fully automated cleaning for park, high school, YMCA and other small institutional pools. The advanced gyroscopic system ensures accurate scanning for systematic coverage of floor, walls and water-line. Highcapacity filtration space captures dirt, dust and all other types of debris, leaving a clean surface. • Total pool cleaning - Unique gyroscopic system delivers accurate and effective scanning along the entire pool. • Advanced, high-capacity 2 levels filtration options - 2 filtration options: ultra fine and fine for all pool conditions and seasons. 20% extra filtration capacity, leaves the pool water clean and free of hair, dust, insects and other debris. Ideal for pools: up to 32' x 82' Cable length: 98 ft **Caddy:** For handling & Storage Warranty: 24 months or 3000 hours on non-wearable parts Filtration: 2 filter bag options, 70 and 50 micron, for all types of dirt and debris

Brushes: Dual active combined brushes Weight: 29 lbs

#9096X Wave 1005 Cleaner \$4,299.00

wave₁₄(

The trusted name for commercial pool cleaners

Extra-wide for maximum cleaning efficiency, the Wave 140 is the perfect solution for large university, fitness clubs, YMCA, and resort pools up to 127 feet, including those with beach entry. The Wave 140 helps minimize downtime due to cleaning with its plug-and-play, fully automated operation, and multiple cleaning options keeping your pool open for guests to enjoy.

With a wide cleaning path of 22 inches, the Wave 140 excels at floor scrubbing and heavy-duty dirt collection. for an ultimate clean swimming pool.

| WAVE 140 Product Specification | |
|--------------------------------|------------------------|
| Ideal pool length | Up to 127 ft. |
| Cleaning coverage | Floor only |
| Brushing | Dual Scrubbing Brushes |

T Series

#DL7140 WAVE 140 Cleaner \$7,399.00


RESIDENTIAL POOL CLEANER

READY FOR YOUR POOL PARTY IN 2 HOURS! The Dolphin T-Series robots are designed by Maytronics to do all the hard work - providing incredible cleaning performance and industry-leading technology.

Cleaning Features Pool Size: Up to 50 ft Cleaning cycle: 2 Hours Cleaning Mode(s): Standard Filtration: Top load, Fine and Ultra-Fine Basket Cable Length: 60 ft Warranty: 2 Years- Limited #6240 T35 Cleaner \$1,171.08

DOLPHIN PARTS





| A. #DL9995550 Bottom Lid Assembly Cart | \$ 34.16 |
|--|------------------|
| B. #DL9995430-ASSY 50 Micron Cloth Filter Bag | |
| C. #DL9981430-PAIR Filter Bag Clips | \$10.55 |
| D. #DL9985006 Track Grey Grooved | \$ 27.68 |
| E. #DL3883645 Drive Pulley | \$ 23.22 |
| F. #DL3884997 Guide Wheel | \$ 8.21 |
| G. #DL9996084-ASSY Caddy Cart New Style (Not Pictured) . | \$ 208.40 |
| H. #DL9995671-US-ASSY Power Supply | \$410.15 |







CLEAN THE ENTIRE POOL IN MINUTES OR SPOT CLEAN IN SECONDS

The Pool Blaster Volt FX-8. designed for cleaning medium to large swimming pools and spas. is a leap forward from the original Pool Blaster MAX. The VOLT FX-8 features over one liter of debris capacity and, with its thirteen inch wide vacuum head, offers a huge cleaning path. The FX-8 vacuums up to one hour between chargings. POOL BLASTER #FX-8...\$316.05

The newly designed Pool Blaster VOLT FX-4 is the perfect choice for cleaning large spas and small to medium sized in-ground or above-ground residential pools. The rechargeable FX-4 features a "latch" style nose cap for ease of operation and, as with all VOLT pool vacuums, can be attached to a pool pole or can be used as a hand-held POOL BLASTER cleaner. #FX-4...\$171.15

The new Pool Blaster VOLT FX-2 features vastly increased debris capacity and three times the cleaning power of the original Aqua Broom. Ideal for cleaning "guick set-up pools and residential spas, the VOLT FX-2 operates for over three hours powered by five "D" cell batteries. #FX-2...\$88.20



(🛛 🖊 🖊 🕇



STA-RITE GASOLINE ENGINE PUMP

3 H.P. gasoline engine pump. 6" cast iron hair strainer and basket (not mounted), cart with handle, discharge hose 25', fittings and clamp, 2" suction and discharge. 104 g.p.m. with 5' lift, 95 g.p.m. with 10' lift; 83 g.p.m. with 15' lift. 150 lbs.

#437 \$2,696.00





HARMSCO PORTABLE VAC SYSTEM

A real money saver! Vacuum your pool through an Harmsco cartridge filter without water, chemical or heat loss. Comes complete with a single 105 sq. ft. filter, 3/4 H.P. Pentair Challenger, 25' discharge hose and PVC fittings. Electrical cord now included. We suggest a ground fault interrupter be used. #1460 Specify 1¹/₂" or 2" suction \$3,480.00

NOTE: GROUND FAULT INTERRUPTERS ARE RECOMMENDED FOR ALL ELECTRICAL PUMPS

Replacement Cartridge Filter available on page 21



VACUUM PUMP ASSEMBLY All pumps are complete with fittings and clamps.

3/4 H.P. Pentair Challenger Pump, 115 volt, single phase, 60 cycle thermally protected motor designed for continuous duty operation. A heavy duty 50 foot cord and plug is supplied for maximum convenience and utility. A ground fault interrupter (GFI) protects the operator from electrical grounds in the cord and motor. A two-wheel chassis kit allows the unit to be easily wheeled about the pool. 1 1/2 " suction and discharge.



PORTABLE VAC SYSTEM

This all new portable vacuum system comes complete with ³/₄ H.P. Pentair Challenger Pump, 50 feet of power supply cord and a 15 amp GFCI plug attached. Features a Pentair PXCRP100; 100 square foot posi-clear filter with easy access posi-ring mounted on a stainless steel cart. 11/2" suction and 11/2" x 25' H.D. discharge.

PORTABLE AND HANDHELD VACUUMS

BATTERY POWERED POOL CLEANING HAMMER·HEAD

RESORT UNITS - FOR FACILITY MANGERS

Resort-21 and Resort-30 units are meant to be left on site and the caddy carts are not compatible with our vehicle mount assembly. The two standard configurations are the Resort-21, which has a 21" vacuum head and a 60ft cord. and the Resort-30 which hasa 30" vacuum head and a 60ft power cord. all resort units ship fully assembled.

NOT INCLUDED

- 12 VOLT DEEP CYCLE MARINE BATTERY
- STANDARD POOL POLE
- NOT COMPATIBLE WITH THE HH1300 VEHICLE MOUNT

#RESORT-30

Hammerhead 30" resort unit complete with charger P.O.A. #RESORT-21

Hammerhead 21" resort unit complete with charger **P.O.A.** FOB Factory

WATER TECH PRECISION 2.0 Li **Professional Pool Vacuum**

Powerful, Cordless, Rechargeable Commercial Pool Vacuum Having the right tools to do the job will save you time, money and unnecessary headaches. The Precision 2.0Li works on any surface: concrete. tile, vinyl, or fiberglass. Simply attach the Precision 2.0Li to any standard telescopic pool pole, turn the unit on, and you are ready to vacuum Its lightweight, no fuss design is free from hoses, external pumps and electrical cords. The durable design and powerful suction makes the Water Tech Precision 2.0Li the perfect companion for any Pool Service professional. Perfect for overall pool vacuuming including: steps, swim outs, benches, spillover spas, negative edge troughs, tanning ledges and fountains.

Check Out What Comes Standard

Two powerful lithium batteries, wall charger, three high volume discharge valves, three high volume filter bags, 2 vacuum heads and a shoulder strap.

#PB-50000PL\$1,270.50



OLYMPIC POOL COATINGS

Slympic

vmbiC



EPOXY PAINTS

ZERON

A one-coat epoxy pool coating recommended for use by pool service professionals. This high solids epoxy covers all types of stains and even will seal hairline cracks. Coverage is 125 – 175 sq. ft. per gallon.

| #1517-W Zeron White 1 gallon | \$168.35 |
|--|------------------|
| #1517-BB Zeron Bikini Blue 1 gallon | \$168.35 |
| #1517-BM Zeron Blue Mist 1 gallon | \$168.35 |
| #1517-B Zeron Black 1 gallon | \$168.35 |
| #1517-VB Zeron Viking Blue 1 gallon | \$ 192.40 |

POXOLON

Poxolon is a high gloss pool coating that provides a tile like finish. Use with primer on concrete, plaster, fiberglass and metal pools where two coats are usually required. Coverage is 225 - 250 sg. ft. per gallon.

| #1518-W Poxolon White 1 gallon | \$1 58.18 |
|--|----------------------|
| #1518-BB Poxolon Bikini Blue 1 gallon | \$1 58.18 |
| #1518-BM Poxolon Blue Mist 1 gallon | ^{\$} 158.18 |
| #1518-B Poxolon Black 1 gallon | \$1 58.18 |
| #1518-VB Poxolon Viking Blue 1 gallon | \$ 192.40 |
| #1518-BI Poxolon Blue Ice 1 gallon | \$1 58.18 |

SUPER CONVOY

10

Super Convoy is unexcelled for shower room floors. locker room floors, pool coping, wading pool, pool steps, and on pool decks. The steam and hot water in shower rooms will have no effect on this epoxy product. Coverage is 90-110 sq. ft per gallon.

#KEL-368 SuperConvov White 1 aallon \$130.43

To request Olympic Color Cards call 800-458-2842 or visit olympicpoolpaint.com

Paralon 2 NO. 290 GLOSS WHITE

RUBBER BASED PAINT

PARALON 2

Numpic


Poxolon 2

NO. 2222 WHITE

Paralon 2 is a premium grade chlorinated rubber base pool enamel that is easy to apply, long lasting and provides a high gloss finish. Paralon 2 is recommended for existing chlorinated rubber base coatings. Two coats are recommended for repairing iobs and 3 coats over bare concrete. . 050 (1 1

| Coverage is 250 sq. π. per gallon. | |
|--|------------------|
| #1519-W Paralon 2 White 1 gallon | \$ 125.80 |
| #1519-BB Paralon 2 Bikini Blue 1 gallon | \$125.80 |
| #1519-BM Paralon 2 Blue Mist 1 gallon | \$125.80 |
| #1519-B Paralon 2 Black 1 gallon | \$125.80 |
| #1519-BI Paralon 2 Blue Ice 1 gallon | \$125.80 |

POOL COATINGS COLORS



usion

FUSION PLUS

Fusion Plus is the smart way to convert vour worn rubber-base coated pool to an epoxy finish. Simply clean surface, roll on FUSION PLUS, then follow with one coat of ZERON or two coats of POXOLON. Your rubber-toepoxy finish will be beautiful, and will last for years! Coverage is 225 - 250 sq. ft. per gallon.

#1523 Fusion Plus \$117.48

PRIMERS **POXOPRIME II** Poxoprime II is an epoxy primer for application over



unpainted concrete or plaster. Poxoprime II soaks in and seals the surface and can be applied over a damp surface to reduce down-time. Used as an undercoat for Poxolon or Zeron. Coverage 200 – 225 sq. ft. per gallon. #1520 Poxoprime II 1 gallon \$108.23

GUNZITE PRIMER

Gunzite is a two-part primer used as an undercoat for Poxolon or Zeron usually used over rough plaster or concrete. The heavy viscosity of Gunzite acts as a fill coat that provides a smooth surface. Especially effective on sandblasted surfaces. Coverage 100 – 150 sg. ft. per gallon. #1521 Gunzite Primer 1 gallon \$108.23

SOLVENTS

| #1109 Epoxy solvent 7 gallon | \$ 58.28 | |
|---|-----------------|-----------------|
| #1108 Rubber base solvent 1 gallon | \$61.05 | \$ 24.98 |

DURACOURT COURT PAINT

Formulated from tough acrylic polymer specifically designed for asphalt or concrete outdoor surfaces. Colorfast coating retains fresh appearance for years and resists sun

fading. One-coat product that requires no specialized labor. Simply sweep, mark boundary lines and you are ready to paint. Coverage approximately 100 – 125 sg. ft. per gallon. #1522 DC Duracourt 5 gallon P.O.A.



DURACOUR

GALLONS | QUARTS



DIVING BOARD RESURFACING KIT

The Olympic diving board resurfacing kit is used to resurface old worn diving board surfaces. Each unit contains one quart of Convoy epoxy non-slip coating, one textured roller cover, one pint of solvent and complete instructions. One unit resurfaces one - 8 ft. diving board. Not intended to repair cracks. #1518-U100 Diving Board Resurfacing Kit – White \$95.28 #1518-U102 Diving Board Resurfacing Kit -Biki

| cini | Blue | | • | • | | • | | • | | | | \$ | 95 | .2 | ł |
|------|------|--|---|---|--|---|--|---|--|--|--|----|----|----|---|
| | | | | | | | | | | | | | | | |

SURFACE PREP

Olympic PREP MAGIC (245) is a one-step, clean and etch pool surface preparation solution that allows you to clean your surface without the extra steps of traditional surface cleaning. Simply mix PREP MAGIC with water, clean your surface, and then rinse

#KEL-345 Prep Magic 1 gallon . . \$40.70

PATIO TONES DECK PAINT

This water-based deck paint not only beautifies your pool and patio area but actually penetrates the concrete to provide a cooler surface that resists peeling and chipping for years. Can be applied over a wet surface with an approximate coverage of 120 square feet per gallon depending on surface porosity. Call for complete Patio Tones Color Charts and descriptive literature.

MAGIC

| 1520-CS Patio Tones – Creekstone 1 gallon | ^{\$77.70} |
|---|--------------------|
| 1520-CH Patio Tones – Champagne 1 gallon . | \$77.70 |
| 1520-DS Patio Tones – Desert Sun 1 gallon | \$77.70 |
| 1520-MG Patio Tones – Mystic Gray 1 gallon . | ^{\$77.70} |
| 1520-SS Patio Tones – Silk Straw 1 gallon | \$ 77.70 |
| 1520-SV Patio Tones – Sand Valley 7 gallon. | \$ 77.70 |
| 1520-WB Patio Tones – Warm Biscuit 1 aallon | \$77.70 |









RAMUC "EP" EPOXY

Ramuc's finest epoxy swimming pool coating is a high solid, self-priming high gloss paint formulated to provide a tile-like, abrasion resistant surface. Ideal to use for the protection of concrete, plaster or fiberglass in swimming pools, spa's, reflecting pools, water parks and wave pools. Coverage is approximately 450 sq. ft. on recoats or 200 sq. ft. on bare surfaces.

| #1540-DB-1 Dawn Blue 1 gal. kit | \$ 166.43 |
|--|----------------------|
| #1540-MW-1 White 1 gal. kit | \$ 166.43 |
| #1540-AG-1 Aqua Green 1 gal. kit | ^{\$} 166.43 |
| #1540-B-1 Black 1 gal. kit | \$ 183.08 |
| #1540-DKB-1 Dark Blue 1 gal. kit1 gal. kit. | \$ 183.08 |

RAMUC HI-BUILD EPOXY

Ramuc Epoxy Hi-Build is a premium satin finish self-priming epoxy that's an excellent choice to renovate plaster or concrete pools or spas. Long-lasting and durable it upgrades faded or scratched fiberglass. Coverage is 150-200 sq. ft. per 2 gallon kit on sandblasted or rough surfaces and 300-350 sq. ft. per 2 gallon kit on recoats. **#1540-HBW** Hi-Build White 2 gal. kit **\$311.28**

#1540-HBDB Hi-Build Dawn Blue 2 gal. kit. . \$311.28








RAMUC ULTRA PRO 2000 COMMERCIAL RUBBER

Ultra Pro 2000 is a low VOC rubber based pool paint formulated for commercial use on concrete or plaster pool surfaces. Self-priming - no primer needed. VOC Compliant in all 50 states. Two years' service life.

| #1545-DB Ultra Pro 2000 Dawn Blue 1 gallon | \$ 129.80 |
|--|------------------|
| #1545-RB Ultra Pro 2000 Royal Blue 1 gallon | \$1 38.12 |
| #1545-W Ultra Pro 2000 White 1 gallon | \$129.80 |



INTRODUCING NEW TYPE A-2 PREMIUM RUBBER BASED POOL PAINT

- Versatile-topcoats and upgrades existing chlorinated and synthetic rubber systems.
- VOC Compliant-meets the strictest state and federal environmental regulation of 320 gpl VOC.
- Easy to clean, semi-gloss stain-resistant finish.
- Excellent hiding and coverage: spreads at
- 250 sq ft on bare surfaces, 350-400 sq ft on recoats.
 Self-priming

| #1544-DB-1 Dawn Blue 1 gal. can | ^{\$} 138.12 |
|-----------------------------------|----------------------|
| #1544-W-1 White 1 gal. can | |
| #1544-B-1 Black 1 gal. can | \$ 146.45 |



RAMUC DS WATER-BASED ACRYLIC

Type DS is formulated to provide a decorative but tough, durable film that protects concrete and plaster pools. Self-priming type DS can be applied over previously painted chlorinated and synthetic rubber base paint, as well as properly prepared epoxy painted surfaces. Type DS is ideal where down time is critical, can be applied over damp surface and put into service 3 days after final coat. Coverage is 250 sq. ft. on bare surfaces, 350-400 sq. ft. on recoats

| #9101-W-1 Type DS White 1 gallon | \$ 124.80 |
|---------------------------------------|------------------|
| #9101-DB-1 Type DS Dawn Blue 1 gallon | \$ 124.80 |
| #9101-B-1 Type DS Black 1 gallon | \$ 133.13 |

#92242 Skid-Tex non-skid additive 1 quart Container \$13.50



RAMUC POOL PAINTS

UNIVERSAL THINNER



CLEAN AND PREP SOLUTION

DESCRIPTION AND USE: Clean & Prep Solution is used to clean and degrease while simultaneously dissolving mineral deposits, increasing porosity for good adhesion on surfaces prior to painting.

#9306 CLEAN AND PREP SOLUTION

- 1 gallon \$59.87
- VOC Compliant
- Perfect for painted surfaces
- Turns traditional 3-steps into a 1-step process
- Water-rinse neutralize
- Odor-free; No Fumes
- Biodegradable, safe to use near plants & grass
- Excellent for filter element cleaning

RAMUC COPING SPRAY PAINT

Renew the vibrancy ofpool coping with non-skid Coping Spray Paint by Ramuc Pool Specialty Coating Systems. Avoid expensive and time-consuming coping removal by using RAMUC COPING SPRAY to brighten, restore, and protect the existing coping material. Easy to use, environmentally safe and economical. #1541 Coping Spray Paint \$29.56

#1541 Coping Spray Paint \$29.56





11

www.ramucpaint.com

TILES, DEPTH MARKERS, GROUT, CAULK & SEALANT



DEPTH MARKERS Black print on white background

Available in imperial and Metric units

• GLASS OVERLAY - Tempered glass that can be installed over tile, fiberglass, or paint. Must use installation kit for permanent installations. #1596 6" x 6" Marker \$11.14

| \$ 12.83 |
|-----------------|
| \$ 18.00 |

• Vinyl Stick-Ons – Self-adhesive skid resistant vinyl tiles for above waterline use only. Must use adhesive and edge sealer.

| | · I Z.0J |
|--|--------------------|
| #1595-8X8 8" x 8" Marker | \$19.35 |
| #1595-NDS-8X8 8" x 8" No Diving Sign | ^{\$21.04} |
| #1597 Installation Kit (up to 40 6" and 22 8") | \$47.25 |
| #1597-ES Edge Sealer only | \$ 19.95 |

- PLASTIC STICK-ON For stainless steel gutters #1590-NDS 4" X 6" No Diving Sign \$12.83
- SKID RESISTANT CERAMIC TILE For permanent installation in decks #1594-NDS 6" X 6" No Diving Sign \$10.24 #1594-8X8 8" x 8" Marker \$17.55 #1594-NDS-8X8 8" X 8" No Diving Sign. \$19.69
- SMOOTH CERAMIC TILE For permanent installation in walls #1592W-NDS 6" X 6" No Diving Sign \$9.56

6" x 6" FROST-PROOF FLAT TILE #1592W White...... \$4.50 #1592B Blue...... \$4.50 #1592BL Black \$4.50

6" x 6" BULLNOSE TILE #1593W White..... \$11.40 #1593B Blue \$11.40 #1593G Green \$11.40

SAFETY EDGE TILE – Clearly mark the step edge for safe pool entry. Factory skid resistant surface. Frost resistant. Colors: blue, black, brown and green Specs: 1/4" thickness 2 1/4" x 1" x 6" #1591 Safety Edge Tile(specify color) \$4.16

TILE SET/GROUT Thin set mortar for installation and grouting of all types of tiles. **#1594** 50 lbs... \$29.32



GATOR GRIP TAPE

Our anti-slip safety grit tape help to provide extra traction where slippery surface conditions may occur on floors, steps and equipment. Constructed from a thick base laver with an aggressive 60-grit mineral abrasive compound. Tape is coated with an aggressive acrylic adhesive with a removable liner. Great for use in equipment rooms. #RE629BL Black Anti-Slip Strip 6" x 21" \$18.80

SOFTEX TAPE

Softex coarse resilient slip-resistant tape works great in or around the home, pool, patio, workshop, locker room, boat, deck, or other areas where there is a bare foot or light shoe traffic. This tape has a deep embossed surface that will perform in heavier duty applications, while still being comfortable for bare foot traffic. Tape can be easily mopped for cleaning. #RE3891BL Vinvl Traction Tape 4" wide \$3.00/ft

AQUABOND UNDERWATER REPAIR COMPOUND

Swimming Pool Repair Epoxy Adhesive

• All purpose "Wet or Dry" adhesive provides an easy no-mess application

- Repair coping, fiberglass, or a vinyl liner
- Secure handrails or rocks
- Kit contents: One DM-50 dispensing gun, One 50 ml cartridge of UW-5000 off white, Five SM-5416 static mixers

#DMK-5000 AquaBond Repair Compound Kit . \$124.95 #UW-5000 50ml AauaBond Repair Compound . \$35.68

AQUAFLEX UNDERWATER SEALANT

Mixes, Applies & Cures Underwater

- Quickly and reliably repair leaks
- Can be mixed and applied underwater
- *Kit contents: One DM-50 dispensing qun*,
- One 50 ml cartridge of AFC-8100 clear. Five

SM-5416 static mixers. One multi-radius spreader

| #DMK-W8000 AquaFlex Sealant Kit | \$ 146.60 |
|--|------------------|
| #AFW-8000 50ml AquaFlex White Sealant | \$57.33 |



CAULK & SEALANT VULKEM SEALANT 116 & 45

A. A one-part, polyurethane sealant. For use in expansion joints for swimming pools, decks and sidewalks, and is suitable for continuous immersion. Vulkem 116 is for vertical or horizontal joints. Vulkem 45 is self leveling for horizontal joints only.

| #1570W Vulkem 116, White 10.5 oz. cartridge . | \$10.40 |
|---|---------|
| #1570G Vulkem 116, Gray 10.5 oz. cartridge | \$10.40 |
| #1572W Vulkem 45, White 30 oz. cartridge. | \$30.45 |
| #1572G Vulkem 45, Gray 30 oz. cartridge | \$30.45 |

B. BOSS CAULK

801 Neutral silicone adhesive provides excellent adhesion to ceramic tile, spa jets, skimmers, lighting fixtures, and plumbing. 801 also adheres well to fiberglass, ABS, acrylic, PVC, wood and masonry. #80100B Silicone Adhesive, Clear 10.3 oz. cartridge \$19.94 #80101B Silicone Adhesive, White 10.3 oz. cartridae \$19.94

C. PERMANENT SEALER

Seals seams and cracks even under water. Leaking cracks have been successfully plugged when a pool is filled. Permanent Sealer will dry in about 30 minutes under water. Comes in 10 oz. cartridges. #1533W White. \$8,44 **#1533W-HV** High Viscosity White \$8.93

#1533C-HV High Viscosity Clear . . . \$11.77

D. POOL PUTTY

No need to drain concrete pools to repair leaks and cracks because pool putty hardens under water. Pool putty is packaged in convenient cartridges for an easy 1-to-1 mix. Approximate setting time at 70°F is 90 minutes.

E. POOL PASTE

A high strength epoxy that creates a strong permanent bond to almost any material. Use pool paste to replace tiles or repairing cracked skimmers. fittings and accessories. Can be sanded and painted. Setting time is approximately 90 minutes at 70°F. #1535 Pool Paste 16 oz. unit. \$38.75



-K-

NO DIVING



- Easily mix, apply, and cure underwater





CEMENT PATCHING

MASTERSEAL 590 (FORMERLY WATERPLUG)

Thoro Waterplug stops running water instantly Fast setting (3 to 5 minutes) • Expands as it sets Sets up under water Anchors bolts and fixtures firmly 1 lb. will fill 17 cu. in. or a crack 3/4" x 3/4" x 30" #1560-10 Waterplua 10 lbs. \$**45.91** #1560-50 Waterplua 50 lbs \$101.96

MASTEREMACO N424

(FORMERLY THORITE) EmacoGP is a fast-setting cement base patching material that will not slump or shrink at patch edges. Excellent structural strength often stronger than original concrete. #1561-60 Thorite 60 lb.-can \$100.82

MasterEmaco[®] N 424 d Repair Mortar

aľ 590

Margan Stream

MONE AND

MASTEREMACO N220 (FORMERLY ACRYL 60)

Acryl 60's acrylic polymers add extra strength and durability when mixed with cement base patches and coatings such as Emaco GP, All-Crete, Super Quickseal and Thoroseal. Use 1 part Acryl 60 to 3 parts water under normal conditions. #1552-01 Acryl 60 1 gal. bottle \$65.67 #1552-05 Acrvl 60 5 gal. can \$258.41

1CO A 660

SEALANTS



MASTER 581 (FORMERLY THOROSEAL) Thoroseal waterproofs

anything of block, brick, concrete, or stone. includina swimmina pools and basement walls. A cement based sealer that works above or below grade. Keeps water out while allowing surface to breathe. Coverage: Approximately 225 sq. ft. per 50 lb. container. depending on surface conditions. #1550 Thoroseal 50 lb. pail \$101.12

BRUSHES FOR APPLICATION

#2714-LH 14" Patchina Brush less Handle (see pg 3 for handle) \$18.72



PLASTER PATCHING



SGM PEARL BRITE Features:

MASTER

Seal' 581

- Pearl Brite high performance plaster mix is pre-blended and ready to use.
- Pure white color resists chemical attacks, etching, staining, discoloration and delamination
- 80-lb. bag covers approximately 25 to 35 sg. ft. depending upon surface roughness
- #20-PBC300 Pearl Brite Plaster Mix. . . . \$57.70



SGM DYNAMITE POOL PATCH

• High strength • Sets under water • Brilliant white Dynamite pool patch is a mixture of portland cement and special additives that permits underwater patching and general concrete repair work to be done instantly. Pool patch can be used wherever a quick setting caulking or plugging material is needed. Extremely fast-setting. Working time 3-5 minutes

| #1555 Dynamite Pool Patch 9 lbs | ^{\$} 86.50 |
|---|---------------------|
| #1556 Dynamite Pool Patch 60 lbs | \$ 99.33 |



SEALERS PATCHING & ACCESSORIES



ABOWELD NO SLUMP EPOXY PATCH

For patching and building up vertical surfaces without forms or molds. Fills cracks. Bonds permanently. Will also bond to wet surfaces. Crack repairs and tile installation repairs. Available in white only #5512QR Aboweld55-1 (2 Quart) \$119.03 #5512GKR Aboweld55-1 (2 Gallon Kit) . . . \$304.12



ABOCRETE SELF-LEVELING EPOXY COMPOUND

Permanently repairs, bonds, rebuilds and resurfaces concrete and most rigid surfaces. Self leveling. Fills cracks. Excellent substrate for decorative color grit and aggregate. #ACK5R Abocrete (1 Gallon Kit) \$106.68 #ACKR Abocrete (5 Gallon Kit). \$274.97





TREAD SPREAD SLIP RESISTANT EPOXY COATING

Bonds Tenaciously to concrete, wood, metal, fiberglass, and most rigid surfaces. Use on wet, dry, underwater surfaces where slip resistance is needed. Much more durable and longer lasting than tape. Exceeds OSHA and ADA recomendations for slip resistance in both wet and dry conditions. Coverage is 12 sg. ft. at 1/8 in thick per gallon. Color is Slate Ğray.

#TS2PK Tread Spread 2 pint kit \$73.06 **#TS2GK** Tread Spread 2 gallon kit \$289.93



PENTAIR/STA-RITE COMMERCIAL/RESIDENTIAL SELF PRIMING POOL PUMPS



For largest inventory of Sta-Rite parts call 833-794-6372 See pages 16 & 17 for replacement parts and motors.

Smarter.



MAX-E-PRO

High efficiency, low maintenance and maximum performance - all the features demanded by today's pool professionals. The Max-E-Pro has our new Quick-Lock trap cover ring and the 2" ports incorporate internal and external threads. Meets DOE minimum efficiency requirements.

SINGLE-PHASE HIGH EFFICIENCY PUMP

| Cat. No. | Voltage | Full Load Amps | THP | WEF | HHP | SF | Ship. Wt. | Price |
|----------|-------------|----------------|------|------|------|-----|-----------|------------|
| 34-8185 | 115/208-230 | 10.5/5.5 | 1.10 | 3.50 | 0.65 | 1.0 | 50 | \$1,335.87 |

THREE-PHASE TEFC SUPER DUTY

| Cat. No. | Voltage | Full Load Amps | HP | SF | Ship. Wt. | Price |
|----------|-------------|----------------|----|------|-----------|------------|
| 34-5076 | 208-230/460 | 4.9-4.5/2.3 | 1 | 1.65 | 45 | \$1,445.49 |
| 34-5077 | 208-230/460 | 6.4-6.3/3.2 | 1½ | 1.47 | 47 | \$1,569.56 |
| 34-5078 | 208-230/460 | 7.5-7.2/3.6 | 2 | 1.30 | 50 | \$1,843.86 |
| 34-5079 | 208-230/460 | 9.8-9.4/4.7 | 3 | 1.15 | 53 | \$2,251.12 |

INTELLIPRO®VSF

VARIABLE SPEED AND FLOW PUMP


IntelliPro VSF pump is the first variable speed and flow pump that adjusts to changes in flow conditions to maintain its preprogrammed flow rate to run optimally throughout the entire filtration cycle. It's like having cruise control for your pump.



- Features:
- Eight programmable speed or flow settings and built-in timer
- Rotatable keypad with optional wall mount kit (sold separately)
- Top-mounted field wiring compartment is easier to access and connect
- Totally enclosed fan-cooled design for increased performance and long life
- Menus are easier than ever to use
- Precisely maintains system flow requirements
- Compatible with Pentair Automation
- WEF <u>6.6</u> THP <u>3.95</u>

14

| CAT.NO. D | DESCRIPTION | VOLTS | AMPS | HP | SF | SHIP WT. | PRICE |
|------------|---------------|-------|------|----|------|----------|------------------------|
| 01-3004 II | INELLIPRO VSF | 230 | 16 | 3 | 1.32 | 57 | ^{\$} 2,791.15 |



SELF-PRIMING CENTRIFUGAL PUMPS

Self-priming, centrifugal design available in 3 and 5 H.P. models. The pump body has a single suction port with four-bolt flange connection for mounting strainer. Centerline discharge port -3 H.P. -

2"/5 H.P. – 21/2" discharge. Bronze impeller.

NOTE: Pumps do not include Hair & Lint Trap - Order separately.

| | • | | | | |
|-------------|---------------|--------|------------------|-----------------------------|--------------------|
| Cat. No. | Nominal HP | Phase | Motor Voltage | Approx. Ship. Wt. (lbs.) | Price |
| DMH3-171 | 3 | 3 | 230/460 | 135 | \$2,639.93 |
| DMJ3-172 | 5 | 3 | 230/460 | 178 | \$ 2,818.10 |
| | | HAIR | & LINT STRAIN | ER | |
| Cat No | Docerin | tion C | uction Port | Annrox Shin We | Drico |

| Cat. No. De | escription Su | JCTION PORT A | pprox.snip. wr. | Price |
|-------------|---------------|---------------|-----------------|-------------------|
| PKG 98 8' | ' Cast Iron | 3" NPT | 40 lbs. | \$ 988.3 4 |



HIGH PERFORMANCE COMMERCIAL SELF-PRIMING PUMP

Especially designed for commercial/public swimming pools or spas where very high performance and self-priming characteristics are desired. Oversized hair and lint strainer for large debris capacity (1100 cu. in. capacity). Rugged cast iron construction with bronze impeller. Standard 4" x 6" flange connections (N.S.F.).

NOTE: Pumps do not include Hair & Lint Trap - Order separately.

| Cat. No. | Nominal HP | Phase | Motor Voltage | Approx. Ship. Wt. (Pump only) |
|-------------|---------------|------------------|------------------|-------------------------------------|
| CSPHK-142 | 7 ½ | 1 | 230 | 270 lbs. |
| CSPHK3-142 | 7 ½ | 3 | 230/460 | 265 lbs. |
| CSPHL3-143 | 10 | 3 | 230/460 | 270 lbs. |
| CSPHM3-144 | 15 | 3 | 230/460 | 280 lbs. |
| CSPHN3-145 | 20 | 3 | 230/460 | 325 lbs. |
| | | F.O.B. Sta-I | Rite | |
| Cat. No. | De | escription | Appr | ox. Ship. Wt. |
| PKG 184 | 1100 0 | cu. in. capacity | | 180 lbs. |

Price on Application



Perfect for the toughest outdoor and indoor projects, the C-Series pump gets its durability from all-brass construction and a stainless steel basket. For decades, the C-Series has proven its dependability as one of the most effective commercial pumps available anywhere. It has set the standard for medium and high-head performance in the pool industry. The C-Series Pump is available with and without a hair and lint pot.

Standard Features:

- Heavy-Gauge stainless steel strainer basket
- 6" suction and 4" discharge for maximum efficiency
- Open area of Strainer Basket is 5 times area of suction port
- Heat-resistant seal operates at up to 150° Fahrenheit
- One year limited warranty
- 200-208 and 575 volt models available on request Available with or without strainer. Pumps are self-priming with strainer. Pricing upon request.

ricing upon request.



- Designed in every detail for maximum efficiency
- The only non-corrosive, all plastic pump designed exclusively for the commercial pool and water applications market
- The EQ's impeller features an exclusive design that provides true breakthrough performance
- Lower load due to efficient impeller design means longer motor life
- Cam and Ramp™ lid design with clear lid for added convenience in servicing

Additional Features:

- Lightweight
- 6" suction and 4" discharge with strainer pot
- Heat resistant seal operates at up to 150° Fahrenheit
- Cam and Ramp[™] lid design with clear lid
- Self-priming pump(with strainer pot)
- NSF-Listed
- Available in single and three phase 60 hertz models
- Models available for water feature applications
- One-year limited warranty

Available with or without strainer. Pricing upon request.

entair

PENTAIR TEFC REPLACEMENT MOTORS

TEFC Replacement Motors make happier customers.

Case closed.

TEFC motors last longer. That's because they're designed to help prevent the intrusion of water, dust and other contaminants that can lead to premature failure in ODP motors



| PART NO. | HP | PH | SF | VOLTS | PRICE |
|----------|-------|----|------|-------------|--------------------|
| 35-4806S | 1 | 3 | 1.65 | 208-230/460 | \$522.54 |
| 35-4808S | 1-1/2 | 3 | 1.47 | 208-230/460 | \$ 649.69 |
| 35-4810S | 2 | 3 | 1.3 | 208-230/460 | \$ 724.79 |
| 35-4812S | 3 | 3 | 1.15 | 208-230/460 | \$877.37 |
| 35-4814S | 5 | 3 | 1.0 | 208-230/460 | \$1 ,066.48 |
| | | | | | |
| 35-4804S | 3/4 | 1 | 1.65 | 115/208-230 | \$450.74 |
| 35-4822S | 1 | 1 | 1.65 | 115/208-230 | \$ 489.48 |
| 35-4824S | 1-1/2 | 1 | 1.47 | 208-230 | \$576.54 |
| 35-4816S | 2 | 1 | 1.3 | 208-230 | \$686.95 |
| 35-4818S | 3 | 1 | 1.15 | 208-230 | \$ 897.6 4 |
| 35-4820S | 5 | 1 | 1.0 | 208-230 | \$1,120.30 |

ABOVE GROUND POOL PUMPS



STA-RITE® OPTIFLO PUMPS Exceptionally quiet operation and high performance #34-8196 115 Volts 1 HP pump \$571.94



INTELLIFLO® VSF

VARIABLE SPEED AND FLOW PUMP

IntelliFlo VSF pump is the first variable speed and flow pump that adjusts to changes in flow conditions to maintain its preprogrammed flow rate to run optimally throughout the entire filtration cycle. Filters get the right amount of flow to maintain water clarity. Laminars and other water features perform more consistently. Equipment efficiency and service life increase.



WHISPERFLO® HIGH PERFORMANCE PUMPS

Energy efficient swimming pool pumps. 40% glass-filled thermoplastic with the Cam& Ramp™ "see thru" lid design. Self priming, high flow with pat-

ented Funnel-Flo™ diffusers. 2 in. suction and discharge ports. Motor features threaded shaft and durable commercial duty 56 frame motor with NEMA square flange. Meets DOE minimum efficiency requirements.



93 15.

-0 ¢-

PRICE

| SINGLE-PHASE HIGH EFFICIENCY PUMP | | | | | | | | |
|-----------------------------------|-------------|-----------------------------|------|------|------|-----|---------------------------|------------|
| Cat. No. | Voltage | Full Load Amps | THP | WEF | HHP | SF | Ship. Wi. (Ibs) | Price |
| 01-5583 | 115/208-230 | 10.5/5.5-5.4 | 1.10 | 3.40 | 0.69 | 1.0 | 50 | \$1,305.28 |

| ļ | | 3-PHASE TEFC SUPER-DUTY | | | | | | | | | | |
|---|----------------|-------------------------|----------------|----------------------|-------|------|--------------------------------|------------|--|--|--|--|
| | Product No. | Model No. | Voltage | Full Load Amps | HP | SF | Approx. Ship. Wt. (lbs.) | Price | | | | |
| Ī | 01-1641 | WFK-4 | 208 - 230/460V | 4.9 - 4.5/2.3 | 1 | 1.65 | 46 | \$1,495.01 | | | | |
| | 01-1642 | WFK-6 | 208 - 230/460V | 6.4 - 6.3/3.2 | 1-1/2 | 1.47 | 48 | \$1,642.12 | | | | |
| | 01-1643 | WFK-8 | 208 - 230/460V | 7.5-7.2/3.6 | 2 | 1.30 | 51 | \$1,930.93 | | | | |
| Ī | 01-1644 | WFK-12 | 208 - 230/460V | 9.8-9.4/4.7 | 3 | 1.15 | 58 | \$2,361.98 | | | | |

SUPERMAX VS VARIABLE SPEED PUMP

The SuperMax VS Variable Speed Pumps bring the remarkable energy cost savings of variable speed technology to standard pools at an affordable price. They reduce energy costs by up to 80%. SuperMax VS Variable Speed Pumps have an easy-to read graphical display and a builtin timer so the pumps are easy to install and easy to use.

| CAT.NO. | DESCRIPTION | VOLTS | AMPS | HP | SF | SHIP WT. | PRICE |
|---------|-------------|-------------|--------------|-----|------|----------|------------------------|
| 34-3001 | SUPERMAX VS | 115/208-230 | 13.6/8.0-7.1 | 1.5 | 1.46 | 45 | ^{\$} 1,893.57 |

PENTAIR PUMPS & MOTORS Pentair

WHISPERFLO XF[™] HIGH PERFORMANCE PUMPS

Drop-in replacement for all WhisperFlo® pump models. Simple replacement for Challenger[®] pumps.* Hydraulic isolator separates priming water from pumping water. Union connectors included for connecting directly to 2.5" or 3" plumbing. Diamond seals. Easy-carry handle.



| | SINGLE-PHASE VARIABLE SPEED AND FLOW PUMP | | | | | | | | |
|-------------|---|-----------------------------|------|------|------|-----|---------------------------|------------|--|
| Cat. No. | Voltage | Full Load Amps | THP | WEF | HHP | SF | Ship. Wt. (lbs) | Price | |
| 02-2056 | 230 | 16 | 3.95 | 5.60 | 2.10 | 1.0 | 60 | \$2,973.16 | |

| CAT.NO. | DESCRIPTION | VOLTS | AMPS | HP | SF | SHIP WT | PRICE |
|---------|-----------------|--------------|-------|----|-----|---------|------------------------|
| 02-2035 | WHISPERFLOXF VS | 208-230(1PH) | 20-21 | 5 | 1.0 | 95 | ^{\$} 4,858.98 |
| | | 230/460(3PH) | 13/6 | | | | |


| | 3-PHASE TEFC SUPER-DUTY | | | | | | | | | |
|----------------|-------------------------|----------------|----------------------|----|------|------------|--|--|--|--|
| Product No. | Model No. | Voltage | Full Load Amps | HP | SF | Price | | | | |
| 02-2017 | XFK-8 | 208 - 230/460V | 7.5-7.2/3.6 | 2 | 1.3 | \$2,136.54 | | | | |
| 02-2018 | XFK-12 | 208 - 230/460V | 9.8 - 9.4/4.7 | 3 | 1.15 | \$2,408.32 | | | | |
| 02-2019 | XFK-20 | 208 - 230/460V | 13.9 - 13.1/6.6 | 5 | 1.0 | \$4,235.20 | | | | |

SUPERFLO HIGH PERFORMANCE PUMP

- 1.5" internal slip (2" external slip) and quick-disconnect plumbing union for faster dissassembly, making it a summer breeze to service.
- Cam and Ramp[™] Lid permits easy inspection of the strainer basket and locks in place with a
- quarter turn for cleaning that is fast and easy.
- SuperFlo pumps are a high-performing drop-in replacement for the Hayward[®] Super Pump[®]. Meets DOE minimum effi-

ciency requirements.





COMMERCIAL PUMP PARTS

C SERIES PUMP PARTS



| | C SERIES PUMP PARTS | | | |
|----|---------------------|------------------------|---------------------------------|--|
| A. | 07-5280 | HAND KNOB | ^{\$} 172.19 | |
| B. | 07-5275 | STRAINER LID | ^{\$} 1,249.02 | |
| С. | 07-1433 | STRAINER LID O'RING | ^{\$} 21.00 | |
| D. | 07-2795 | STRAINER BASKET | ^{\$} 587.63 | |
| E. | IMPELLER | | | |
| | 07-0228 | CMK-50 IMPELLER 5 HP | ^{\$} 1, 927.58 | |
| | 07-0227 | CMK-75 IMPELLER 7.5 HP | ^{\$} 1, 927.58 | |
| | 07-0226 | CMK-100 IMPELLER 10 HP | ^{\$} 1, 927.58 | |
| | 07-0225 | CMK-150 IMPELLER 15 HP | ^{\$} 1, 927.58 | |
| | 1 | | | |
| | 07-3828 | CHK-50 IMPELLER 5 HP | ^{\$} 1,927.58 | |
| | 07-3829 | CHK-75 IMPELLER 7.5 HP | ^{\$} 1, 92 7.58 | |
| | 07-3830 | CHK-100 IMPELLER 10 HP | ^{\$} 1,927.58 | |
| | 07-3831 | CHK-150 IMPELLER 15 HP | ^{\$} 1, 927.58 | |
| | 07-3832 | CHK-200 IMPELLER 20 HP | ^{\$} 1, 927.58 | |
| | - | | | |
| F. | 07-1725 | MECHANICAL SEAL | ^{\$} 61.88 | |
| G. | 07-0906 | FLANGE | ^{\$} 839.52 | |
| H. | 07-1423 | FLANGE O'RING | ^{\$} 10.40 | |
| Ι. | 07-1037 | IMPELLER LOCKING SCREW | ^{\$} 14.28 | |
| J. | 07-1048 | IMPELLER WASHER | ^{\$} 20.15 | |
| K. | 07-5713 | IMPELLER GASKET | ^{\$} 4.15 | |
| L. | 07-1046 | IMPELLER KEY | ^{\$} 31.57 | |

16

D SERIES PUMP PARTS



| D SERIES PUMP PARTS | | | |
|---------------------|--------------------|-------------------|----------------------|
| A. | C154-18D | HANDLE ASSEMBLY | ^{\$} 42.28 |
| *B. | C3-105 | STRAINER COVER | ^{\$} 236.36 |
| *(. | U9-171 | STRAINER O'RING | ^{\$} 35.72 |
| *D. | 16401-0030 | STRAINER BASKET | ^{\$} 502.29 |
| E. | C20-19 | GASKET | ^{\$} 7.90 |
| F. | C21-2 | DIFFUSER GASKET | ^{\$} 7.02 |
| G. | C101-126 | DIFFUSER DMH 3 HP | ^{\$} 229.23 |
| | C101-126B | DIFFUSER DMJ 5 HP | ^{\$} 229.23 |
| H. | C5-246 | IMPELLER DMH 3 HP | ^{\$} 965.14 |
| | C5-247 | IMPELLER DMJ 5 HP | ^{\$} 956.09 |
| I. | U109-433SS | MECHANICAL SEAL | ^{\$} 162.23 |
| J. | C20-46 | ADAPTER GASKET | ^{\$} 18.04 |
| K. | C23-58 | SHAFT SLEEVE | ^{\$} 153.50 |
| L. | U65-42A | SLEEVE KEY | ^{\$} 16.95 |
| · Pkg 9 | 8 Hair and Lint St | rainer | |



CSPH SERIES PUMP PARTS



| | CSPH SERIES PUMP PARTS | | | |
|----|------------------------|-------------------------------|------------------------|--|
| A. | 35505-0421 | STRAINER COVER O'RING | ^{\$} 111.78 | |
| B. | IMPELLER | | | |
| | 16830-0209 | IMPELLER 7.5 HP | ^{\$} 1,784.34 | |
| | 16830-0210 | IMPELLER 10 HP | ^{\$} 1,608.82 | |
| | 16830-0211 | IMPELLER 15 HP | ^{\$} 1,838.48 | |
| | 16830-0212 | IMPELLER 20 HP | ^{\$} 2,207.95 | |
| С. | S04757 | GASKET(VOLUTE TO BRACKET) | ^{\$} 20.60 | |
| D. | 37447-0001L | SHAFT SLEEVE | ^{\$} 271.89 | |
| | 37447-0002L | SHAFT SLEEVE - 20 HP | ^{\$} 322.56 | |
| E. | S11207 | RETAINING RING | ^{\$} 26.48 | |
| | S16767 | RETAINING RING - 20 HP | ^{\$} 52.99 | |
| F. | S32014 | MECHANICAL SEAL | ^{\$} 180.45 | |
| | S32015 | MECHANICAL SEAL - 20 HP | ^{\$} 389.09 | |

EQK SERIES PUMP PARTS



| EQK SERIES PUMP PARTS | | | |
|-----------------------|----------|---------------------|------------------------|
| A. | IMPELLER | | |
| | 35-0030 | IMPELLER 5 HP | ^{\$} 592.02 |
| | 35-0029 | IMPELLER 7.5 HP | ^{\$} 631.49 |
| | 35-0028 | IMPELLER 10 HP | ^{\$} 670.97 |
| | 35-0027 | IMPELLER 15 HP | ^{\$} 749.86 |
| B. | DIFFUSER | | |
| | 35-0032 | DIFFUSER 5 HP | ^{\$} 972.61 |
| | 35-0033 | DIFFUSER 7.5 HP | ^{\$} 1,042.85 |
| | 35-0033 | DIFFUSER 10 HP | ^{\$} 1,042.85 |
| | 35-6735 | DIFFUSER 15 HP | ^{\$} 789.35 |
| С. | 07-1725 | MECHANICAL SEAL | ^{\$} 61.88 |
| D. | 35-0037 | DIFFUSER O'RING | ^{\$} 23.09 |
| E. | 35-6780 | SEAL PLATE O'RING | ^{\$} 68.67 |
| F. | 35-0171 | CLAMP CAM & RAMP | ^{\$} 865.69 |
| G. | 35-6750 | STRAINER LID | ^{\$} 626.51 |
| H. | 35-0166 | STRAINER LID O'RING | ^{\$} 30.95 |
| Ι | 35-7184 | BASKET | ^{\$} 276.46 |

WHISPER FLO PUMP PARTS A. Impellers

| | • | | | |
|----|----------|------------------|--------------|----------------------|
| | Part No. | Models | HP | Price |
| | 07-3126 | WFE-2, WFK-2 | 1/2 | \$121 .3 2 |
| | 07-3127 | WFE-3, WFK-3 | 3/4 | \$121 .3 2 |
| | 07-3128 | WFE-4, WFK-4 | 1 | \$121 .3 2 |
| | 07-3129 | WFE-6, WFK-6 | 1 1/2 | \$121 .3 2 |
| | 07-3130 | WFE-8, WFK-8 | 2 | \$121 .3 2 |
| | 07-3131 | WFE-12, WFK-12 | 3 | \$121 .3 2 |
| B. | #07-2927 | Diffuser 1/2 - | 2HP | . \$ 92.39 |
| | #07-2928 | Diffuser 3HP or | nly | \$110.43 |
| C. | | Shaft Seal | | . \$ 36.85 |
| D. | #35-5227 | Diffuser O' Rin | g (not shown |) \$ 8.80 |
| | | Housing Gaske | | \$13.92 |
| | | Volute Replace | | \$365.00 |
| G. | #35-0202 | Seal Plate Kit | | ^{\$} 244.73 |
| H. | #07-0387 | Basket | | \$ 20.34 |
| I. | #35-0013 | Lid O' Ring (not | shown) | . \$10 .2 0 |



CHALLENGER HIGH FLOW PUMP PARTS



G. 35-5030*

H. 35-5329*

J. 19-2115*

L

K.

L.

35-5331*

35-7161*

35-0013*

35-5318

M. 35-5320

Price

\$49.14

\$49.14

\$49.14

\$49.14

\$67.05

\$45.43

Diffuser "O" Ring

Drain Plug

Basket

Clamp

Lid "O" Rina

Model No.

CF11-N1-¾A

CF11-N1-1A

CF11-N1-1½A

CF11-N1-2A

*CH11-N1-3FE

CF11-N1-5FE

Diffuser "O" Ring (5 HP)

Front Housing "O" Ring

Drain Plug "O" Ring

P. MOUNTING PLATE

Cat. No.

35-5028

35-5028

35-5078

35-5078

35-5317

35-5495

\$11.41

\$5.10

\$20.41

\$6.83

^{\$}3.40

\$10.20

\$49.86

\$105.30

Price

\$28.78

\$28.78

\$18.11

\$18.11

\$18.11


\$16.72

| Part No | o. Description | Price |
|-----------|---------------------------|------------------|
| A. 35-500 | 14 Seal Plate | \$1 23.46 |
| B. 35-454 | 5 Seal 5/8 Mech. | \$34.79 |
| (. 35-546 | 8 Front Housing | \$1 80.20 |
| D. 35-530 | 0 Strainer Pot | \$1 77.68 |
| E. 35-530 |)1 Strainer Lid | \$ 78.23 |
| E 35-538 | 9* Impeller Locking Screw | \$4.15 |
| | | |

*Parts not shown

| N. IMPELLER | | | | |
|--------------------|----------|---------------------|----------------------|--|
| N. IMPELLER | | | 0. DIFFUSER | |
| Model No. | Cat. No. | Price | Model No. Cat. No. | |
| CF11-N1-¾A | 35-5043 | ^{\$66.13} | CF11-N1-¾A 35-5029 | |
| C F11-N1-1A | 35-5067 | ^{\$67.46} | CF11-N1-1A 35-5029 | |
| CF11-N1-1½A | 35-5074 | ^{\$} 68.24 | CF11-N1-1½A 35-5077 | |
| CF11-N1-2A | 35-5086 | ^{\$} 68.72 | CF11-N1-2A 35-5077 | |
| *CH11-N1-3FE | 35-5544 | \$89.75 | *CH11-N1-3FE 35-5545 | |
| C F11-N1-5FE | 35-5068 | ^{\$67.46} | CF11-N1-5FE 35-5069 | |
| **** L B | 0110 | | - | |

STARITE PUMP PARTS



A. Models P2RA & PEA

| HP | Impeller | Price | Diffuser | Price |
|-------|--------------|------------------|----------|-----------------|
| 1/2 | C105-92PR | \$84.42 | C1-217P | \$35.24 |
| 3/4 | C105-92PS | \$84.42 | C1-216P | \$35.66 |
| 1 | C105-138PEB | \$90.23 | C1-200PA | \$ 37.89 |
| 1 1/2 | C105-137PEB | \$110 .95 | C1-200PA | \$ 37.89 |
| 2 | C105-137PDBA | \$110 .95 | C1-200PA | \$ 37.89 |

B. Models P4RA, P4EA, P6RA & P6EA

| HP | Impeller | Price | Diffuser | Price |
|-------|--------------|-----------------|----------|-----------------|
| 1 | C105-238P | \$ 94.95 | C1-271P1 | \$ 38.75 |
| 1 1/2 | C105-238PB | \$ 94.95 | C1-271P1 | \$ 38.75 |
| 2 | C105-238PDBA | \$ 97.85 | C1-271P | \$37.42 |
| 2 1/2 | C105-238PEBA | \$ 97.85 | C1-271P | \$37.42 |
| 3 | C105-238PLA | \$101.70 | C1-271P | \$37.42 |

C. SHAFT SEALS

| Part | Pump Model No. | |
|--------------------------|--|-----------------|
| No. | Model No. | Price |
| U109-93SS 1 | PE, PEA, P2R, P2RA | \$ 28.28 |
| 17304-0100S ² | PE, PEA, P2R, P2RA | \$1 5.80 |
| U109-372SS ¹ | P4E, P4EA, P4R, P4RA, P6R, P6RA, P6E, P6EA | \$41 .58 |
| 17351-0101S ² | P4E, P4EA, P4R, P4RA, P6R, P6RA, P6E, P6EA | \$ 31.68 |

-

¹ Models with copper inserts pre-1998 ² Models without copper inserts beginning 1998

D. SEAL/GASKETS KITS

Includes shaft seal, gaskets, and o-rings.

| Part No. | Pump Model No. | Price | D. | 6 |
|-------------|----------------------|---------|----|---|
| PP1000 1 | PE, PEA, P2R, P2RA | \$60.03 | | |
| PP4000 1 | P4E, P4EA, P4R, P4RA | \$59.40 | | |
| PP1200 2 | PE, PEA, P2R, P2RA | \$60.03 | | |
| PP4200 2 | P4E, P4EA, P4R, P4RA | \$72.11 | | |

¹ Models with copper inserts pre-1998 ² Models without copper inserts beginning 1998

| E. TRAP LID KITS Includes trap lid and o-ring. | | | |
|---|----------------------|-----------------|--|
| Part No. | Pump Model No. | Price | |
| PP2075 | PE, PEA, P2R, P2RA | \$80.87 | |
| PP4075 | P4E, P4EA, P4R, P4RA | \$ 86.29 | |



PUMP PARTS



STARITE PUMP PARTS





L. #C203-193P Seal Plate Kit (*P2 Series*) \$203.11 #C203-194P Seal Plate Kit (*P4 Series*) \$203.11 M.#C176-47P1 Tank Body. \$161.73 N.#WC36-22 Hand Knob \$15.39 O.#U178-920P Drain Plug with O-Ring . \$6.14

17



REPLACEMENT PUMPS MOTORS & TIMERS

CENTURY AND A.O. SMITH MOTORS

A. SQUARE FLANGE-56Y FRAME

LOW SERVICE FACTOR (UP-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|-----------|---------|------------------|
| B852 | 3/4 | 1.25 | 10.8/5.4 | 115/230 | \$331.20 |
| B853 | 1 | 1.25 | 14.2/7.1 | 115/230 | \$ 378.18 |
| B854 | 1-1/2 | 1.10 | 16.0/8.0 | 115/230 | \$439.22 |
| B855 | 2 | 1.10 | 10 | 230 | \$564.32 |
| B840 | 2-1/2 | 1.04 | 11.5 | 230 | \$687.38 |
| B1000 | 5 | 1.00 | 21.0-19.4 | 208-230 | \$1,318.16 |

ENERGY EFFICIENT HIGH SERVICE FACTOR (FULL-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|--------------|-------------|-------------------|
| B845 | 1/2 | 1.90 | 8.8/4.5-4.4 | 115/208-230 | \$ 408.2 4 |
| B661 | 3/4 | 1.67 | 11.2/6.0-5.6 | 115/208-230 | \$441.25 |
| B841 | 1 | 1.65 | 14.8/7.8-7.4 | 115/208-230 | \$476.30 |
| B842 | 1-1/2 | 1.47 | 9.6-8.8 | 208-230 | \$602.35 |
| B843 | 2 | 1.30 | 11.0-10.2 | 208-230 | \$723.40 |
| B844 | 3 | 1.15 | 15.0-13.6 | 208-230 | \$850.48 |

THREE PHASE HIGH SERVICE FACTOR (FULL RATE)

| 1 | | | | | | | | |
|---|---------|-------|------|---------------|-------------|--------------------|--|--|
| | CAT. NO | HP | SF | AMPS | VOLTS | PRICE | | |
| | H492 | 3/4 | 1.65 | 3.8-3.6/1.8 | 208-230/460 | \$4 86.6 1 | | |
| | H635 | 1 | 1.65 | 5.0-4.6/2.3 | 208-230/460 | \$545.52 | | |
| | H636 | 1-1/2 | 1.47 | 6.4-5.8/2.9 | 208-230/460 | \$692.46 | | |
| | H637 | 2 | 1.30 | 7.1-6.8/3.4 | 208-230/460 | \$839.43 | | |
| | H755 | 3 | 1.15 | 9.0-8.6/4.3 | 208-230/460 | \$ 903.72 | | |
| | H995 | 5 | 1.00 | 13.4-13.4/6.7 | 208-230/460 | \$1,1 74.86 | | |

ENERGY EFFICIENT TWO SPEED HIGH SERVICE FACTOR (FULL RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-----------|------|----------|-------|------------------|
| B980 | 3/4~.10 | 1.67 | 6.0/1.0 | 230 | \$522.45 |
| B981 | 3/4~.10 | 1.67 | 12.4/2.2 | 115 | \$524.70 |
| B982 | 1~.13 | 1.67 | 7.4/1.4 | 230 | \$634.07 |
| B983 | 1-1/4~.19 | 1.47 | 10.0/1.6 | 230 | \$731.75 |
| B984 | 2~.25 | 1.30 | 11.0/1.8 | 230 | \$ 906.82 |

Applications: Pentair Challenger, Ultra-Flo and Whisper-Flo

B.C-FACE-56J FRAME

HIGH SERVICE FACTOR (FULL RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|----------|---------|------------------|
| B126 | 1/2 | 1.60 | 8.8/4.4 | 115/230 | \$ 345.58 |
| B127 | 3/4 | 1.50 | 12.0/6.0 | 115/230 | \$361.22 |
| B128 | 1 | 1.40 | 14.4/7.2 | 115/230 | \$413.21 |
| B129 | 1-1/2 | 1.30 | 18.4/9.2 | 115/230 | \$559.31 |
| B130 | 2 | 1.20 | 10.5 | 230 | \$656.39 |
| B131 | 3 | 1.15 | 14.1 | 230 | \$919.51 |

Applications: Hayward Superpump, Jaccuzi Magnum

C. SQUARE FLANGE-48Y FRAME LOW SERVICE FACTOR (UP-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|----------|---------|----------|
| USQ1052 | 1/2 | 1.30 | 9.9/5.0 | 115/230 | \$322.18 |
| USQ1072 | 3/4 | 1.27 | 13.4/6.7 | 115/230 | \$331.20 |
| USQ1102 | 1 | 1.25 | 15.3/7.6 | 115/230 | \$372.24 |
| USQ1152 | 1-1/2 | 1.10 | 19.2/9.6 | 115/230 | \$431.24 |
| USQ1202 | 2 | 1.10 | 10.4 | 230 | \$555.30 |
| USQ1252 | 2-1/2 | 1.00 | 11.2 | 230 | \$687.38 |

ENERGY EFFICIENT HIGH SERVICE FACTOR (FULL-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|----------|-------|------|----------|---------|-------------------|
| QC1052 | 1/2 | 1.90 | 9.6/4.8 | 115/230 | \$397.55 |
| QC1072 | 3/4 | 1.65 | 12.6/6.3 | 115/230 | \$ 445.8 4 |
| QC1102 | 1 | 1.65 | 16.0/8.0 | 115/230 | \$481.10 |
| SQ1152 | 1-1/2 | 1.47 | 10.4 | 230 | \$555.30 |
| SQ1202 | 2 | 1.30 | 11.2 | 230 | \$687.38 |
| SQ1302VI | 3 | 1.15 | 15.4 | 230 | \$850.48 |

THREE PHASE HIGH SERVICE FACTOR (FULL-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|----------|-------------|------------------|
| Q3072 | 3/4 | 1.65 | 3.6/1.8 | 208-230/460 | \$ 467.98 |
| Q3102 | 1 | 1.65 | 4.7/2.35 | 208-230/460 | \$522.36 |
| Q3152 | 1-1/2 | 1.47 | 6.8/3.4 | 208-230/460 | \$662.27 |
| Q3202 | 2 | 1.30 | 8.5/4.25 | 208-230/460 | \$803.18 |
| Q3302 | 3 | 1.15 | 9.7/4.9 | 208-230/460 | \$ 869.65 |

ENERGY EFFICIENT TWO SPEED HIGH SERVICE FACTOR (FULL-RATE)

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|----------|-----------|------|----------|-------|-------------------|
| SQS1102R | 1~1/6 | 1.65 | 7.7/2.8 | 230 | \$ 596.9 7 |
| SQS1152R | 1-1/2~1/4 | 1.47 | 10.0/3.0 | 230 | \$824.31 |
| SQS1202R | 2~1/3 | 1.30 | 11.3/3.3 | 230 | \$1,033.67 |

Applications: Sta-Rite Duraglas/Duraglas II, Starite Maxeglas/Maxeglas II, and Sta-Rite Max E Pro

D. FLEX-48 THRU BOLT-48Y FRAME

SINGLE SPEED

| CAT. NO | HP | SF | AMPS | VOLTS | PRICE |
|---------|-------|------|-----------|---------|------------------|
| BN23SS | 1/2 | 1.00 | 7.2 | 115 | \$245.18 |
| BN24SS | 3/4 | 1.00 | 9.8 | 115 | \$ 266.18 |
| BN25SS | 1 | 1.00 | 12.0 | 115 | \$292.16 |
| BN35SS | 1-1/2 | 1.00 | 16.0/8.0 | 115/230 | \$340.20 |
| BN40SS | 2 | 1.00 | 20.0/10.0 | 115/230 | \$409.23 |

TWO SPEED

| CAT. N | 10 | HP | SF | AMPS | VOLTS | PRICE |
|--------|-------|-----------|------|----------|-------|------------------|
| BN36 | 5 [3 | 3/4~.10 | 1.00 | 8.8/2.6 | 115 | \$340.20 |
| BN37 | ' | 1~.12 | 1.00 | 11.0/2.9 | 115 | \$ 388.13 |
| BN50 |) | 1-1/2~.25 | 1.00 | 16.4/4.4 | 115 | \$495.27 |
| BN34 | I I | 1-1/2~.18 | 1.00 | 8.0/2.6 | 230 | \$420.05 |
| BN5 | | 2~.25 | 1.00 | 10.5/2.6 | 230 | \$547.34 |





E. CLOSED-COUPLED

| CAT. NO | HP | PHASE | FRAME | SF | AMPS | VOLTS | PRICE |
|---------|-------|-------|-------|------|----------------|-------------|--------------------|
| P130 | 3 | 1 | 182JM | 1.15 | 13.4 | 230 | \$1 ,289.75 |
| P231 | 5 | 1 | 184JM | 1.15 | 26 | 230 | \$ 1,624.28 |
| CP026 | 3 | 3 | 145JM | 1.15 | 8.2-7.4/3.7 | 208-230/460 | \$1 ,682.48 |
| CP038 | 5 | 3 | 182JM | 1.15 | 13.2-11.8/5.9 | 208-230/460 | \$1 ,867.55 |
| CP045 | 7-1/2 | 3 | 184JM | 1.15 | 19.0-17.0/8.5 | 208-230/460 | \$2,241.90 |
| E371ME | 10 | 3 | 213JM | 1.15 | 26.0-23.4/11.7 | 208-230/460 | \$ 2,890.15 |
| E377E | 15 | 3 | 215JM | 1.15 | 34.0/17.0 | 230/460 | \$3,569.06 |

Applications: Sta-Rite DMH/DMJ Series, Sta-Rite CSP Series and ITT Marlow

F. CMK/CHK THREE PHASE

| CAT. NO | HP | FRAME | SF | AMPS | VOLTS | PRICE |
|---------|-------|--------|------|----------------|-------------|---------------------|
| R237 | 5 | 182TDZ | 1.15 | 13.6-13/6.5 | 208-220/440 | \$3,700.73 |
| R232 | 7-1/2 | 184TDZ | 1.15 | 19-18.4/9.2 | 208-220/440 | \$4,052.32 |
| R338 | 10 | 213TDZ | 1.15 | 26.3-25.3/12.7 | 208-220/440 | \$ 5,828.87 |
| R339 | 15 | 215TDZ | 1.15 | 40.5-38/19 | 208-220/440 | \$ 6,828.9 1 |



G. PENTAIR EQK SERIES THREE PHASE

| CAT. NO | HP | FRAME | SF | AMPS | VOLTS | PRICE |
|----------|-------|--------|------|-----------|---------|--------------------|
| CEQK500 | 5 | 182JMZ | 1.15 | 11.8/5.9 | 230/460 | \$1,218.76 |
| CEQK750 | 7-1/2 | 184JMZ | 1.15 | 17.8/8.9 | 230/460 | \$1,403.24 |
| CEQK1000 | 10 | 213JMZ | 1.15 | 24.2/12.1 | 230/460 | \$1, 890.77 |
| CEQK1500 | 15 | 215JMZ | 1.15 | 36.5/18.2 | 230/460 | \$2,067.91 |



SEMI-COMMERCIAL **D.E. FILTER SYSTEMS**

FNS PLUS D.E. Filter

Our FNS PLUS Series filters keep pool sparkling clean and free from impurities. For superior strength and reliability, these commercial-grade filter tanks are manufactured from fiberglass-reinforced polypropylene. Our unique top manifold design with curved vertical grids makes maintenance convenient.

Pentair,

Pool Products®

- Rugged fiberglass-reinforced polypropylene tank combines fiberglass strength with the smooth finish of polypropylene.
- Top manifold design ensures better precoat and superior top-to-bottom back washing for longer times between cleanings.

Features the new Service-Ease[™] grid pack with grid-locating spider for convenient, one-at-a-time grid servicing.

- High Flow[™] manual air relief valve and continuous internal air relief work together to eliminate air accumulation.
- 1-1/2" bottom clean-out port for easy maintenance.

| Catalog No. | Model No. | Sq. Ft. | GPM | GPH | 6 Hours | 8 Hours | Precoat Required | Tank Height Price |
|----------------|--------------|------------|-----|-------|---------|---------|---------------------|------------------------|
| 18-0007 | FNSP 36 | 36" | 90 | 5,400 | 32,400 | 43,200 | 3.5 lbs. | 43" \$ 1,496.94 |
| 18-0008 | FNSP 48 | 48" | 120 | 7,200 | 43,200 | 57,600 | 5 lbs. | 49" \$ 1,684.20 |
| 18-0009 | FNSP 60 | 60" | 150 | 9,000 | 54,000 | 72,000 | 6 lbs. | 55" \$ 1,859.19 |

* Flow rate is based on 2.5 GPM per sq. ft. of filter area. Actual system flow will depend on plumbing size and other system components.

*See page 23 for valve options

SEMI-COMMERCIAL HIGH-RATE SAND FILTERS TRITON® COMMERCIAL SAND FILTERS C and Triton C-3

High Capacity Fiberglass Side Mount Sand Filter without Valves



This filter series features multiple diverters for increased filtration rates in commercial applications up to 20 GPM/sq. ft.

entair Pool Products

- Maximum Operating Pressure 50 psi
- Full 2 in. Drain
- 8 in. opening for easy access to sand bed
- The Triton C-3 features standard 3 in.
- flange connections • TR 100C-3 & TR 140C-3 models are

14-0342 TR-140C-3 36 in.

available in black only

TRITON C FILTER PERFORMANCE DATA

| Catalog No. | Model No. | Tank Dia. | Filter Area sq. ft. | Wt. | All Sand (lbs.) | <u>Filter I</u> Pea Gravel | | Price | |
|------------------------------------|--------------|--------------|---------------------------|-----|-----------------------|----------------------------------|-----|--------------------|--|
| 14-0264 | TR-60 | 24 in. | 3.14 | 39 | 325 | 75 | 250 | \$1 ,284.82 | |
| 14-0315 | TR-100C | 30 in. | 4.91 | 65 | 600 | 150 | 450 | \$1 ,908.69 | |
| 14-0316 | TR-140C | 36 in. | 7.06 | 82 | 925 | 275 | 650 | \$ 2,826.29 | |
| TRITON C-3 FILTER PERFORMANCE DATA | | | | | | | | | |
| 14-0310 | TR-100C-3 | 30 in. | 4.91 | 65 | 600 | 150 | 450 | \$2,402.99 | |

7.06

F.O.B. Factory

82 925 275

650 \$**3,372.87**


See page 23 for all filter valves

OUAD D.E.™ **Cartridge Style Filter**

The crystal clarity of D.E. with cartridge convenience Diatomaceous earth (D.E.) filters have always been

recognized for providing the cleanest pool water. And cartridge filters are popular for their convenience and easy cleaning features. Now Pentair has found a way to bring you the best of both. The new Quad D.E.® Filter features four easily accessible and removable D.E. cartridges. And cleaning couldn't be easier. In fact, you have three options...backwash and recharge like a traditional D.E. filter. remove and rinse off the cartridges, or simply remove the lid, leave the cartridges in place, open the drain plug, and rinse.

DIATOMACEOUS EARTH SEMI-COMMERCIAL **RESIDENTIAL FILTERS RESIDENTIAL HI-RATE** SAND FILTERS



| Catalog | Model | Filter | Vertical | Filter | FlowRate | e GPM | Turnover (| apacity-Re | s.(Gallons |) |
|---------|-----------|--------------|------------|----------|----------|-------|------------|------------|------------|------------------------|
| No. | No. | Area Sq. Ft. | Clearance* | Diameter | Res.*** | Com. | 8hrs. | 10hrs. | 12hrs. | Price |
| 18-8592 | QUAD 60* | * 60 | 62" | 21.5" | 120 | 90 | 57,600 | 72,000 | 86,400 | \$1,740.65 |
| 18-8593 | QUAD 80* | * 80 | 68" | 21.5" | 160 | 150 | 76,800 | 96,000 | 115,200 | \$2,251.05 |
| 18-8594 | QUAD 100* | * 100 | 74" | 21.5" | 160 | 150 | 76,800 | 96,000 | 115,200 | ^{\$} 2,451.60 |

*Required clearance to remove filter elements **NSF Listed ***Maximum flow rate

ABOVE GROUND SAND SYSTEMS

We've combined the efficient Sand Dollar filter with the powerful and economical OptiFlo® Aboveground Pool Pump to create this high performance system for above ground pools. With its rugged construction highly efficient filter design and hydraulically matched components, this system provides all the clean, crystal clear water your pool requires. Plus, it's built with longterm reliability in mind, and incredibly simple to operate and maintain.

| | | | | | Fİ | Lbs. Sand | |
|---------|----------|----------|------|--------|---------|-----------|-----------|
| Sq. Ft. | Diameter | Height | GPM | 8 Hour | 10 Hour | 12 Hour | Required† |
| 1.8 | 19 in. | 34.0 in. | 40.0 | 19,200 | 24,000 | 28,800 | 150 |
| 2.3 | 22 in. | 35.5 in. | 60.0 | 28,800 | 36,000 | 43,200 | 250 |

flow will depend on plumbing size and other system components. † Sand must be 20 grade silica sand or equal.

#PNSD00400E1162 19" Sand Dollar System w/1 HP Pump ... \$987.02 **#PNSD00600E1160** 22" Sand Dollar System w/1½ HP Pump . \$1,060.29

RESIDENTIAL SAND FILTERS

Features:

- Special lateral design provides superior flow characteristics, long filter cycles for economical operation.
- Maximum Operating Pressure 50 psi.
- Combination water and sand drain makes servicing and winterizing fast and easy.
- 40, 50 and 60D come with plastic clamp.



TAGELUS™ TOP MOUNT FILTER Fiberglass Tank with Multiport Valve, Clamp Style

Our process creates a one-piece, fiberglass reinforced tank with superior strength and durability. Tagelus[®] Top Mount filters are equipped with a sixposition, clamp style, top mounted multiport valve.

| | | Turnover Capacity (Gallons) | | | | |
|-----------|---------------|-----------------------------|---------|---------|--|--|
| Model No. | Flow Rate GPM | 8 hrs. | 10 hrs. | 12 hrs. | | |
| TA 40D | 40 | 19,200 | 24,000 | 28,800 | | |
| TA 60D | 60 | 28,800 | 36,000 | 43,200 | | |
| TA 100D | 100 | 48,000 | 60,000 | 72,200 | | |

| Catalog No. | Model No. | Tank Dia. | Filter Area | All Sand (lbs.) | Price | | | | |
|--|--------------|--------------|----------------|--------------------|--------------------------------|--|--|--|--|
| 14-4126 | TA 40D | 19 in. | 1.8 | 175 | ^{\$} 844.85 | | | | |
| 14-5241 | TA 60D | 24 in. | 3.1 | 325 | ^{\$} 1,005.46 | | | | |
| 14-5240 | TA 100D | 30 in. | 4.9 | 600 | ^{\$} 1, 559.25 | | | | |
| | | | MEDIA | | | | | | |
| #547 50 lb. bag Mystic white sand | | | | | | | | | |
| # 548 50 | b. bag grave | I | | | | | | | |



\$19.28 \$22.97

SEMI COMMERCIAL & RESIDENTIAL CARTRIDGE FILTERS

ABOVE-GROUND FILTER SYSTEM **CLEAN & CLEAR CC100 FILTER SYSTEM**

- High quality filtration unit using a thermoplastic chemical-resistant tank. Equipped with easy spin-on unions for plumbing hookups
- High flow manual air relief valve
- 1 inch drain and washout
- Single piece base and body design 1 1/2 HP pump **#PNCC01000E1162** IHP SYSTEM \$1,069,15



 (\mathcal{O})

CLEAN & CLEAR® CARTRIDGE FILTER

Carefree...by design

Like all Pentair cartridge filters, the Clean & Clear® filter features an easilycleaned cartridge for the ultimate in carefree pool filtration. The fiberglassreinforced tank halves are secured with an innovative clamp ring-just loosen the ring and remove the top half for easy cartridge access and rinsing. Filter maintenance doesn't get any easier.

- 1½" drain and washout for quick and convenient maintenance and winterization.
- Innovative lock-ring requires only half of a revolution for a safe, leak-proof seal.
- Single piece base and body designed for maximum durability.
- · One-year limited warranty. See warranty for details.
- 2" plumbing for maximum flow.

20

| Catalog | Model | Filter | Vertical | Filter | FlowRat | FlowRate GPM Turnover Capacity-Res.(Gallons | | es.(Gallons) | | |
|---------|--------|--------------|------------|----------|----------------|---|--------|--------------|---------|---------------------|
| No. | No. | Area Sq. Ft. | Clearance* | Diameter | Res. ** | Com. | 8hrs. | 10hrs. | 12hrs. | Price |
| 16-0314 | CC 50 | 50 | 30" | 15.5" | 50 | 19 | 24,000 | 30,000 | 36,000 | \$ 516.89 |
| 16-0315 | CC 75 | 75 | 39" | 15.5" | 75 | 28 | 36,000 | 45,000 | 54,000 | ^{\$669.71} |
| 16-0316 | CC 100 | 100 | 61" | 15.5" | 100 | 38 | 48,000 | 60,000 | 72,000 | ^{\$847.75} |
| 16-0317 | CC 150 | 150 | 76" | 15.5" | 150 | 56 | 72,000 | 90,000 | 108,000 | \$1,123.27 |
| 16-0318 | ((200 | 200 | 76" | 15.5" | 150 | 75 | 72,000 | 90,000 | 108,000 | \$1,315,42 |

*Required clearance to remove filter elements **Maximum flow rate

SYSTEM 3[®] MOD MEDIA

One cleaning for an entire season! Sta-Rite's System3[®] Mod Media™ filters handle 2-3 times more dirt than other filters to deliver maintenance-free performance for up to a full season. Featuring perfectly balanced flow and integral manifold design, these filters are engineered to deliver the ultimate in labor-savings. System3® Mod Media[™] filters are ideal for inground pools, inground hot tubs and water features.





| Filter Sizir | ıg | | | | | |
|--------------|--------------------|-----------------|--------------------------|--------------------------|--------------|---------------------|
| Cat. No. | Sq. Ft. of Area | Maximum Flow | Pool Size 8 Hr. Rate* | Pool Size 6 Hr. Rate* | Port Size | Price |
| S7M120 | 300 | 100 gpm | 36,000-48,000 | 27,000-36,000 | 2 | \$1, 957.5 2 |
| S8M150 | 450 | 125 gpm | 45,120-60,000 | 33,840-45,000 | 2 | \$2,568.01 |



CLEAN & CLEAR® PLUS FILTERS

Fiberglass Reinforced Polypropylene Tank

Clean & Clear[®] Plus Filters have a corrosion resistant injection molded filter tank featuring superior strength and reliability. The cartridge assembly uses four easy to clean, non-woven, polyester cartridges. Each filter is supplied with a bulkhead union set for easy installation.

| Cat. No. | Model No. | Sq. Ft. | Tank Height | Price |
|----------|-----------|---------|-------------|------------|
| 16-0310 | CCP240 | 240 | 37" | \$1,454.99 |
| 16-0340 | CCP320 | 320 | 43" | \$1,740.40 |
| 16-0301 | CCP420 | 420 | 49" | \$1,975.45 |
| 16-0332 | CCP520 | 520 | 56" | \$2,445.49 |



JANDY PRO SERIES CL CARTRIDGE FILTERS

CL Cartridge Filters set the benchmark in cartridge filtration. Loaded with user friendly features, Jandy Pro Series Cartridge Filters optimize surface area and help provide clean, sparkling water. They are constructed of durable and corrosion resistant materials for maximum durability.

| Cat. No. | Sq. Ft. | Tank Height | Price |
|----------|---------|-------------|--------------------|
| CL460 | 460 | 41" | \$1 ,958.73 |
| CL580 | 580 | 47" | \$2,418.95 |



| A | | | |
|------------|----|----|----|
| S I | Λ_ | 21 | |
| 21/ | | | Е. |
| | | | |

| STA-RITE | | | |
|-------------|-------------|---------|----------------------|
| Tank Model | OEM P/N | HSC P/N | Price |
| PRC75 | 25200-01755 | H7483 | ^{\$} 93.08 |
| | | | |
| PXC-75 | 25230-00755 | H8311 | ^{\$} 102.65 |
| PXC-95 | 25230-0095S | H8311 | ^{\$} 102.65 |
| PXC-125 | 25230-01255 | H8416 | ^{\$} 167.65 |
| PXC-150 | 25230-0150S | H8416 | ^{\$} 167.65 |
| | | | |
| PXCRP100 | R173215 | H9410 | ^{\$} 142.93 |
| PXCRP150 | R173216 | H9415 | ^{\$} 188.33 |
| PXCRP200 | R173217 | H9419 | ^{\$} 234.98 |
| | | | |
| S7M120 | 25021- | 02005 | ^{\$} 285.81 |
| S7M120 | 25022- | 02015 | ^{\$} 567.95 |
| S7M400 | 25021- | 0223S | ^{\$} 316.76 |
| S7M400 | 25022- | 0224S | \$777.32 |
| S8M150 | 25021-02025 | | ^{\$} 473.28 |
| S8M150 | 25022-02035 | | \$770.01 |
| S8M500 | 25021-02245 | | ^{\$} 571.60 |
| S8M500 | 25022-02255 | | ^{\$795.50} |
| | | | |
| PLM100 | 27002- | 01005 | \$ 299.38 |
| PLM125 | 27002- | 01255 | ^{\$} 304.35 |
| PLM150 | 27002- | 01505 | ^{\$} 444.40 |
| PLM175 | 27002-01755 | | ^{\$} 421.97 |
| PLM200 | 27002-02005 | | ^{\$557.82} |
| | | | |
| WC108-56S2X | UHD-SF | 850 | ^{\$} 90.90 |
| WC108-57S2X | UHD-SR70 | | ^{\$} 110.38 |
| WC108-58S2X | UHD-SR100 | | ^{\$} 145.05 |
| WC108-59S2X | UHD-SR135 | | ^{\$} 181.73 |
| WC108-70S2X | UHD-SF | 8137 | ^{\$} 181.73 |

HARMSCO

| Tank Model | OEM P/N | HSC P/N | Price |
|------------|---------|---------|----------------------|
| BF | ST6 | H380 | \$ 8.08 |
| BF105 | ST105 | H7685 | ^{\$} 134.53 |
| BF155 | ST155 | H7697 | \$177.78 |
| HUR 170 | HC/170 | | \$ 330.23 |

PENTAIR

| Tank Model | OEM P/N | HSC P/N | Price |
|---------------|----------|---------|----------------------|
| CC 50 | R173213 | H9405 | \$ 95.18 |
| CC 75 | R173214 | H9407 | \$116.48 |
| CC 100 | R173215 | H9410 | ^{\$} 142.93 |
| CC 125 | 173200 | H9410 | ^{\$} 142.93 |
| CC 150 | R173216 | H9415 | ^{\$} 188.33 |
| CC 175 | 173201 | H9419 | \$ 234.98 |
| CC200 | R173217 | H9419 | \$ 234.98 |
| | | | |
| CCP 240 | R173572 | H7469 | ^{\$} 87.88 |
| CCP 320 | R173573 | H7470 | ^{\$} 112.25 |
| CCP 420 | R173576 | H7471 | ^{\$} 137.85 |
| CCP 520 | R173578 | H7472 | ^{\$} 157.98 |
| | | | |
| CCRP 100 | R173215 | H9410 | ^{\$} 142.93 |
| CCRP 150 | R173216 | H9415 | ^{\$} 188.33 |
| CCRP 200 | R173217 | H9419 | ^{\$} 234.98 |
| | | | |
| | R173205 | | |
| Commander 75 | R173204 | H7698 | ^{\$} 127.85 |
| | 57007400 | | |
| Commander 100 | R173208 | H7698 | \$127.85 |
| | 57014400 | 11/ 070 | 127.05 |
| | | | |
| Quantum 240 | 178569 | H7469 | \$ 87.88 |



We carry cartridges for many different pool & spa cartridge filters. Please call with height, width, and endcap configurations.

| Tank Model | OEM P/N | HSC P/N | Price |
|------------|-----------|---------|----------------------|
| C400 | CX410RE | H7442 | ^{\$} 69.73 |
| C500 | CX500RE | H7656 | \$75.95 |
| C550 | CX550RE | H7656 | ^{\$} 75.95 |
| C750 | CX750RE | H7698 | ^{\$} 127.85 |
| C800 | CX800RE | H8600 | \$109.88 |
| C900 | CX900RE | H8311 | \$102.65 |
| C1000 | CX1000RE | H7698 | \$127.85 |
| C1100 | CX1100RE | H8610 | \$1 39.98 |
| C1200 | CX1200RE | H8410 | ^{\$} 134.68 |
| C1250 | CX1250RE | H9499 | ^{\$} 166.98 |
| C1500 | CX1500RE | H9499 | ^{\$} 166.98 |
| C1750 | CX1750RE | H8417 | ^{\$} 215.50 |
| C2025 | CX480XRE | H7469 | ^{\$} 87.88 |
| C3000 | | | |
| C3020 | CX570XRE | H7483 | \$93.08 |
| C3000S | | | |
| C3025 | CX580XRE | H7483 | \$93.08 |
| C3030 | CAJOOARE | 117 103 | +75.00 |
| C4000 | | | |
| C4020 | CX870XRE | H7488 | ^{\$} 124.30 |
| C4000S | | | |
| C4025 | CX880XRE | H7488 | \$124.30 |
| C4030 | CAUDUARE | П/ 400 | JI 24.30 |
| C4500 | CX875RE | H7488 | \$125.30 |
| C4520 | | 007 11 | 125.50 |
| CC1000 | CCX1000RE | H8311 | \$102.65 |
| CC1250 | CCX1250RE | H8311 | ^{\$} 102.65 |
| CC1500 | CCX1500RE | H8316 | ^{\$} 147.73 |

| JANDY | | | |
|------------|----------|---------|----------------------|
| Tank Model | OEM P/N | HSC P/N | Price |
| CL/CV 340 | A0557900 | H7459 | \$108.65 |
| CL/CV 460 | A0558000 | H7468 | \$1 36.98 |
| CL/CV 580 | A0104000 | H7482 | ^{\$} 164.20 |
| | | | |
| CS100 | R0462200 | H8410 | ^{\$} 134.68 |
| CS150 | R0462300 | H8316 | ^{\$} 147.73 |
| CS200 | R0462400 | H8418 | \$226.05 |

REPLACEMENT FILTER CARTRIDGES

WATERWAY

| Tank Model | OEM P/N | HSC P/N | Price |
|--------------------|------------|--------------|----------------------|
| Clearwater 75 | 817-0075 | H9401 | ^{\$} 119.33 |
| Clearwater 100 | 817-0100 | H9402 | ^{\$} 146.53 |
| Clearwater 150 | 817-0150 | H9403 | ^{\$} 192.98 |
| | | | |
| Clearwater II 75 | 817-0075P | | |
| Clearwaler II 75 | 817-0075PB | H8311 | ^{\$} 102.65 |
| Clearwater II 100 | 817-0100P | 110511 | 102.05 |
| | 817-0100PB | | |
| Clearwater II 125 | 817-0125N | H8410 | ^{\$} 134.68 |
| Clearwater II 125 | 817-0125NB | 110410 | 134.00 |
| Clearwater II 150 | 817-0150N | H8316 | \$147.73 |
| | 817-0150NB | | 147.75 |
| Clearwater II 200 | 817-0200N | H8419 | ^{\$} 230.75 |
| Clear water in 200 | 817-0200NB | 110417 | 230.75 |
| | | | |
| Crystal Water 325 | 817-0081 | H7470 | ^{\$} 112.25 |
| Crystal Water 425 | 817-0106 | H7471 | ^{\$} 137.85 |
| Crystal Water 525 | 817-0131 | H7472 | ^{\$} 157.98 |
| | | | |
| ProClean 75 | 817-0075P | | |
| ProClean Plus 75 | 817-0075PB | 110011 | ^{\$} 102.65 |
| ProClean 100 | 817-0100P | H8311 | °102.65 |
| ProClean Plus 100 | 817-0100PB | | |
| ProClean 125 | 817-0125P | H8416 | ^{\$} 167.65 |
| | 817-0125N | | |
| ProClean Plus 125 | 817-0125NB | H8410 | ^{\$} 134.68 |
| | 817-0125PB | | |
| ProClean 150 | 817-0150P | H8416 | ^{\$} 167.65 |
| | 817-0150N | | |
| ProClean Plus 150 | 817-0150NB | H8316 | \$147.73 |
| | 817-0150PB | | |
| ProClean 175 | 817-0175P | - - H8417 | |
| ProClean Plus 175 | 817-0175PB | | ^{\$} 215.50 |
| ProClean 200 | 817-0200P | | -215.50 |
| ProClean Plus 200 | 817-0200PB | | |



VACUUM D.E. FILTER ELEMENTS

Halogen Supply Company is a stocking distributor of Vacuum D.E. Filter Elements, Filter Discs, and accessories. We carry Mermade, Paddock, Keene-Bowser, Chester, B.I.F. and many more. We sell them as complete assemblies (elements with covers and gaskets), cover and gaskets only, or elements only. Standard Center Bottom Outlets and Custom Corner Outlets are available.

Please call us at 1.800.777.SWIM or email us at info@halogensupply.com today for a quote.

REPLACEMENT CARTRIDGE FILTER PARTS



PTM SERIES

| A. 25010-9101 Top clamp | |
|---|-------------------|
| (Also-middle PTM 135 clamp) | \$206.15 |
| B. 25010-9100 Bottom clamp (all models). | \$ 189.8 1 |
| C. WC104-78P Base with plugs (all models) | \$246.20 |
| D. WC36-22 Clamp knob (all models) | \$15.39 |
| E. 25230-0010S Top O'ring (all models) . | \$23.00 |
| F. WC9-3 Bottom O'ring all models | \$33.77 |



CLEAN & CLEAR PARTS

22

| G. 98209800 High flow manual relief valve . | ^{\$} 41.67 |
|---|----------------------|
| H. 19-0058 Pressure gauge | \$ 52.18 |
| 1. 17-8553 Lid CC50 and CC100 | \$ 194.47 |
| J. 17-8561 Lid CC75, CC150 and CC200 | ^{\$} 181.33 |
| K. 59052900 Locking ring assembly. | \$119.34 |
| L. 87300400 Body Ö'ring | \$ 11.77 |





PENTAIR(PAC-FAB) TRITON SAND FILTER PARTS

TR60, TR100, TR140 FILTER PARTS

| A1. 15-2519Z Closure with Quad Ring \$130.82 |
|--|
| A2. 15-4559 Closure (Before 1991) \$66.94 |
| B2. 15-4493 Closure O'Ring \$7.15 |
| B2. 15-2516 Quad Ring for 15-2519Z clousure \$7.15 |
| (1. 15-4512 Plastic Closure Wrench \$31.28 |
| D1. V38-006 Metal Closure Wrench \$147.40 |
| E1. 15-4687 Air Bleed Assembly \$58.73 |
| 15-4689 Air Bleed Tee Only \$34.63 |
| F1. 15-2290 TR-60 Lateral |
| 15-0085 ¼ Turn Lateral TR-60 after 6/07 \$18.32 |
| F2. 15-2202 TR-100 Lateral \$13.79 |
| F3. 15-4540 TR-140 Lateral \$25.00 |
| G1. 15-4763 TR60 HUB \$38.21 |
| 15-5753 ¼ Turn Hub TR-60 after 6/07 . \$39.51 |
| G2. 15-4453 TR100 & 140 HUB \$128.00 |
| H. 15-4714 Bulkhead \$186.28 |
| 1. V38-008 Bulkhead Wrench \$62.25 |
| J. 27-1092 2 " Threaded Adapter Kit \$ 74.14 |
| 27-1094 1.5 " Threaded Adapter Kit \$74.14 |
| 27-1096 1.5" Soc x 2" Spig Adapter Kit . \$74.14 |
| K. 15-4698 Drain Spigot \$31.68 |
| 35-7161 ¼ Drain Plug Only \$6.83 |
| 19-2115 O'ring for Drain Plug \$3.40 |
| · · |



TR100C, TR140C FILTER PARTS

| A3. 15-4575 Closure |
|--|
| B2. 15-2509 Closure O'Ring/Gasket \$9.90 |
| (2. 15-4527 Plastic Closure Wrench \$35.62 |
| D2. V38-007 Metal Closure Wrench \$147.70 |
| E2. 27-3564 Air Relief Assembly \$116.37 |
| F2. 15-2202 TR-100C Lateral \$13.79 |
| F3. 15-4540 TR-140C Lateral \$25.00 |
| G2. 15-4453 TR100C/140C LATERAL HUB \$128.00 |
| H. 15-4714 Bulkhead \$186.28 |
| I. V38-008 Bulkhead Wrench \$62.25 |
| J. 27-1092 2 " Threaded Adapter Kit \$74.14 |
| 27-1094 1.5 " Threaded Adapter Kit \$74.14 |
| 27-1096 1.5" Soc x 2" Spig Adapter Kit . \$74.14 |
| K2. 15-2220Z Drain Assembly Complete \$53.64 |
| 15-4871 Cap Only For Drain \$10.24 |





D.E. FILTER GRIDS AND MANIFOLDS

C. AMERICAN PRODUCTS - PENTAIR (PAC - FAB) & HAYWARD

 FG-1002 Large grid 12" long for 24 sq. ft.
 \$23.65

 FG-1003 Large grid 18" long for 36 sq. ft.
 \$31.05

 FG-1004 Large grid 24" long for 48 sq. ft.
 \$36.60

 FG-1005 Large grid 30" long for 60 sq. ft.
 \$45.70

 FG-1006 Large grid 36" long for 72 sq. ft.
 \$56.40

 PG-1902 Small grid 12" long for 24 sq. ft.
 \$24.35

 PG-1903 Small grid 12" long for 36 sq. ft.
 \$24.35

 PG-1904 Small grid 24" long for 48 sq. ft.
 \$29.90

 PG-1905 Small grid 30" long for 60 sq. ft.
 \$45.15

 PG-1905 Small grid 30" long for 60 sq. ft.
 \$45.15

 PG-1906 Small grid 30" long for 72 sq. ft.
 \$58.53

 \$90000400 Top Manifold for Amer Prod
 \$180.09

 \$9000500 Bottom Spider for Amer Prod
 \$96.30

 19-2193 Manifold grid for Pentair(Pac Fab)
 \$153.18

 19-2194 Retainer grid for Pentair(Pac Fab)
 \$67.37

D. **PUREX**

 FG-1224 Purex element 24 sq. ft 12" long.
 \$24.55

 FG-1236 Purex element 36 sq. ft 18" long.
 \$34.73

 FG-1248 Purex element 48 sq. ft 24" long.
 \$43.55

 FG-1260 Purex element 60 sq. ft 30" long.
 \$52.30

 FG-1272 Purex element 72 sq. ft 36" long.
 \$61.25

 07-1019 Holding wheel 2000 Series.
 \$42.14

 07-3270 Manifold 2000 Series-8 hole.
 \$33.23

E. COMPLETE GRID ASSEMBLY (Not Shown) AMERICAN PRODUCTS PENTAIR(PAC-FAB) & HAYWARD

Includes Grids, Manifold, Retainer Grid, Rods and Nuts 19-2324 Grid assembly complete for 24 sq ft 19-2325 Grid assembly complete for 36 sq ft 19-2326 Grid assembly complete for 48 sq ft 19-2327 Grid assembly complete for 60 sq ft \$1,072.17 19-5060 Grid assembly complete for 72 sq ft \$1,243.40



PRE-PLUMBED PENTAIR VALVES

Pre-plumbed Push Pull and Multiport Valves are complete with bulkhead unions for simple installations with filters. All valves are designed for maximum performance and 100% factory tested.

| | \$315.63 |
|---|----------------------|
| B. #26-3064 2" Slip Slip Slide Valve (old#26-1165) | \$177.03 |
| C. #26-1055 2" Threaded Sand Multiport Valve | \$362.65 |
| D. #26-2506 1-1/2" Top Mount Multiport Valve for Tagelus. | \$235.75 |
| #26-1173 1-1/2" Threaded Sand Multiport Valve | ^{\$} 241.73 |
| #26-1177 1-1/2" Threaded D.E. Multiport Valve | \$ 241.73 |
| #26-1152 2" Threaded D.E. Multiport Valve | \$362.15 |
| #26-1142 2" Slip HiFlow D.E. Multiport Valve | \$315.63 |
| #26-3080 Full Flow XF Valve | \$317.60 |
| | |







PRE-PLUMBED STA-RITE VALVES


Valves for 2 inch System 3 filters. Connects directly to side ports. Positive seal prevents leakage between ports.

| E. 18202-0150 1½ " MPV SD/SS Series | |
|--|------------------|
| F. 18201-0200 2" MPV SD/SS Series | |
| G. 18201-0300 3" MPV SMD Series | |
| H. 26-3053 2" Sand/DE Slide Valve | \$ 191.08 |



REPLACEMENT MULTIPORT VALVE PARTS

| I. 27-0067 Top Valve Assembly 2" | \$ 280.87 |
|--|-------------------|
| J. 27-1148 Divertor Gasket | . \$ 46.44 |
| K. 27-2422 Top Valve Assembly 2" High Flow | \$255.67 |
| L. 27-2409 Divertor Gasket 2" Hi-Flow | . \$ 46.44 |
| M. 27-0068 Top Valve Assembly 1-1/2" | \$ 236.23 |
| N. 27-1104 Divertor Gasket | . \$ 31.57 |
| 27-2550 Sight Glass | |
| 27-1106 Sight Glass Gasket | . \$ 7.85 |
| 27-4407 Bulkhead Nut | . \$ 20.57 |
| 27-4556 Threaded Valve Adapter | . \$ 18.45 |
| 27-1103 Cover O' Ring 1-1/2" | . \$ 18.68 |
| 27-1151 Cover O' Ring 2" | . \$ 23.00 |
| 35-4053 Cover O' Ring for 262506 TA Valve | . \$ 32.94 |



REPLACEMENT UNION PACKAGE FOR SYSTEM 3 SERIES FILTER 0. #PKG 188 Includes locknuts, adapters and o'rings \$36.92



MULTI-PORT VALVES SLIDE VALVES VALVE PARTS & FITTINGS PACKAGE

REPLACEMENT SLIDE VALVE PARTS




 2" BRASS PARTS (valve discontinued)

 P. V36-100 Piston rod assy. (stainless)

 Q. V36-178 Piston half assembly kit

 R. G-206 Gasket for top handle.



| 2" PVC PARTS (26-1165 discontinued) | |
|--|-------------------|
| S. 27-3089 Handle | |
| T. 27-3241 Plastic piston rod assembly | \$ 116.37 |
| U. 27-3109 O' ring kit | \$ 14.24 |
| V. V36-177 Brass piston rod assembly | \$ 236.8 4 |
| W. V36-185 O' ring kit for brass piston assembly . | \$8.93 |
| X. V36-180 Handle for V36-177 piston | \$ 35.17 |
| 2" PVC NEW STYLE PARTS (26-3064, 26-30 | 53) |
| Y. 26-3055 Piston rod assembly | |
| Z. 26-3054 O' ring kit | \$ 23.63 |
| | |



| FULL FLOW XF PARTS (26-3080 | |
|-----------------------------|--------------|
| AA. Full Flow XF Handle. | |
| BB. Full Flow XF End Cap | \$51.32 |
| BB. Full Flow XF End Cap | \$197.33 |

THE MAX-E-THERM[™] LEAVES OTHER HEATERS COLD!

- Easy-read digital display. Pivoting UV-resistant plastic visor filters the sun's rays to give you a better view of the digital display.
- Diagnostic lights. Control panel indicator lights tell you whether to service the heater or the system if problems arise.
- · Weatherproof touch controls.

PENTAIR POOL & SPA HEATERS

- Forever rust-proof. Sleek, black matte enclosure made of Dura-Glas® - an exclusive Sta-Rite material that handles the heat and weathers the elements.
- Cupro-Nickel heat exchanger.

| #SR200HD Max-E-Therm Heavy Duty Heater | \$4,411.42 |
|--|---------------------|
| #SR333HD Max-E-Therm Heavy Duty Heater | \$5,501.72 |
| #SR400HD Max-E-Therm Heavy Duty Heater | \$ 5,882.7 4 |

MEGATHERM

HIGH PERFORMANCE GAS FIRED COMMERCIAL POOL HEATER

Powerful, efficient, and reliable, MegaTherm pool heaters are designed for commercial, institutional and large residential pools where economical performance and rapid heat-up are required. Available in indoor and outdoor models, with twenty-two sizes from 500,000 to 5,000,000 BTU/h to precisely match any heating requirement. MegaTherm heaters are designed to deliver efficiencies as high as 82%. Integral finned copper tubes are rolled directly into the headers, and conformal heat exchanger baffles and an eight- fins-per-inch tubing configuration maximize combustion heat extraction. We've also designed the MegaTherm heater to be simple to service. Heat exchanger header covers are field- removable for complete inspection of tubing and header passages, and the heat exchanger is replaceable without disassembly of the burners or combustion chamber.

MegaTherm heaters are design certified to the ANSI® Z21.56 Standard for Gas- Fired Pool Heaters. (Outdoor 500-1825 units are certified for use without the addition of a draft diverter or external vent. Indoor units incorporate a builtin draft diverter and require only vent piping.) Salt water models (500-1825) are available with cupronickel alloy heat exchanger tubes and header covers.

ETI[™] 400 HIGH EFFICIENCY **GAS HEATER**



THE HIGHEST EFFICIENCY EVER.

The longest-lasting heat exchanger ever built.

The ETi [™] 400 High-Efficiency Heater features the TitanTough [™] Direct-Fire Pure Titanium Heat Exchanger, the longest-lasting heat exchanger ever built. And it delivers 96% thermal efficiency, the highest of any pool heater. The ETi™ 400 heater provides excellent flexibility for installation, with fully sealed Catergory IV direct air venting that does not require large room openings for combustion air.

| #46-1113 ETi [™] 400 Heater | P.O.A. |
|--|--------|
| #47-5971 Direct Air Intake Kit | |
| #47-5612 Condensate Neutralizer artridge Kit | P.O.A. |



Pentair





High Performance Eco-Friendly Heaters



MASTERTEMP[®] HEATER

MasterTemp heaters offer all the efficiency, convenience and reliability features you want in a pool heater, plus a lot more. As easy to use as your home heating system, plus, user-friendly indicator lights make system operation and monitoring a snap. The compact design and super quiet operation won't intrude on your pool side leisure time. Heavy-duty (HD) unit with cupro-nickel exchanger stands up to the harshest of applications, like low pH, high flow or heavy use.

Pentair



Ordering Information

| #46-1000 - MasterTemp 200 | NA ASME Heater \$5, | 511.30 |
|---------------------------|---------------------|--------|
| #46-0806 - MasterTemp 250 | | |
| #46-0805 - MasterTemp 400 | | |
| #46-1020 - MasterTemp 250 | HD ASME Heater \$5, | 932.78 |
| #46-1021 - MasterTemp 400 | | |



#Vertical Venting - Negative Pressure Kits

| #77707-0076 4" x 6" Metal Flue Collar | \$201.38 |
|---|------------------|
| #77707-0077 4" x 8" Metal Flue Collar | \$ 211.97 |
| #46-1031 Direct Air Intake Kit MasterTemp | \$ 317.04 |

ABOVE GROUND HEATERS & LIGHTS A. MASTERTEMP® 125 HIGH PERFORMANCE HEATER



Features:

- 82% energy efficiency is highest in its class.
- High-performance, affordable heating with premium features.
- 1-1/2" plumbing ideal for smaller bodies of water up to 15,000 gallons.
- Pre-mixed combustion technology for ultra-fast heat-up.
- Easy-to-use, information-rich digital display/controller.
- Certified for low NOx emissions.
- #46-1059 MasterTemp 125 \$2,212.48





DIGITAL POOL AND SPA HEATER



The sleek and stylish Raypack Digital Gas Pool and Spa Heater features innovative technology designed to keep your pool or spa at the perfect temperature for your enjoyment. Built to withstand various weather conditions, this modern pool and spa heater is the perfect solution for environments requiring efficiency, convenience and versatility.

Thanks to a brilliant low-profile design, corrosion resistant cabinet made of galvanized metal, copper or cupro fin tube heat exchanger, and a bevy of advanced-engineered materials, enjoying your heater year round is a breeze.



| A. POLYMER HEATERS | | |
|--------------------|----------------|------------|
| COPPI | ER HEAT EXCH | ANGER |
| Cat. No. | Model No. | Price |
| 009216 | P-R206A-EN-C | \$3,592.00 |
| 009217 | P-R266A-EN-C | \$3,946.00 |
| 009218 | P-R336A-EN-C | \$4,490.00 |
| 009219 | P-R406A-EN-C | \$5,098.00 |
| CUPRO-N | NICKEL HEAT EX | KCHANGER |
| Cat. No. | Model No. | Price |
| 014938 | P-R206A-EN-X | \$3,850.00 |
| 014939 | P-R266A-EN-X | \$4,206.00 |
| 014940 | P-R336A-EN-X | \$4,750.00 |
| | | |

014941

AIVMED UPATED



B. PREMIUM BRONZE HEADERS ASME CUPRO-NICKEL HEAT EXCHANGER

P-R406A-EN-X \$5,362.00

| Cat. No. | Model No. | Price |
|-------------|--------------|------------|
|)17399 | B-206A-EN-X | \$4,668.00 |
|)17400 | B-R266A-EN-X | \$5,042.00 |
|)17401 | B-R336A-EN-X | \$5,602.00 |
|)17402 | B-R406A-EN-X | \$6,240.00 |



| C. D-2 POWER VENTS | | |
|--------------------|-----------|-----------|
| Cat. No. | Model No. | Price |
| 009832 | 206A-266A | \$1,026.0 |
| 009833 | 336A-406A | \$1,044.0 |
| | | |



| D. | INDOOR DRAFTHOODS | | |
|-------------|-------------------|-----------|----------|
| Cat. No. | Model No. | Flue Size | Price |
| 009838 | 206A | 6" | \$210.00 |
| 009839 | 266A | 7" | \$214.00 |
| 009840 | 336A | 8" | \$218.00 |
| 009841 | 406A | 9" | \$222.00 |

RAYPAK X94 PROFESSIONAL HEATER

Highly Efficient.

Intelligent technology. Built with the same Raypak Professional Series high performance DNA.



Same digital control logic used on all Raypak pool products

Standard Features:

- Model 410 @399,000 BTU input
 Stainless Steel heat exchanger
 ASME certified.
- Pre-wired flow switch and T&P gauge, 50 state ASME compliant
- Industry leading diagnostic digital control-assembled in the U.S.A. Multi-unit functionality, pump and 3-way valve control.



Raupak

PROFESSIONAL

- Flexible 4" venting options PVC, CPVC, Polypropylene, Stainless Steel.
- Direct vent capable ducted combustion air.
 3 year parts and labor limited warranty (see warranty for details).

#014280 S-R410-EN ASME . . P.O.A.

HEATERS



RAYPAK® AVIA

Managing your pool heater has never been easier or smarter. AVIA is built with an innovative Wi-Fi enabled control system that allows you to manage your pool heater and

nanage you poor neater an onenaccessory through the Raymote app. No need for a separate control panel to manage your pool heater.

| Cat. No. | Model No. | Price |
|-------------|--------------|------------|
| 018032 | P-R264A-EN-C | \$4,168.00 |
| 018033 | P-R404A-EN-C | \$5,080.00 |



RESIDENTIAL & COMMERCIAL POOL

RAYPAK[®] A/G &I/G SPA HEATER

- Electronic ignition Fire tile
- Dual voltage with 120 volt power cord and 3 - prong plug; or can be wired for 240 volt directly to transformer
- Polymer headers
- Wind resistant design
- 2" & 11/2" water connection
- Powder coating

#014779 P-R106-AN-C. . . . \$2,168.00 #014784 P-R156A-EN-C. . . \$2,646.00 #014357 Indoor Top 106 \$152.00 #014358 Indoor Top 156 \$156.00



COMMERCIAL AND ELECTRIC POOL HEATERS

Raypak's Next Generation Condensing Heater

Time-honored technologies unite with cutting-edge advancements in Raypak's new XTherm vertical heater. Never before has a vertical heater provided both the installer and pool builder such installation flexibility. ease-of-commissioning, reliability and I ong-term performance. Small space, not a problem. The XTherm has one of the smallest installed footprints of any vertical condensing heater. Our compact design makes it the perfect choice for those hard to reach retrofit projects. Raypak's XTherm is built with commercial-grade components and materials. From our steel channel base to our stainless steel flue wrapper, and condensing heat exchanger, you can tell the XTherm is built to last. It's easy to handle and install, but still user friendly to service. Now is the perfect time to take a closer look at Raypak. P.O.A. Call for pricing



RAYPAK HIGH DELTA®

Commercial pool Heater is Durable Under the Most Challenging of Conditions

Ravpak's Next Generation **Condensing Heater**

Raypak's Hi Delta is easy to install, operate and service. The Hi Delta has a patented burner with an innovative design that provides an optimized air-gas pathway for complete combustion. This makes the Hi Delta the most adaptable sealed-combustion boiler on the market today.

The touch panel display on the HI-Delta includes onboard diagnostics. In the event of any system problems, technicians can quickly review the fault history of the unit.

The Hi Delta product family covers the full spectrum of both indoor and outdoor applications including space heating, process heating, pool heating and domestic hot water heating. When installed indoors, the Hi Delta's versatility is revealed via smaller vent diameters, direct-venting capability, and the convenience of stacking to decrease the footprint for multiple appliances.

P.O.A. Call for pricing



Models 1005, 1505, 2005 97% Thermal Efficiency



0.0

Key Features • PVC vent capable -

- optional at time of order • 3 models from 1.000.000 to 2.000.000 BTUH 97% thermal efficiency at
- full fire in pool applications Minimum continuous inlet
- water temperature (50°F) Small footprint, less than 11 square feet
- AB 1953 low lead certified • On-board diagnostic center.
- real English. no codes All models indoor/outdoor certified
- Complete cabinet protects all controls and wiring
- Meets all current Low NOx regulations • Suitable for altitudes up to 10,000 ft.
- (derate above 5,000 ft.) • Equipped with all cupro-nickel, copper, bronze and stainless steel waterways

H/Dem

HI/DELTA

ELECTRICAL POOL & SPA HEATERS



ELECTRICAL HEATERS

For Pools & Spas By Coates

A built-in flow switch, to prevent operation of the heater when there is no water flow, is standard equipment. Standard features: Stainless steel vessel. Incolog heating element. Close differential thermostat. High temperature limit, manual reset. Flow switch, Element pilot light. Element sequencing of single phase heaters. Internal protective fusing. Easy electrical terminal blocks.



| | 1PH, 236V | | 3PH, 240V | | 3PH, 208V | | 3PH, 480V | |
|----|------------|--------|------------|--------|------------|--------|------------|--------|
| KW | Cat.No. | Price | Cat.No. | Price | Cat.No. | Price | Cat.No. | Price |
| 12 | 12412CE | P.O.A. | 32412CE | P.O.A. | 32012CE | P.O.A. | 34812CE | P.O.A. |
| 15 | 12415CE | P.O.A. | 32415CE | P.O.A. | 32015CE | P.O.A. | 34815CE | P.O.A. |
| 18 | 12418CE | P.O.A. | 32418CE | P.O.A. | 32018CE | P.O.A. | 34818CE | P.O.A. |
| 24 | 12424CPH | P.O.A. | 32424CPH | P.O.A. | 32024CPH | P.O.A. | 34824CPH | P.O.A. |
| 30 | 12430CPH | P.O.A. | 32430CPH | P.O.A. | 32030CPH | P.O.A. | 34830CPH | P.O.A. |
| 36 | 12436PHS-3 | P.O.A. | 32436PHS-3 | P.O.A. | 32036PHS-3 | P.O.A. | 34836PHS-3 | P.O.A. |
| 45 | 12445PHS | P.O.A. | 32445PHS | P.O.A. | 32045PHS | P.O.A. | 34845PHS | P.O.A. |
| 54 | 12454PHS-4 | P.O.A. | 32454PHS-4 | P.O.A. | 32054PHS-4 | P.O.A. | 34854PHS-4 | P.O.A. |

F.O.B. FACTORY - WASHINGTON STATE P.O.A. Call for Pricing



ELECTRIC SPA HEATER

with Exclusive Built-in Flow Switch By Coates

Standard features: Incoloy heating element. Close differential thermostat. High temperature limit, manual rest. A seamless, red- cast vessel is one of the major features. Vessel design directs water flow over heating elements to optimize heat transfer. Flow switch. 11/2" pipe connections.

| Cat. No. | Coates Model No. | Price |
|----------|-----------------------|------------------|
| 527 | 12406ST, 5.5 KW, 240V | \$ 883.58 |
| 528 | 12411ST, 11 KW, 240V | \$ 940.28 |

Hi-E2[®] THE MOST EFFIECIENT HEATER

The Hi-E2 sets the standard with a proven in-use record of over 20 years providing ultra-efficient heating with a 95% efficiency rating – cutting operating costs by 30% or more*. Small, lightweight and easy to install indoors, it features a low-maintenance design using our hot surface ignition system - requiring no pilot light.

- Compact & Lightweight 33% smaller footprint and is 42% smaller in volume and 34% lighter than comparable heaters
- Best Indoor Installation Direct PVC pipe connection capability for flexible indoor installation with no additional parts
- Ultra-Efficient Heating Features an impressive 95% heating efficiency rating and reduces operating cost by 30% or more*
- Durable & Dependable Over 20 years of proven performance in use #EHE350NC- 350.000 BTU ASME Commercial Heater . . P.O.A.









CAT CONTROLLERS

The CAT 2000[®] constantly monitors pH and sanitizer activity (chlorine, bromine, even salt systems) and automatically implements chemical feeding in proportion to demand for picture-perfect water quality at all times.



The CAT 4000[®] is a wireless commercial remote water quality controller. The controller provides picture-perfect water quality on-site and remote monitoring via the Internet or web-enabled mobile device from anywhere in the world.



| #CAT-2000 Standard Controller | | | | | \$ 2,889.4 0 |
|-------------------------------------|--|--|--|--|---------------------|
| #CAT-4000-WiFi Controller with WiFi | | | | | \$ 4,862.40 |



AQUARITE

As the global leader in salt chlorination, Hayward provides luxuriously soft water and the most convenient sanitization method on the market to millions of pool owners around the world. With the introduction of AquaRite 900, we're taking our industry-leading technology to the next level. AquaRite 900 is designed to provide the same superior salt chlorination you expect



from Hayward, but with an Extended Life TurboCell, it produces 25% more chlorine over its lifetime than our leading AquaRite systems. The Extended Life TurboCell cuts your chlorine costs by 50% or more, to less than \$1 per pound. Plus. with an industry best 4-year warranty, you can relax in the comfort of your pool completely worry-free.

#TCELL940 40K gal replacement cell only (4 yr warranty) . . \$1,671.59

SUPER PUMP®

Hayward Super Pump sets the industry standard for excellence and value — and new Super Pump XE is no exception. Offering energy efficiency that outperforms Dept. of Energy standards while cutting pump equipment costs by almost a

third. Super Pump XE is the just-right pump for just about any pool. With its easy installation, dual-voltage capability and durable design that's up to 30% lighter weight than competitive VS models, it's the most versatile option for unmatched value.

| Model No. | THP | Voltage | Pipe Size | Ctn Weight | Price |
|---------------|------|---------|--------------|---------------|------------------|
| SP2605X7 | 0.85 | 115/230 | 2" | 32 Lbs. | \$ 972.20 |
| SP2670007X10* | 1.1 | 115/230 | 2" | 35 Lbs. | \$1,039.60 |
| SP2615X20XE | 2.25 | 115/230 | 2" | 37 Lbs. | \$1,790.38 |

*Denotes special expert line equipment (2 year warranty, viton shaft seal, and TEFC motor)

TRISTAR® XL VS PUMP

The TriStar® XL is a game changer for large residential pools, feature-rich pools or complex pool pad configurations. Engineered for performance and versatility,

the TriStar® XL delivers increased flow from extra-large 2.5" x 3" unions, the removable strainer housing allows for more adaptable pump configurations, and the oversized strainer basket reduces cleaning and maintenance.



PERFLEX EXTENDED-CYCLE DE

The Perflex Extended-Cycle DE filter series cleans pools fast-removing particles as small as one micron the first time through. That's because Perflex incorporates a patented Flex-Tube™ design that works in combination with DE (diatomaceous earth) filter powder to produce the clearest. most sparkling water possible.

| #EC65A . | | | | | | | | | | | | | | \$ | 1,354.20 | |
|-----------|-----|-----|----|-----|----|----|----|-----|---|----|----|----|-----|----|----------|--|
| #EC75A . | | | | | | | | | | | | | | \$ | 1,457.80 | |
| #EC65BLP | Sy | /st | en | n I | ba | se | po | ıck | f | or | EC | 65 | i/I | EC | 75 | |
| less pump | ••• | | | | | | | | | | | | | | \$244.70 | |

| Model No. | Effective Filtration Area | Design Flow Rate* | Turnov 8 Hr. | er Gals. 10 Hr. | DE Required |
|--------------|------------------------------|----------------------|-----------------|--------------------|----------------|
| EC65A | 26.9 sq. ft. ² | 67 GPM | 32,640 | 40,800 | 6 Lbs. |
| EC75A | 40 sq. ft.² | 80 GPM | 38,400 | 48,000 | 7 Lbs. |

HAYWARD PRODUCTS

POWER-FLO MATRIX

The Power-Flo Matrix has been engineered as a uniquely superior above-ground pool pump. With a single push of a button, this truly versatile pump changes from a discharge and back again. It's large profile and integrated



styling makes the Power-Flo Matrix a swimming pool pump like no other.

| Model No. | HP | Voltage | Pipe Size | Ctn Weight | Price |
|--------------|-------|---------|--------------|---------------|---------------------|
| SP1592 | 1 | 115 | 1-1/2" | 25 Lbs. | ^{\$601.80} |
| SP1593 | 1-1/2 | 115 | 1-1/2" | 26 Lbs. | \$ 630.15 |

ABOVE GROUND D.E. SYSTEM


- New clamp style assembly
- 6' Power cord
- Pump to filter union connection
- Hoses, clamps & hose adapters
- 1HP & 1 1/2HP FloMatrix Pump #EC40C92S EC40 w/1 HP pump. . \$1,335.75 #EC50C93S EC50 w/1-1/2 HP pump \$1,441.67





HEATER PARTS

MINI MAX NT STANDARD PARTS



| | STANDARD PARTS |
|------------------|--------------------------------|
| A. 47-1566 | THERMISTOR \$64.40 |
| B. 47-1587 HI | LIMIT 115 DEGREE \$60.77 |
| C. 47-1694 HI | LIMIT 150 DEGREE \$61.92 |
| D. 47-0190 PRES | SURE SWITCH (ASME) \$94.75 |
| E. 47-3605 F | RESSURE SWITCH \$90.79 |
| F. 47-1992 | IN/OUT HEADER \$595.89 |
| G. 47-1991 | REAR HEADER \$99.56 |
| H. 07-0951 T | UBE GASKET EACH \$3.95 |
| I. 47-1750 FLC | W VALVE ASSEMBLY \$257.96 |
| J. 47-1424 FLOW | VALVE ASSEMBLY (ASME) \$189.52 |
| K. 46-0760 | GAS VALVE N.G. \$363.74 |
| L. 46-0799Z | IGNITOR ^{\$} 183.28 |
| M. 47-2604 | IGNITOR DDTC \$115.70 |
| N. 47-1603 | FLAME SENSOR \$37.15 |
| 0. 47-2100 TEMP. | CONTROL BOARD DDTC \$719.66 |
| P. 07-5173 1 | HERMAL CUT OFF \$26.33 |

28

MASTER TEMP/MAX-E-THERM PARTS





| | MASTER TEMP/MAX-E-THERM PARTS | | | | | | | |
|----|-------------------------------|-----------------------|----------------------|--|--|--|--|--|
| A. | 77707-0054 | IGNITOR W/GASKET | ^{\$} 102.38 | | | | | |
| B. | 46-1105 | CONTROL BOARD | ^{\$} 777.22 | | | | | |
| С. | 42001-00615 | AIR FLOW SWITCH | ^{\$} 169.31 | | | | | |
| D. | 42002-0024S | STACK FLUE SENSOR | ^{\$} 147.13 | | | | | |
| E. | 42001-0107S | TRANSFORMER | ^{\$} 83.50 | | | | | |
| F. | 47-6223 | IGNITION CONTROL | ^{\$} 410.51 | | | | | |
| G. | 42001-00515 | GAS VALVE N.G. | ^{\$} 536.81 | | | | | |
| H. | 77707-0010 | THERMAL REGULATOR KIT | ^{\$} 129.89 | | | | | |
| I. | 42001-0060S | PRESSURE SWITCH | ^{\$} 101.05 | | | | | |
| J. | 42001-0053S | THERMISTOR | ^{\$} 97.79 | | | | | |




 A. #7828 Aquastat controller (SPDT switching / Range 40 to 180 F)
 \$230.23

 B. #7829 Aquastat well (1/2" male N.P.T.).
 \$81.65

 C. #A0063300 Safety pressure relief Valve 3/4" (75 PSI).
 \$47.81

 D. #0342692 Safety pressure relief Valve 3/4" (30 PSI)
 \$136.76

COATES HEATER PARTS



| COATES HEATER PARTS | | | | | | |
|---------------------|----------|----------------------|---------------------|--|--|--|
| A. | 20005061 | ELEMENTS 5.5KW, 240V | ^{\$} 68.40 | | | |
| | | | | | | |


| B. HE | B. HEATING ELEMENTS | | | | | | | | |
|-------|---------------------|----------|----------|----------------------|--|--|--|--|--|
| KW | 208V | 240V | 480V | Price | | | | | |
| 6 KW | 20006036 | 20006046 | 20006056 | ^{\$} 310.50 | | | | | |
| 9 KW | 20006029 | 20006039 | 20006049 | ^{\$} 310.50 | | | | | |
| 12 KW | 20006003 | 20006009 | 20006015 | \$ 387.00 | | | | | |
| 15 KW | 20006004 | 20006010 | 20006016 | ^{\$} 387.00 | | | | | |
| 18 KW | 20006005 | 20006011 | 20006017 | \$387.00 | | | | | |

| С. | 22002001 | TEMPERATURE CONTROL | ^{\$} 64.80 |
|----|----------|---|----------------------|
| D. | 22002150 | DIGITAL TEMPERATURE CONTROL | ^{\$} 144.00 |
| E. | 22003820 | HI-TEMP SWITCH | ^{\$} 60.30 |
| F. | 23000102 | FLOW SWITCH 1" | ^{\$} 136.80 |
| G. | 23000105 | FLOW SWITCH 1/2" | ^{\$} 86.40 |
| H. | 21006010 | RELAY 240V FOR FLOW SWITCH | ^{\$} 14.85 |
| I. | 29015052 | FUSE 2 AMP, 250V, FNM-2 | ^{\$} 17.10 |
| J. | 29018910 | FUSE 60 AMP, 480V, SC-60, SLC-60 | ^{\$} 21.60 |
| K. | 29019525 | FUSE 2 AMP, 480V, SC-2, SLC-2 | ^{\$} 14.85 |
| L. | 21001000 | CONTACTOR, 3 POLE, 50 AMP, 208/240V COIL | ^{\$} 117.00 |
| | 21001300 | CONTACTOR, 4 POLE, 50 AMP, 208/240V COIL | ^{\$} 162.00 |

JANDY HEATER PARTS



RAYPAK RP2100 HEATER PARTS



HEATER PARTS

RAYPAK RP2100 HEATER PARTS

| PART | CAS | T IRON A | SME MO | DELS | CAPRON MODELS | | | | | | | |
|-------------------------------------|-------------------------------|--------------------------|---------------------|--------------------------|--|-------------------------|--------------------|---------|--|--|--|--|
| DESCRIPTION | C-R206 | C-R266 | C-R336 | C-R406 | P-R206 | P-R266 | P-R336 | P-R406 | | | | |
| A. BY PASS VALVE | | 016194 | F \$ 64.9 4 | | | 006715 | F \$ 77.2 2 | 2 | | | | |
| B. DRAIN VALVE | | 013793 | F \$ 29.84 | | | 006721 | F \$ 21.9 4 | ļ | | | | |
| C. REAR DRAIN PLUG | | 005264 | F \$ 40.37 | · | | 006721 | F \$ 21.9 4 | ļ | | | | |
| D. FLANGES/UNIONS | | 003766 | F \$104.4 | 2 | | 006723 | F \$ 72.8 3 | 6 | | | | |
| E. FLANGES/UNIONS GASKET/O'RINGS | | 062236 | B \$ 50.9 0 |) | | 006724 | F \$ 33.3 5 | i | | | | |
| F. GAS VALVE | | 898F MILLI 03900F III | | | | 98F MILLIV 3900F IID | | | | | | |
| G. REAR HEADER | | 006731F | \$214 .99 | | (|)06707F \$ | 5179.01 | | | | | |
| H. IN/OUT HEADER | | 006730F | \$637.07 | | (|)06827F \$ | 798.53 | | | | | |
| I. UNITHERM GOVERNOR | | 062234B | \$ 79.85 | | | 006719F | \$ 86.87 | | | | | |
| J. TUBE BUNDLES | A | SME (FOE | FACTOR | Y) | | | | | | | | |
| | | | | | P-R106A | P-R156A | | | | | | |
| | | | | | | 014875F | | | | | | |
| | | | | | | \$752.90 | | | | | | |
| | C-R206A | | | C-R406A | | | | P-R406A | | | | |
| | | | | 010058F \$1767.29 | | | | 010062F | | | | |
| K. HI-LIMITS | 6 | 00892B 13 00893B 14 | 5* \$45.6 | 3 | \$1162.69 \$1258.34 \$1343.45 \$1445.24 006725F \$ 49.14 | | | | | | | |
| L. PILOT GENERATOR | 600 | 019B MILL | IVOLT \$ 8 3 | 8.36 | 600019B MILLIVOLT \$83.36 | | | | | | | |
| M. PILOT ASSEMBLY | | 25B MILLI D02003F II | | | 600525B MILLIVOLT \$120.22 002003F IID \$97.40 | | | | | | | |
| N. ROCKER SWITCH | | 009493F | \$33.35 | | 009493F \$ 33.35 | | | | | | | |
| O. PRESSURE SWITCH | | 006737F | \$67.57 | | 006737F \$ 67.57 | | | | | | | |
| P. ROLL OUT SENSOR | | 005899F | \$ 38.6 1 | | 005899F \$ 38.61 | | | | | | | |
| Q. MECHANICAL T-STAT | AT 003346F \$177.26 | | | 003346F \$ 177.26 | | | | | | | | |
| R. PC BOARD DIGITAL | 013464F \$ 469.46 | | | 013464F \$ 469.46 | | | | | | | | |
| S. TEMP SENSOR | 009 | 9577F (3 W | /IRE) \$ 77 | .22 | 0095 | 577F (3 WI | RE) \$77. | 22 | | | | |
| T. SENSOR WELL/ Adapter | WELL/ 003765F \$ 96.53 | | | | 006805F MILLIVOLT \$53.53 006714F IID \$40.37 | | | | | | | |
| U. TRANSFORMER | | 006736F | \$100.91 | | 006736F \$100.91 | | | | | | | |

NOTE: ALL COMMERCIAL AND RESIDENTIAL RAYPAK, LAARS AND COATES HEATER PARTS AVAILABLE ON REQUEST.

PLUMBING VALVES CHECK VALVES



A. PVC UTILITY BALL VALVES BY SPEARS

| #2622-005 | 1/2" Soc x Soc . | | | | | | | \$ 16.46 |
|-----------|--------------------------------|--|---|---|--|---|---|---------------------|
| #2622-007 | ³ /4" Soc x Soc . | | | | | | | \$19.53 |
| #2622-010 | 1" Soc x Soc | | | | | | | ^{\$} 26.57 |
| #2622-015 | 11/2" Soc x Soc. | | | | | | | \$ 53.66 |
| #2622-020 | 2" Soc x Soc | | | | | | | \$ 67.83 |
| #2621-005 | 1/2" Fpt x Fpt . | | | | | | | ^{\$} 16.46 |
| #2621-007 | ³ /4" Fpt x Fpt . | | | | | | | \$ 19.53 |
| #2621-010 | 1" Fpt x Fpt | | | | | | | \$ 26.57 |
| | 1 ¹ /2" Fpt x Fpt . | | | | | | | |
| #2621-020 | 2" Fpt x Fpt | | • | • | | • | • | \$ 67.83 |



B. PVC COMPACT BALL VALVE BY SPEARS

| #2122-015 | 11/2" Soc x Soc. | | | | \$ 129.28 |
|-----------|------------------|--|--|--|-------------------|
| #2122-020 | 2" Soc x Soc | | | | \$ 139.3 1 |
| #2122-030 | 3" Soc x Soc | | | | \$566.12 |
| #2122-040 | 4" Soc x Soc | | | | \$ 870.98 |
| #2122-060 | 6" Soc x Soc | | | | \$ 1,131.10 |



C PVC TRUE UNION 2000 STANDARD BALL VALVE w/SOCxSOC w/TWO ADDITIONAL FPT UNION #3629-005 1/2 Soc x Soc or Fpt \$69.80 #3629-007 3/4 Soc x Soc or Fpt \$82.57 #3629-010 1" Soc x Soc or Fpt \$98.34 #3629-015 11/2 Soc x Soc or Fpt \$163.84 #3629-020 2" Soc x Soc or Fpt \$216.22



D. TRUE SINGLE UNION BALL VALVES BY PRAHER #150-010 1¹/2[•] Soc x Soc \$24.28 #150-015 1¹/2[•] MIPT x FIPT \$24.28 #200-010 2[•] Soc x Soc \$33.68



E. KNIFE GATE VALVES BY PRAHER #150-GATE 11/2 Soc x Soc \$19.05 #150-GMFT 11/2 Fpt x Fpt \$19.61 #200-GATE 2" Soc x Soc \$25.39



| F. SINGLE UNION S | PRING CHECK VALVES w/ LOAD & CLEAR |
|----------------------|--|
| BODY BY PRAHE | R |
| #150-CV-TRI | 1 ¹ /2" Soc x Soc \$ 35.72 |
| #200-CV-TRI | 2" Soc x Soc \$41.39 |



6. DOUBLE UNION CLEAR SWING CHECK VALVE BY AMERICAN GRANBY #AG1720C-07 3/4" Soc x Soc \$34.82 #AG1720C-10 1" Soc x Soc \$41.10

| #AG1720C-15 | | | | |
|----------------------------|--|--|--|--|
| #AG1720C-20 #AG1720C-30 | | | | |
| | | | | |



| H. "SMART" SWIN | G CHECK VALVE WITH ½ Ib SPRING | |
|-----------------|--|--|
| #MCV823-15C | 1 ¹ / _{2"} Soc x Soc \$ 38.16 | |
| #MCV823-20C | 2" Soc x Soc \$ 48.20 | |



I. JANDY NEVER LUBE 180 DEGREE CHECK VALVE #7305 2" - 2¹/r Soc x 2" - 2¹/r Soc \$95.09

1

| FLEXIBLE PVC CREAM COLOR(ORDER BY THE FOOT | | | | | | | | |
|---|--------------------|--|--|--|--|--|--|--|
| OR IN 50FT OR 100FT ROLLS | | | | | | | | |
| #2522 ¹ /2" Flexible PVC Pipe | | | | | | | | |
| #2523 ³ /4" Flexible PVC Pipe | \$ 2.90 | | | | | | | |
| #2525 1" Flexible PVC Pipe | \$ 2.87 | | | | | | | |
| #2526 1 ¹ /2" Flexible PVC Pipe | ^{\$} 3.72 | | | | | | | |
| #2527 2" Flexible PVC Pipe | \$ 6.36 | | | | | | | |



| K. PRIMER-68 CLE | AR PRIMER | |
|------------------|----------------------|-------------------|
| #PRIM68C-005 | ¹ /4 Pint | . \$ 7.98 |
| | Pint | |
| #PRIM68C-030 | Quart | . \$ 33.47 |



L PVC-95 BLUE PVC GLUE #PVC95B-030 Quart

\$42.17



| M. PVC 95 CLEAR | PVC GL | UE | | | | | |
|-----------------|----------------------|----|--|--|--|--|----------------|
| #PVC95C-005 | ¹ /4 Pint | | | | | | \$ 9.85 |
| #PVC95C-020 | Pint | | | | | | \$25.05 |
| #PVC95C-030 | Quart . | | | | | | \$42.25 |



NEVER-LUBE JANDY VALVES AND ACTUATORS

| N. #4715 11/2" - 2", 3 Port Positive Seal Jandy | |
|---|------------------|
| Never Lube Valve | \$ 109.56 |
| 0. #4724 11/2" - 2", 2 Port Positive Seal Jandy | |
| Never Lube Valve | \$101.85 |
| P. #4716 2" -21/2" - 2 Port Positive Seal Jandy | |
| Never Lube Valve (not shown) | \$106.01 |
| Q. #4717 2" -21/2" - 3 Port Positive Seal Jandy | |
| Never Lube Valve (not shown) | \$ 113.72 |
| R. #4424 Jandy Valve Actuator 24 Volt, | |
| 180 Degree Rotation | \$334.64 |
| • • • • • • • • • • • • • • • • • • • | |



The revolutionary IntelliValveTM Valve Actuator lets you set just the right flow for water features. Its intuitive controls and LED position indicator lights make operation fast and push-button easy. Thirteen (13) bright LEDs provide a clear visual indication of the valve position from fully open to fully closed and everywhere in between. Simply use the left/right and Save buttons to set the perfect flow rate in just seconds.

#52-1485 Intellivalve Actuator. . . \$366.43



| | Part No. | Plug Size | e Fits | Price |
|---------|-------------------|-----------|---------------------------------------|--------------------|
| Rubber | A. SP201 | 1 | ½" pipe | \$2.75 |
| | SP202 | 2 | 3/4" tubing | \$ 2.95 |
| | SP203 | 3 | 3⁄4" pipe | \$ 2.95 |
| | SP204 | 4 | 3⁄4"-1" pipe | \$ 3.15 |
| | SP205 | 5 | 1" tubing | \$ 3.15 |
| | SP206 | 6 | 1" fitting | \$ 3.35 |
| | SP207 | 7 | 1 ¼" pipe | \$ 3.65 |
| | SP208 | 8 | 1 ½" pipe | \$ 3.95 |
| | SP209 | 9 | 1½" pipe,1¼" fitting | ^{\$} 4.15 |
| | SP210 | 10 | 11/2" fitting | ^{\$} 4.55 |
| | SP211 | 11 | 2"_pipe | \$ 5.95 |
| | SP212 | 12 | 2" fitting | ^{\$} 6.95 |
| | SP213 | 13 | 2 ½" pipe | \$9.00 |
| | SP214 | 14 | 3" pipe | \$25.50 |
| Plastic | B. SP1022B | 11/2" | Flush style | \$ 4.90 |
| | C. SP1022C | 11/2" | Raised style | \$ 4.40 |
| | D. SP210BT | 10 | Blow Through | \$ 19.00 |
| | E. 004-302-1 | 672-00 Pa | ramount Blow Through Plug (pkg. of 6) | \$ 163.76 |
| | F. BP15 | 1½" | MPT Bungee Blow Through Plug | \$9.56 |



- 3/4" MNPT garden hose adapter
- LG-577301 POOL COVER PUMP\$289.09



A. CYCLONE WINTERIZING BLOWER AND LINER VAC Model LV 275-1

The Cyclone is the most powerful portable blower on the market. The motor is a heavy duty bypass motor rated at 3 hp/120 volt. Sealed pressure is 160 inches of water & the open flow is 120 cfm. This blower is ideal for winterizing pools. #4128100 \$583.70



B. CLEAR RTV SILICONE ADHESIVE SEALANT #66B 3 oz Clear RTV Silicone \$25.43

C AQUA LUBE ULTIMATE UNDERWATER LUBRICANT. SEALANT AND RUST PREVENTIVE #AQUA LUBE 5.5 oz Aqua Lube. \$53.82

MAGIC LUBE


D

| D. MAGIC LUBE TEFLON BASED LUBRICANT | | | | | | |
|--------------------------------------|-----------------|-----------------|--|--|--|--|
| #630-10Z | 1 oz Magic Lube | \$ 4.44 | | | | |
| #631-50Z | 5 oz Magic Lube | \$1 2.27 | | | | |



| E. TEFLO #hts | \$ 2.64 | | | | | | |
|-------------------------------|----------------|----------------|--|--|--|--|--|
| E STAINLESS STEEL HOSE CLAMPS | | | | | | | |
| #12 | 3/4" | \$3.15 | | | | | |
| | 1" | \$ 3.22 | | | | | |
| #24 | 1"-2" | \$ 3.22 | | | | | |
| #28 | 15/16"- 21/4" | \$3.24 | | | | | |
| | 19/16"- 21/2" | \$3.24 | | | | | |

SPECIALTY TOOLS WINTERIZING PRODUCTS







| A. #PT110 Pump Lid Removal Tool-Lid Removal Wrench | \$ 24.75 |
|--|------------------|
| B. #SKS-1.5 11/2" Socket Saver | \$ 46.4 4 |
| #SKS-2.0 2" Socket Saver | \$ 48.98 |
| #SKS-3.0 3" Socket Saver | \$ 78.39 |
| C. #PT132 Light Wedge | |
| D. #PT134 O Ring Pick | |
| E. #PT144-A Hand Rail Stablizer plug | |
| F. #LASS-RPE-1.55 Plaster Eye Ball Extender | \$ 10.83 |
| *Eyeball not Included | |
| G. #WST-1 Wire Saw for PVC | \$ 12.56 |
| H. #HL50 PVC Pipe Cutters | |
| 1. #419-4110 11/2" Insider (Fits inside 11/2" pipe) | |
| #419-4120 2" Insider (Fits inside 2" pipe) | . \$ 4.17 |
| J. #418-5000 11/2" Pipe Extender | |
| #418-6000 2" Pipe Extender | |
| K. RUBBER FLEXIBLE COUPLINGS | |
| #AGMR5615 11/2" x 11/2" | \$ 11.16 |
| #AGMRTC150 11/4" x 11/2" | . \$ 7.07 |
| #AGMRDTC150 1 ¹ /4" or 1 ¹ /2" x 1 ¹ /4" or 1 ¹ /2" | . \$ 8.64 |
| #AGMRDTC215 2" x 1 ¹ /4" or 1 ¹ /2" | \$ 11.72 |
| FULL FLOW UNIONS BY PRATHER | |
| L. #150-903 11/2" Mpt x Soc w/O ring | \$ 18.05 |
| #200-903 2" Mpt x Soc w/O ring | |
| M. #150-906 11/2" Mpt x Soc w/O ring High Temp | \$25.15 |
| #200-906 2" Mpt x Soc w/O ring High Temp | |
| | |



POOL LIGHTS & ACCESSORIES



...

INTELLIBRITE[®] 5G COLOR LED

The incredibly efficient IntelliBrite 5G color-changing pool lights are made up of combinations of individual, color LED lights that are automatically sequenced at varying speeds, producing a vibrant spectrum of hues.

The superior design allows for uniform light intensity & color while avoiding hot spots & glare. Choose from 5 predetermined fixed colors (blue, green, magenta, white and red) or 7 popular preprogrammed "color shows".

| #601000 | Pool 120V 30' cord | | | | | | | | | | \$1,446,42 |
|---------|--------------------|---|---|---|---|---|---|---|---|---|------------|
| | Pool 120V 50' cord | | | | | | | | | | |
| | Pool 12V 30' cord. | | | | | | | | | | |
| | Pool 12V 50' cord. | | | | | | | | | | |
| | | | | | | | | | | | |
| | Spa 120V 30' cord | | | | | | | | | | |
| | Spa 120V 50' cord | | | | | | | | | | |
| | Spa 12V 30' cord . | | | | | | | | | | |
| #640131 | Spa 12V 50' cord . | • | • | • | • | • | • | • | • | • | \$1,136.08 |

INTELLIBRITE[®] 5G WHITE LED

The IntelliBrite 5G white lights combine unmatched energy efficiency with superior light intensity and distribution. The exclusive design can be adjusted to create a standard, wider beam or a narrower pattern, depending on your pool's needs.

| #601100 Pool 120V 30' cord | \$871.37 |
|-----------------------------------|----------|
| #601101 Pool 120V 50' cord | \$906.99 |
| #601105 Pool 12V 30' cord | \$820.72 |
| #601106 Pool 12V 50' cord | \$860.62 |
| #640140 Spa 120V 30' cord | \$865.81 |
| #640141 Spa 120V 50' cord | \$903.61 |
| #640150 Spa 12V 30' cord | \$822.36 |
| #640151 Spa 12V 50' cord | \$856.40 |

INTELLIBRITE® CONTROLLER Provides Fast, Easy Access to 12 Color Modes

- Select dazzling light shows from 7 predefined themes or 5 fixed colors to suit your mood
- Set automated schedules for your backyard oasis through the easy-to-use Pentair Home App
- Suitable for indoor and outdoor environments for flexible installation
- Featuring twilight mode with automatic seasonal adjustments
- Weekday and weekend scheduling options right from your SmartPhone
- Control up to 300 Watts of Pentair Color LED Lights on a single circuit
- Intuitive user control via the Color Sync direct control panel
- Upgrade from a standard light switch for easy control of your pool lighting

#600054 IntelliBrite Controller \$518.64

ABOVE GROUND LIGHTS



NIGHTLIGHTER

with water return.

#98600000 \$284.32 #69100000 Bulb Assembly . . \$107.48



AMERLITE

The world standard of reliability for underwater lights. Features a stainless steel shell, 8%" prismatic tempered glass lens, stainless steel face ring with uni-tension clamp. Amerlites are UL listed to install in all full-sized Pentair Pool Products. American. Pac Fab and Purex Niches.

| #78431100 300W, 12V, 15' cord \$375.06 | |
|--|--|
| #78438100 300W, 12V, 50' cord \$533.27 | |
| #78435100 300W, 12V, 100' cord \$769.67 | |
| #78441100 400W, 120V, 15' cord \$396.25 | |
| #78448100 400W, 120V, 50' cord \$469.73 | |
| #78949100 400W, 120V, 100' cord \$580.29 | |
| 500W 120V LIGHTS AVAILABLE ON REQUEST | |

SOOM' I SOA TIGHIS AVAILARTE ON REGOESI



SPABRIGHT

This energy-efficient light is perfect for spas and areas where space is not available for a full-size light. SpaBrite lights install in small plastic or stainless-steel Pentair niches.

#78101200 100W, 12V, 15' cord \$326.17 #78108200 100W, 12V, 50' cord \$427.90 #78106000 *60W, 120V, 30' cord. \$343.35 #78106100 *60W, 120V, 50' cord. \$424.81



STAINLESS STEEL NICHES

Large and small stainless-steel niches are formed with brass fittings. All niches have internal and external grounding lugs for use with either metal or PVC conduits.

#78242200 Fiberglass niche \$177.14

| POOL | |
|--------------------------------------|-------------------|
| #78210400 Concrete | \$1 36.8 4 |
| #78232400 Vinyl liner and fiberglass | |
| (standard 10 hole) | \$284.00 |
| SPA | |

| 1 | and and | HE | - |
|---|---------|----|---|

MICROBRITE COLOR AND WHITE LED LIGHT

- Installs in any standard 1.5 inch pool wall fitting.
- 10X the life of incandescent light.
- No Bondina reauired.
- Connects to any Pentair automation system and the Pentair IntelliBrite[®] Controller.

COLOR

| #62-0424 | 50 ft cord . | | | | | | ^{\$} 657.83 |
|----------|--------------|--|--|--|--|--|----------------------|
| #62-0425 | 100 ft cord | | | | | | \$705.24 |
| #62-0426 | 150 ft cord | | | | | | \$ 719.31 |

WHITE

| #62-0428 50 ft cord. | | | | | | \$515.61 |
|----------------------|--|--|--|---|--|-------------------|
| #62-0429 100 ft cord | | | | | | |
| #62-0430 150 ft cord | | | | • | | \$ 577.8 4 |

AMERLITE PARTS (Not shown)

| #79100100 Lens, clear 8¾" diameter | \$ 39.74 |
|---|-------------------|
| #79104800 Retaining screw | . \$ 5.47 |
| #79101600 Gasket for 8%" lens | |
| #79110600 Face ring, stainless steel | |
| #79111000 Uni-Tention wire clamp | . \$ 76.88 |

T100 SERIES


24-Hour Mechanical Time Switches in **Type 3R Plastic Enclosure**



NTERMATIC

Timer with Enclosure

| #T101P3 | SPST Switch | 120 VAC | \$150.05 |
|-------------------|---------------|--------------------------|------------------|
| #T104P3 | DPST Switch | 208-277 | \$ 174.20 |
| #T101P201 | SPST Switch | 120 VAC W/Fireman Switch | \$ 209.56 |
| #T104P201 | DPST Switch | 208-277 W/Fireman Switch | \$ 209.56 |
| #T10101R | Dual Timer | 30A Power Center | \$ 349.08 |
| #T32404R | Dual Timer | 100A Load Center | \$521.16 |
| Mechanisr | n Only | | |
| # T101M SP | ST Switch 12 | O VAC Input Voltage | \$ 108.72 |
| # T104M DP | PST Switch 20 | 8-277 VAC Input Voltage | \$125.14 |
| Parts | | | |
| #156T4042A | Fireman Sw | vitch Only | \$ 46.87 |
| #156T1978A | Trippers On | ly (Set) | \$ 5.29 |
| | | | |



#NL50. \$95.04

UNDERWATER LIGHTS

A. SWIMMING POOL LIGHT PARTS

#05057-0118 Lens gasket \$61.36 #05055-0003 Clear lens \$106.61 #WC203-52SS Stainless steel face ring \$284.15 #37337-0079 Retaining screw \$8.84

B. COLOR SPLASH XG **POOL LIGHT FIXTURE**

• 5 solid colors and 7 light shows



• Fits in SwimQuip Niche

| #LPL-F2C-120-50-PSQ | \$1,099 . 83 |
|---------------------|-----------------------|
| #LPL-F2C-12-50-PSQ | ^{\$} 1058.42 |

C. XG CONTROLLER

• Designed for use with XG fixtures and LXG Lamps

Easy push

PARTS

button control

junction boxes

• Fits most gang



• Bluetooth enabled operate light from Apple® or Android[™] Device

D. HAYWARD SEALED BEAM LIGHT



| TAKIJ | |
|---------------------------------|---------------------|
| #SPX0502A Front rim, CPB | \$241.18 |
| #SPX0501HJ Large and small | |
| "O" rings (set) | ^{\$} 54.74 |
| #SPX0502Z66 Securing rim screws | |
| (set of 6) | \$ 17.9 1 |

REPLACEMENT BULBS

| Model | Base Type | ltem # | Description | Price | | | | | |
|--------------------|---------------------|---|-----------------|--------------------|--|--|--|--|--|
| Incandescent | | #873 | R20 100W 12V | \$27.30 | | | | | |
| E. | | #874 | R20 100W 120V | \$6.95 | | | | | |
| | | #876 | BR30 100W 12V | \$29.10 | | | | | |
| | | #877 | R40 300W 12V | \$40.15 | | | | | |
| | $\langle - \rangle$ | #879 | R40 300W 120V | \$32.25 | | | | | |
| and the | Ą | #880A | R40 400W 120V | \$33.90 | | | | | |
| 63h | | #882 | R40 500W 120V | \$35.55 | | | | | |
| Incandescent F. | to the | #875 | PAR56 300W 12V | \$73.00 | | | | | |
| | C.S.S. | #875A | PAR56 300W 120V | \$69.85 | | | | | |
| G. Halogen | ηη | #88 9 | T4 50W 12V | \$13.40 | | | | | |
| H. Halogen | M | #860 | T4 100W 120V | \$14.25 | | | | | |
| with | \mathbb{D} | #862 | T4 250W 120V | ^{\$} 9.65 | | | | | |
| Halogen I. | | #870 *Limited Quantity Available | MR16 75W 12V | \$21.50 | | | | | |
| J. | | #874A | PAR16 60W 120V | \$19.20 | | | | | |
| Halogen K. | | #883 | T3 150W 12V | \$10.60 | | | | | |
| - Standard Mark | | #884 | T3 250W 120V | \$11.15 | | | | | |
| | | <u> </u> | <u> </u> | <u> </u> | | | | | |

M. COLORSPLASH LXG LED REPLACEMENT LAMPS

ColorSplash LXG Replacement Multi-Color In-Ground Pool and Spa Lamps offer a variety of lighting modes that instantly transform any in-ground pool into a custom illuminated oasis. Whether the pool is used for playing, relaxing or entertaining, the advanced ColorSplash LXG Series with its multiple colors and light shows create the ideal pool and spa ambiance. This replacement for traditional light bulbs installs in minutes and provides immediate energy cost savings.



POOL LIGHTS BULBS & ACCESSORIES

N. PUREWHITE® LED REPLACEMENT LAMPS

PureWhite® LED Replacement White In-Ground Pool & Spa Lamps are the brightest, most cost-effective alternative to inefficient incandescent lamps. They immediately and significantly reduce energy consumption and maintenance cost. Plus, PureWhite Pro fits most standard pool light housings and comes with a highly durable Guardian" silicone lens gasket made for use with LED lamps

• \$2.93 a year to operate • Energy efficient, 21 watts • Fully dimmable SPA POOL #LPL-PR-WHT-120 120V ...\$202.23 #LPL-PR-WHT-12 12V . . . \$189.59 12V . . .\$176.94 0. BRASS DECK BOX-U.L. Listed #A41192-0 3/4" . . . \$323.37 P. TRANSFORMERS #890 300 watt, 12 volt, 18 lbs. \$187.03 #892 100 watt. 12 volt\$**163.57 Q. ALADDIN ADAPTABLE LIGHT RING**

The Adaptable Light Ring will fit any metal or hand-formed niche from 9 ³/₄ to 12". The unique feature of these light rings is that



they can be installed in a few minutes and accept the Amerlite. **#500C Aladdin Ring for Amerlite** \$160.92

COLORSPLASH LXG LED REPLACEMENT LAMPS

ColorSplash^{*}

POOL #LPL-P2-RGB-120 . \$341.26 #LPL-P2-RGB-12...\$328.64

SPA #LPL-S2-RGB-120 . \$240.14 #LPL-S2-RGB-12 . . \$227.50

#LPL-M1-WHT-120 120V ...\$184.59 #LPL-M1-WHT-12

CYCOLAC POOL FITTINGS SKIMMER BASKETS & ACCESSORIES

Hayward WG Series Suction Outlet Assemblies comply with provisions of ASME/ANSI A112.19.8 2007 Note: See "Guidelines for Addressing Entrapment Hazards with Pools and Spas" U.S. Consumer Product Safety Commission Publication #363-009081. (301)-504-0400 or www.cpsc.aov/cpscpub/pubs/363.pdf

CYCOLAC POOL FITTINGS



SKIMMERS

- A. SP1082 Inground commercial and residential cycolac skimmer for concrete, comes with adjustable collar and tamperproof 10" x 10" square lid. 2" F.I.P. bottom connection \$186.21
- B. SP1084 Inground commercial and residential skimmer for vinyl liner and fiberglass pools. Comes complete with 8½" long throat, face plates, aaskets and screws.
- C. SP1091LX Above ground cycolac skimmer with 11/2" female pipe connection, Includes SP1023, SP1419D, (2) 11/2" x 11/2" hose adapters, and SP11041 Skim Vac \$77.31
- D. **SP1091WM** Same as above with wide mouth

SKIMMERS, DRAINS, **RELIEF VALVES, TUBE & SPOUTS**



A. BERMUDA SKIMMERS #E0 6200 Cumite 0" alia

| #50-6300 Gunite 2" slip ports (PVC) | \$ 238.37 |
|--|----------------------|
| #50-6420 Vinyl/fiberglass 1½" slip ports(ABS) . | ^{\$} 283.35 |
| #51-6253 Gunite extension collar(not shown) . | \$ 28.01 |
| PVC GUTTER DRAINS | |
| #54-0063 2" x 4" Gutter drain | \$12.20 |
| #54-2039 2½" x 6" Gutter drain | \$ 19.62 |



INLET FITTINGS


| C1. SP1022 Concrete inlet/vacuum fitting 1½" F.I.P. x | |
|--|-----|
| | .09 |
| C2. SP1022INS Concrete 11/2" slip, 11/2" F.I.P. face x 11/2" | |
| | .09 |
| C3. SP1023 Vinyl liner, fiberglass 11/2" F.I.P. complete | |
| with lock nuts and gaskets | .97 |
| SP1023S2 Vinyl liner, fiberglass 2" F.I.P. complete | |
| with lock nuts and gaskets | .22 |
| C4. SP1424 1½" F.I.P. x 2" M.I.P. adjustable inlet \$39. | .90 |
| SP1424S 11/2" S.K.T. x 2" M.I.P. adjustable inlet \$39 | .90 |
| C5. SP1408 Inlet/Outlet Fitting with Face Plate 11/2" . \$14 | .24 |
| SP1408S2 Inlet/Outlet Fitting with Face Plate 2". \$16 | .83 |
| | |
| D. DIRECTIONAL CYCOLAC EYEBALLS | |
| SP1419A Slotted orifice | 1 |

| SP1419A Slotted ori | ic | e | | | | | | | | | | | | °2.91 |
|---|----|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| SP1419B ³ / ₈ " orifice | | | | | | | | | | | | | | |
| SP1419C ½" orifice. | • | • | • | • | • | • | • | • | • | • | • | • | • | \$ 5.91 |
| SP1419D ³ / ₄ " orifice SP1419E 1" orifice . | | | | | | | | | | | | | | |
| SF1419E Office. | • | • | • | • | • | · | · | · | • | · | · | • | • | ° J. 00 |
| | | | | | | | | | | | | | | |

```
E. SP1026 1<sup>1</sup>/<sub>2</sub>" MIP arate insert for all wall fittings . $3.54
```

Residential, Concrete WG1052AVPAK2 2" side outlet, 1½" bottom plug \$104.78

E MAIN DRAINS





G. HYDROSTATIC RELIEF VALVES #V50-125 1½" \$185.29 #V50-126 2".....\$196.49 #SP1056 1½" & 2" PVC.....\$26.06





H. CYCOLAC MAIN DRAIN (PEBBLE) COLLECTOR TUBE #SP1055 12' long, slotted. Fits 2' and 11/2' M.P.T. \$16.38



| FILL SPOUTS | |
|--------------------------------|------------------|
| #A41227-0 ¾" Male, Fill Spout | \$224.55 |
| #A41240-0 1" Male, Fill Spout | \$ 202.48 |
| #A41242-0 1½" Male, Fill Spout | |



SKIMMER PARTS

A. SPX1082E Hayward cover \$25.76









D. SPX1082K Hayward weir \$25.11

E. 08650-0022 Swimquip weir \$30.96



UNIVERSAL WEIR DOORS

E 923 Aladdin 6" weir \$13.50 925 Aladdin 8" weir \$13.16 927 Aladdin 10" weir \$16.70



G. SPX1096K \$25.92 Havward weir

H. SP11071

Hayward

L SP11041

Hayward

vacuum plate



\$20.16



vacuum plate \$17.26



J. SP1094D Hayward \$13.23 vacuum plate






E E

HANDRAILS LADDERS & ACCESSORIES

LADDERS

RESIDENTIAL LADDERS

Ladders with steps, stainless steel hardware & white rubber bumpers for private pool use. Stainless steel steps. Stainless steel (.049 thickness)




*19" on ladders with LTDF-101 tread.

 RLF-24S-2A
 2 Step (A.S.), 21 lbs.
 \$557.91

 RLF-24S-3B
 3 Step (A.S.), 24 lbs.
 \$597.28


 RLF-24S-4C
 4 Step (A.S.), 29 lbs.
 \$715.28

 RLF-24S-5D
 5 Step (A.S.), 32 lbs.
 \$876.18




| COMMERCIAL - Stainless steel .065 thickness) |
|---|
| 10037 2 Step .065 \$ 791.34 |
| 10040 3 Step .065 \$934.88 |
| 10043 4 Step .065 \$1,071.00 |
| 10046 5 Step .065 \$1,332.35 |
| Order anchor sockets and escutheons separately |

STAIR RAIL by SR SMITH



DECK-MOUNTED STAIR RAIL DMS-101A 1.90" O.D. x .049 Stainless Steel ... \$271.80


HANDRAILS by SR SMITH 2-BEND STANDARD HANDRAIL by SR SMITH



| Model No. | Description | D | H | Price |
|-----------|-----------------------|-----|-----|----------|
| 2HR-4-049 | 4' 2-Bend (.049 Wall) | 48" | 26" | \$251.60 |
| 2HR-4-065 | 4' 2-Bend (.065 Wall) | 48" | 26" | \$416.49 |
| 2HR-5-049 | 5' 2-Bend (.049 Wall) | 60" | 36" | \$277.10 |
| 2HR-5-065 | 5' 2-Bend (.065 Wall) | 60" | 36" | \$450.24 |
| 2HR-6-049 | 6' 2-Bend (.049 Wall) | 72" | 46" | \$331.78 |
| 2HR-6-065 | 6' 2-Bend (.065 Wall) | 72" | 46" | \$502.80 |

Handrails are made of 1.90" O.D. x .049" or .065" wall, 304 stainless steel tube with mirror finish. All bends are 6" radius. Custom dimension handrails are available on a Special Order basis. Customer to specify "A" or "B" dimensions. Horizontal and vertical cross braces are also available upon request.


Also available in .109" & .145" wall Order anchor sockets and escutcheons separately.



| Price |
|-----------------------|
| 49" |
| s 475.67 pair |
| 49" |
| \$ 281.25 each |
| |



| A. PH-82 Chrome plated bronze with removable eye | |
|--|---------|
| B. STBR-710 3/8" Thread eye bolt | |
| PI-82-EYE ½" Thread eye bolt | \$27.50 |
| STBR-4869 5/8" Thread eye bolt | \$45.15 |
| STBR-4863 ¾" Thread eye bolt | \$45.15 |



IN WALL RECESSED STEPS A. 62-209-4001 in wall recessed step sold individually. \$88.13 B. 532-2010B in wall recessed step sold as set of 3 \$88.50 **REPLACEMENT STEPS** R D All ladder steps include hardware. A. LTDF-103 Stainless steel 20" \$85.61 C. A42077-0 Cycolac, 20" plastic \$81.69 D. 44109 Cycolac, 26" sloping \$205.74 44107 Cycolac, 26" vertical \$205.74 E. LTDF-101 Residential plastic step \$46.53 F. 276 Stainless steel - 5/16" X 2 3/4" bolt, nut and washer sold as a pair. \$19.11 G. 60-703-pair 3/8" X 31/4 Bolt kit sold as a pair \$29.32 **END CAPS FOR STEPS** A. - (A. 6-300 End cap \$21.13 each B. 6-303L End cap left \$29.32 each C. 6-303R End cap right \$29.32 each LADDER BUMPERS A. 274 Male ladder bumper. \$6.45 B. WRB-101A Female ladder bumper \$7.64 **DIVING BOARD PARTS** C. A. 67-209-911-SS Stainless steel diving B. 67-209-903-SS 18" Diving board \$199.28 mounting kit C. 69-209-041 Slide hose replacement kit . \$92.02

DIVING BOARDS STANDS, POOL SLIDES, GAMES

GAMES AND FUN

SWIM N' DUNK™ CHALLENGE RESIDENTIAL BASKETBALL Salt Friendly Challenge Game

- Durable, clear acrylic backboard
- Continuous upright dual post frame
- SealedSteel[®] frame and rim
- 1.90" OD, .065" wall thickness, 304
- stainless steel frame
- Regulation rim, net, basketball and needle included

#S-BASK-CHA

Swim N' Dunk Salt Game. \$1,672.20

SPECIAL NOTE: Two (2) In-Deck Bronze Anchors (AS-100D) for concrete decks are required to install each game. This item must be ordered separately.

-SWIM N' SPIKE™ VOLLEYBALL GAME

Designed for in-ground pools with water depth of not more than 42". The standard game will fit pools with a width between 15 ft. and 20 ft. Special order games are available for other widths. Includes two 1.90" diameter stainless steel posts with removable stainless steel eyebolts which anchor a high-quality competitive net, adjustable for multiple width pools. Swim N' Spike™ Volleyball Game includes a competitive water volleyball and needle. **#VOLY1 Swim N' Volleyball** **\$779.20**

SPECIAL NOTE: Two (2) In-Deck Bronze Anchors (AS-100D) for concrete decks are required to install each game. This item must be ordered separately.



SR Smith.





RESIDENTIAL BOARDS & STANDS

FIBERGLASS DIVING STANDS

The acrylic outside surface is very durable and will enhance the beauty of any pool. Snow white finish should not scratch, fade or rust. Our most popular stand. Jig mounted for easy installation. Available in 1/2 meter for 6', 8' and 10' boards. Order diving board separately. **#70-209-7362** Flyte Deck only for 6 ft.board \$675.90 **#70-209-7382** Flyte Deck only for 8 ft. board \$745.60 **#70-209-7402** Flyte Deck only for 10 ft. board \$962.90



FRONTIER III DIVING BOARD

Our fastest-selling, new acrylic boards feature a solid core with flexible sides. White in color.

| Cat. No. | Nominal Length | Wt./Lbs. | Price |
|--------------------|----------------|----------|------------|
| #66-209-596S2 | 6 ft. | 50 lbs. | \$750.40 |
| #66-209-598S2 | 8 ft. | 65 lbs. | \$1,001.90 |
| #66-209-600S2 | 10 ft. | 80 lbs. | \$1,241.50 |
| F.O.B. CHICAGO, IL | | | |
| , | | | |



POOL SLIDES



heliX2[™] Add an all in one 360° adventure ride and a beautiful fountain feature to your backyard. Height: 7' 4", 6' 5½" to seat Flume: 360 degrees, 12' 8" long, 22" wide Water Delivery System: Fountain feature and flume together or independent Ladder: Enclosed with molded handgrips Required Deck Space: 9' x 5' Weight Limit: 250 lbs Grav Gravite

Sandstone



Weight Limit: 250 lbs Sandstone Gray Granite TurboTwister® This thrill-ride pool slide is designed with curves and clips that guarantee hours of fun for the entire family! Height: 8' 7", 7' 5%" to seat Flume: 14' 4" long, 23" wide, available in right or left curves Water Delivery System: Fountain feature and flume together or independent Ladder: Enclosed with molded handgrips Required Deck Space: 13' 6" x 6' 7"

Weight Limit: 275 lbs Typhoon® Offers all the package for more limit

Typhoon ® Offers all the fun of its big brother, the TurboTwister, yet in a smaller package for more limited deck space. A perfect addition to any backyard. Height: 7' 4", 6' 5½" to seat Flume: 9' 10" long, 22" wide, available in right or left curves Water Delivery System: Fountain feature and flume together or independent Ladder: Enclosed with molded handgrips Required Deck Space: 11' 8" x 4' Weight Limit: 275 lbs Gray Granite

Grav Granite





Cyclone Compact style ideal for limited deck space and hours of fun! Height: 4' 1", 3' 2" to seat Flume: 6' 10" long, 17½" wide, available in right or left curves Water Delivery System: Fountain feature and flume together or independent Ladder: Enclosed with molded handgrips Required Deck Space: 6' 8" x 5' 6" Weight Limit: 175 lbs Sandstone Gray Granite Taupe

Rogue2 A retro look with a thoroughly modern flume makes this the new standard for backvard fun.

Height: 8', 8' 6'', 6' 6' to seat Flume: 9' 3'' long, 22'' wide, available in right or left curves Water Delivery System: Plumbed through pool's return or connected to a garden hose Ladder: Aluminum Required Deck Space: 5' 6'' x 10' 7'' Weight Limit: 250 lbs

Blue Gray Taupe White

F.O.B. FACTORY PRICE ON APPLICATION



REPLACEMENT BOARDS



Eureka Diving Board The Eureka is the ultimate board for heavy-duty use on commercial pools. It is available in both 14' and 16' lengths. The Eureka Boards feature a durable acrylic outer body (skin) and a non-slip tread. The entire core is reinforced with fiberglass.



Swim Club Diving Board The Swim Club Board is the ideal mid-range board for commercial pools. It is available in 10', 12', 14' and 16' lengths. It has a durable acrylic outer body and a non-slip tread.



Olympian Aluminum Diving Board The Olympian Aluminum Board is intended for heavy duty use on commercial and residential pools. It is available in 8', 10', 12', 14' and 16' lengths. The Olympian Aluminum Diving Board features an epoxy and welded beam extrusion construction with welded ends, providing exceptional durability, and a non-slip tread for maximum safety.



Frontier III Diving Board The Frontier III Commercial Board has a durable acrylic outer body and a non-slip tread. It is available in 10', 12', 14' and 16' lengths.

DIVING TOWERS

Heavy-duty towers designed for commercial aquatic facilities. Our diving towers pair with a variety of 8' to 16' boards, and are designed for a wide range of usage levels and pool envelopes.



Deluxe towers come in 1 and 3 meter heights to accommodate 14' or 16' diving boards, allowing you to find the perfect size for your commercial diving pool. Choose from right, left, dual or heel mount models. The steel tower is primed only and ready for a paint topcoat.



Steel Meter

The Steel Meter stand comes in three sizes ranging from 1/2 meter to 1 meter in height. Although ideal for commercial applications that require a strong and durable diving tower, the 1/2 meter size is also appropriate for residential pools where the diving board gets a lot of activity. The stainless steel, powder coated construction is built to last for years with minimal maintenance. Board length will be determined by size and type of pool. Handrails are required for 3/4 and 1 Meter models and are sold separately



Priced on Application

LIFEGUARD CHAIRS

O-Series: 360° Visibility

Scan more with the O-Series Lifeguard chair. Its circular design offers a full view of the protected area and unobstructed exit capability which enables quicker response to potential threats. Plus it's portable so you can have protection where you need it.







Sentry™ Lifeguard Chair

Designed to complement any aquatic environment, Sentry lifeguard chairs provide an elegant look that will stand the test of time. Constructed from high-density polyethylene (HDPE) they are strong, durable and low maintenance.

Priced on Application

DIVING BOARDS TOWERS, STARTING PLATFORMS & LIFE GUARD CHAIRS



STARTING PLATFORMS

Stand

Universal This platform's unique u-shape design provides a wide staging area that promotes safe platform access and doubles as a combination coaching step/rest area.



These single-post models are ideal for competition aquatic facilities.



Priced on Application

STARTING PLATFORMS DIVING TOWERS LIFEGUARD CHAIRS RACING LANES CLOCKS



| | Standard | 1 | (| Gold Medal | |
|-----------------------------------|------------------|-------------|-------------------|--------------|-----------------------|
| Length | (4" Disc) |) F | Price | (6" Disc) | Price |
| 60' lane | 200329 | \$ 6 | 17.37 | 200371 | \$731.40 |
| 75' lane | 200330 | \$ 6 | 64.55 | 200372 | \$831.67 |
| 25 meter lane | 200331 | \$7 | 07.81 | 200373 | \$876.89 |
| 50 meter lane | 200332 | \$1,3 | 327.13 | 200374 | \$1,659.40 |
| | St. | andard | | Gold Me | dal |
| Disconnect La | | " Disc) | Price | (6" Dis | |
| 25 meter to 1-75 | 5' lane 20 |)0341 | \$888.6 | 9 20038 | 3 \$1,067.61 |
| 50 meter to 2-75 | lane 2 | 00342 | \$1, 592. | 57 20038 | 4 \$1,966.13 |
| 50 meter to 1-75 | lane 2 | 00343 | \$1,553. | 25 20038 | 7 \$1 ,909. 11 |
| 50 meter to 1-75 1-25 meter lo | ŋ | 00344 | \$1 ,592 . | 57 20038 | 6 \$1, 966. 13 |
| 50 meter to 1-25 meter lo | _{ine} 2 | 00345 | \$1,553. | 25 20038 | 5 \$1 ,909. 11 |
| Star | idard coloi | rs: red, v | white, blu | e, green, ye | llow. |
| | All lane | s F.O.E | 3. Medin | a, OH | |




COMPETITOR RACING LANE PARTS

| A. 200200 Take-up reel | \$ 129.20 |
|--|------------------|
| B. 200201 Spring with clamp | \$ 44.8 4 |
| C. 200202 Ratchet wrench | \$ 38.4 0 |
| D. 200210 Cable (per ft.) | \$1.58/ft |
| E. 200347 Body segment (approx. 4 per ft.) | . \$ 1.47 |
| F. 200348 End segment (approx. 4 per ft.) | . \$ 1.47 |
| G. 200349 Donut float (approx. 2 per ft.) | . \$ 1.47 |
| H. 200371001 Gold medal lane segment | |
| (approx. 4 per ft.) | . \$ 3.34 |
| I. 20000080 2" extension hook | . \$ 8.16 |
| 200240 8" extension hook | \$ 33.23 |
| 200241 14" extension hook | \$37.45 |
| 200206 S.S. cable lock | . \$5.53 |
| JO | |

REEL & PARTS

200350 Stor-Lane Competitor Reels \$2,331.77 200351 Stor-Lane reel cover. Wt. 14 lbs

^{\$}205.98 F.O.B. Medina, OH



CLOCKS & PARTS



PACE CLOCKS

| 200600 31" Battery model with white face | \$543.03 |
|---|------------------|
| 200605 31" Battery model with black face | \$543.03 |
| 200305 Roll away stand (for use with all 31" clocks) | \$ 187.25 |

ALL PACE CLOCK PARTS AVAILABLE ON REQUEST



PARAGON AQUATICS DIVING TOWER

3-meter, 1-meter, 3/4-meter, and 1/2 -meter competitive/recreational diving towers in three grades of stainless steel. Choice of access ladders, fulcrums, pedestals, anchors and diving boards to meet every site requirement and budget. Towers meet FINA, NCAA, NFSHCA and U.S. Diving requirements. **Priced on application**


PARAGON AQUATICS STARTING PLATFORMS

Internationally acclaimed by coaches and competitive swimmers alike. Available in a wide variety of models and anchoring systems to meet your every need. Priced on application

PARAGON AQUATICS LIFEGUARD CHAIRS

A wide selection of fixed, moveable, and portable chairs suitable for every need. The Paraflyte fixed-series chairs, designed to harmonize with the Paraflyte diving towers and starting platforms, feature both sloping pedestal and access ladder. We also have a variety of chairs that can easily be moved about as needed or to avoid the sun. **Priced on application**





Track Start Plus **Starting Platform** All Terrain **Griff Guard** Station

POOL LIFTS



THE MIGHTY 400 & THE MIGHTY 600 The Mighty series is ADA compliant and UL certified to meet pool lift standards 60335-2-1000.

The Mighty lifts provide accessibility solutions with versatility, greater water drafts and a setback up to 44". Designed for in ground anchoring, the Mighty series will accommodate existing "standard" Scout 2 and Revolution concrete anchors. Created for its adaptability, the Mighty's can be purchased with a pedestal for additional wall clearance or unusual gutter profiles. Pedestals come in 8", 1', 2', 3' and 4' options.

The Mighty series is ideal for easy and affordable ADA compliance. US Patent Pending. *If you have an existing Revolution anchor please let your sales rep know*

Standard Features:

- UL Certification
- Setback up to 44
- 360 degree rotation
- Direct drive rotation
- Flip-up armrests
- Stainless steel construction
- Durable powder coat finish
- Five year pro-rated electronics warranty
- Five year structural warranty

THE MIGHTY 400 LIFT

F-MTY 400: Mighty 44, No Anchor

400 pound (181 kg) weight capacity
Up to 12" deck to water

THE MIGHTY 600 LIFT

F-MTY 600: Mighty 44, No Anchor • 600 pound (272 kg) weight capacity • Up to 14" deck to water *Plastic color options - standard blue, gray, tan or white *Powder coat options - white, gray or tan

Pedestal Options

Standard Pedestal, 8" anchor inserts Shallow Pedestal, 4" anchor inserts *Pedestals come in 8", 1', 2', 3' and 4' options (powder coat options, white, gray tan) #F-MTY400 MIGHTY 400, No Anchor P.O.A. #F-MTY600 MIGHTY 600, No Anchor P.O.A. #F-808SA STANDARD ANCHOR P.O.A.



THE RANGER 2 LIFT

Welcome the newest lift in the Pro Pool Series, the Ranger 2 Pool Lift. The Ranger 2 is the newest version of our most popular lift, The Ranger. The new ADA compliant lift features a field reversible design, 350 pound weight capacity, UL Certification, and comes standard with a 14 inch deck to water draft.

The Ranger 2 upholds the same standards for durability and reliability as all Aqua Creek pool lifts. This lift is ideal for use on smaller hotel and motel pools. It is also a great choice for backyard pool enthusiasts who enjoy their independence. This lift is designed to be independently operated by the user, allowing full control of the lift with an easy to use 2 button handset.

The Ranger 2 is available with the same color options, solar charging station, anchoring system, and accessories as the Pro Pool Series lifts.

Features:

- UL Certification 350 lb (160 kg) weight capacity
- Setback range 14.5" to 19" (37 48 cm)
- 14" Water draft
- Field reversible
- Adjustable base plate
- All stainless steel construction
- Durable powder coat finish
- Flip-up armrest
- Adjustable footrest & lap belt
- Water resistant handset
- Rechargeable battery with wall mount charger
- Five year pro-rated electronics warranty
- Five vear structural warrantv

#F-RNGR2 Ranger 2 Lift, No Anchor P.O.A. #F-04CAJP Anchor P.O.A.

Aqua Creek Products

SRSMITH POOL LIFTS



PAL2[®] SERIES **SEIS** Mith.

The fixed portable PAL2 pool lift features a sleek, modern design and attractive matte finish. It comes standard with our Secure-It Kit which allows the lift to be fixed to the deck. • Third-party tested and verified ADA compliant.

- Integrated armrests
 State of California compliant.
- 300 lb/136kg lifting capacity. Easy to move by one person.
- 300 lb/ 136kg inling capacity. Easy to move by one perso
- LiftOperator[®] Intelligent Controller.
 240° rotation helps ensure safe transfer.
- Powder-coated stainless steel and aluminum construction

All Lifts FOB Factory

*Secure-It Kit

Both Pal and Splash!™ come with a Secure-It-Kit to meet the ADA "fixed" pool lift requirement.

#202-0000 PAL2 Portable Lift P.O.A.

ADA COMPLIANT POOL ACCESS LIFTS



SPLASH![™] SERIES SRISMITH.

This fixed lifting system is designed for swimming facilities seeking to provide user-friendly access to their swimming pools.

- Third-party tested & verified ADA compliant.
- Integrated arm rests. State of California compliant.
- 400 lb/181.5 kg lifting capacity*
- LiftOperator® Intelligent Controller
- 344° rotation helps ensure a safe transfer area
- Powder-coated stainless steel and aluminum construction *Lifting capacity of Extended Reach models are 300 lb/136 kg

#300-0000 Splash Pool Lift w/Arm RestsP.O.A.





TAYLOR TEST KITS AND REAGENTS

SPECIALTY TEST KITS

A. SALTWATER TEST KIT 1 drop = 10 or 200 ppm NaCl K-1766 Saltwater Test Kit \$38.22



B. **PHOSPHATE TEST KIT by Taylor** Commercial Phosphate Test Kit helps you control algae by identifying the phosphate level in your pool. K-1106 Phosphate Test Kit \$45.40



C. FAS-DPD CHLORINE TEST KIT K-1515-A Chlorine Test 3/4 oz bottle \$40.51 K-1515-C Chlorine Test 207 bottle \$100.99



D. FAS-DPD CHLORINE & MONOPERSULFATE COMBO TEST KIT FAS-DPD K-1518 Chlorine and Monopersulfate Combo Test Kit \$107.77

40





TAYLOR TEST KITS AND TESTING ACCESSORIES

E. **TEST KIT FOR SODIUM HYPOCHLORITE by Taylor** Kit is used to verify strength of sodium hypochlorite by the drop method. **K-1579** \$127.47



F. **TEST KIT FOR TOTAL DISSOLVED SOLIDS (TDS) by Taylor** Kit quickly and easily tests for total dissolved solids (TDS) using the

drop method. 1 drop = 50 p.p.m. TDS. A must test kit for commercial applications with heavy bather loads. **K-1764** \$99.56



REPLACEMENT COMPONENTS FOR COMMERCIAL & RESIDENTIAL

| 2004B Pool and spa water chemistry booklet \$8.9 | 6 |
|--|---|
| 3235 Cap for 5 ml. test cell | 4 |
| 3243 Cap for 11.5 ml. test cell | 7 |
| T4024 11.5 ml. test lucite cell | - |
| T4025 5 ml. H.D. test lucite cell | - |
| T4030 0.5 and 1.0 ml. pipet (eyedropper) \$3.5 | _ |
| 6002 Sponge or brush cleaner | - |
| 6026 Circular watergram | - |
| 9056 High Test Block for K-2000 & K-2005 \$14.7 | - |
| | - |
| 9057 Low Test Block for K-2000 & K-2005 \$15.3 | - |
| 9058 Test Block for K-2006 | - |
| 9067 pH slide 6.8–8.4 p.p.m \$100.6 | |
| 9079 DPD bromine slide 0–3.0 p.p.m \$100.6 | - |
| 9236 DPD bromine slide 2.0–10 p.p.m \$100.6 | - |
| 9082 DPD chlorine slide 0.1–3.0 p.p.m \$100.6 | |
| 9083 DPD chlorine slide 1.0–10 p.p.m \$100.6 | 7 |
| 9094 Copper slide 0–3.0 p.p.m \$100.6 | 7 |
| 9106 Iron slide 0–2.0 p.p.m \$100.6 | 7 |
| 9189 Enslow base | 0 |
| 9193 Test tube (20-100 ppm) for cya test \$4.0 | 5 |
| 9194 15 ml. cya plastic bottle | 6 |
| 9198 25 ml. Sample tube | |
| | - |

TAYLOR REPLACEMENT REAGENTS 2000 SERIES

| KITS | R-0001 | R-0002 | R-0003 | R-0004 | R-0005 | R-0006 | R-0007 | R-0008 | R-0009 | R-0010 | R-0011L | R-0012 | R-0013 | R-0870 | R-0871 | R-0872 |
|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------|--------|------------|--------|--------|
| K-2000 | 1A | 1A | 1A | 1A | 1A | 1A | | | | | | | | | | |
| K-2005 | 1A | 1A | 2A | | | |
| K-2005C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 3C | | | |
| K-2006 | | | 1A | 1A | 2A | 14 | 1A | |
| K-2106 | | | | 1A | 1A | | 11 | | 1A |
| K-2006C | | | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 2C | 2 <u>1</u> | 10 | |

RESIDENTIAL SERIES

| KITS | R-0001 | R-0002 | R-0003 | R-0007 | R-0008 | R-0009 | R-0001 | R-0011 | R-0012 | R-0013 | R-0014 | R-0015 | R-0016 | R-0600 | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| K-1001 | 1A | 1A | | | | | | | | | 14 | | | | |
| K-1003 | | | | 1A | 1A | 1A | | | | | 14 | 14 | 1A | 14 | |
| K-1004 | 1A | 1A | 1A | 1A | A1 | 1A | | | | | 14 | 1A | | | |

REPRESENTATIVE OTHER

| | | | | | ۱ | 6 | ~ | 2 | ~ | ~ | - | ~ | ~ | | ~ | - | ~ | 2 |
|---|------------------|---------|---------|----------------------|-------------|--------------|--------|--------------------|--------|------------|-------------------|-------------------|-------------|-----------------|------------|---------------|-------------|--------------|
| | R-0001 | R-0002 | R-0003 | R-0007 | R-0008 | R-0009 | R-0010 | R-0011L | R-0012 | R-0013 | R-0851 | R-0852 | R-0853 | R-0854 | R-0860 | R-0861 | R-0862 | R-1003J |
| KITS | 4 | Ŀ | 4 | <u>-</u> | 4 | Ł | 4 | Ł | Ł | 4 | 4 | Ł | 4 | F | F | F | 4 | 4 |
| K-1741 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 40 | | | 10 | | | | 10 | 10 |
| K-1/41 | | | | | | 10 | | | | | | | | | | | | |
| K-1741C | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 4C | 10 | 2C | 10 | 10 | 10 | 10 | 10 | 10 |
| Key: A = .75 oz The number equa | | | | z (60 n tles in t | | | | 00 ml) icates t | | | oz (10 bottle: | | | =10 g 1A = c | | i oz (21 | 2 ml) b | ottle |
| R-0001-A | DPD R | eaaer | nt #1 3 | ¾ oz. | \$5 | 5.40 | | R-00 | 13-A | Cvc | inuric | Acid ³ | ¾ oz. | | | | . \$ | 4.50 |
| | DPD R | | | | | .14 | | | 13-C | | | | | | | | | 6.86 |
| R-0002-A | DPD R | eager | nt #2 3 | ¾ oz. | \$5 | 5.49 | I | R-00 | 13-E | Ćýc | inuric | Acid | 16 oz. | | | | \$1 | 5.59 |
| R-0002-C | DPD R | eager | nt #2 : | 2 oz | | .48 | I | R-00 | 14-A | | | | | | | | | 2.88 |
| | DPD R | | | | | 5.72 | | | 15-A | | | | | | | | · . | 2.88 |
| | DPD R | | | | | 2.20 | | | 00-A | | | | | | ••• | | | 2.43 |
| | PH Inc | | | | | .84 | | R-06 | | | | | | | ••• | | | 8.32 |
| | PH Inc | | | | | 3.19 | | | 18-A | | | | | | ••• | | | 9.35 |
| | PH Inc | | | | | .73 | | R-08 | | | | | | | ••• | | | 3.59 |
| | PH Inc | | | | | .99 | | R-08 | | | | | | | ••• | | | 1.75 |
| | Acid D | | | | | .84 | | R-08 | | | | | | | ••• | | | 1.75 |
| | Acid D Base [| | | | | 7.83 .84 | | R-08 | | | | | | | ••• | | | 6.45 1.95 |
| | Base I Base I | | | | | 1.04 7.47 | | R-08 R-08 | | | | | | | ••• | | | 2.78 |
| | Thiosu | | | | | .47 | | R-08 | | Cop | per # | 2 Z 0 nand | 2. PCT 2 | | ••• | | | 1.03 |
| | Thiosu | | | | | 7.16 | | R-08 | | | | | | | | | | 2.31 |
| | Thiosu | | | | | .38 | | R-08 | | | | | | | ••• | | | 7.35 |
| | Total A | | | | | .30 | | R-08 | | | | | | | hlorin | | | 3.30 |
| | Total A | | | | | 7.54 | | R-08 | | | | | | | hlorin | | | 7.30 |
| R-0009-A | Sulfur | ic Acid | 34 07 | | \$4 | .30 | | R-08 | | | | | | | hlorin | | | 3.18 |
| | Sulfur | | | | | 5.89 | | | 72-A | | | | | | romin | | | 3.43 |
| | Calciu | | | | | 5.38 | | R-08 | | | | | | | romin | | | 8.32 |
| | Calciu | | | | | 3.98 | | | 03J-/ | | | | | | | | | 7.27 |
| R-0011L-A | Calciu | m Indi | icator | 3⁄4 oz. | \$8 | 3.46 | | | 03J-0 | | | | | | | | | 9.05 |
| R-0011L-C | Calciu | m Indi | icator | 2 oz. | \$13 | 3.34 | I | R-10 | 03J-I |) PH | Indico | itor S | olutio | n 4 oz | | | \$1 | 6.18 |
| R-0012-A | Hardn | ess Re | agen | t ¾ oz | \$5 | 5.36 | I | R-10 | 03J-E | PH | Indico | itor S | olutio | n 16 o |)Z | | \$2 | 6.51 |
| R-0012-C | Hardn | ess Re | agen | t <u>2 o</u> z. | \$ 8 | 8.03 | | R-10 | 03J-(| F H | Indico | itor S | olutio | n 1 Go | allon. | . <u>. </u> . | \$ 9 | 7.79 |

TAYLOR 2000 SERIES KITS





ww.halogensupply.com

B. COMPLETE[™] - HIGH (K-2005)

bv Tavlor

are ¾ oz.

• 3/4 oz. Reagents • Free & Total Chlorine 1-10 ppm

The K-2000 test kit will test for free

available. total and combined chlo-

rine and bromine, pH, acid and

K-2000....\$56.15

base demand. All reagents

- Bromine 2-20 ppm pH 7.0-8.0
- Acid & Base Demand
- Total Alkalinity
- Calcium Hardness Cyanuric Acid K-2005 \$88.24

C. SERVICE COMPLETE[™] HIGH (K-2005C)

- 2 oz. Reagents
- Free & Total Chlorine 1-10 ppm
- Bromine 2-20 ppm pH 7.0-8.0 Acid & Base Demand
- Total Alkalinity
- Large Carrying Case
- Calcium Hardness
 Cyanuric Acid
- K-2005C . . . \$158.17

D. COMPLETE FAS-DPD CHLORINE

Same as K-2005 except uses 9058 comparator, sanitizer tests are titrations to improve accuracy and eliminate color-matching problems, and Free & Combined Chlorine is 1 drop = 0.2 or 0.5 ppm K-2006 Complete FAS-DPD Chlorine \$108.38

SERVICE COMPLETE FAS-DPD CHLORINE

Same as K-2006 except features 2 oz . reagents, more DPD powder, and large carrying case K-2006C Service Complete \$191.25

COMPLETE FAS-DPD BROMINE

Same as K-2006 except CYA test is not needed and Bromine 1 drop = 0.2 or 0.5 ppm K-2106 Complete FAS-DPD Bromine \$115.14

TAYLOR COMMERCIAL SERIES

F.

G

Kits in the Commercial Series test for two closely related parameters using liquid-color standards. The Slide and Midget comparators in this series give the most accurate colorimetric readings available short of high - end electronic instrumentation. Cases are custom-molded plastic; reagents are .75 oz. in Midget kits and 2 oz. in Slide kits.



Use to compensate for

color and/or turbidity in

the water sample.

E COPPER & IRON MIDGETS Copper 0.2 - 3.0 ppm Iron 0-2.0 ppm K-1264 Copper & Iron Midgets \$177.58

not problems.

THE SLIDE COMPARATOR

Recognized by nine liquid-color standards and three test cells. Slide sits in Enslow base. Measures one parameter. Calibrated to work with specific reagents.

TAYLOR PROFESSIONAL SERIES



G. DPD CHLORINE-HIGH & pH SLIDES

Free & Total Chlorine 1.0 - 10 ppm pH 6.8-8.4 K-1765-H Chlorine-High & pH Slides \$279.59 **DPD CHLORINE-LOW & pH SLIDES** Free & Total Chlorine 0 - 3.0 ppm pH 6.8-8.4 K-1765 Chlorine-Low & pH Slides \$276.84

TAKE A LAB POOLSIDE

H. PROFESSIONAL COMPLETE CHLORINE

Provides the pool professional with accurate and reliable analysis of the major testing requirements for all pools, spas, and hot tubs. Each kit contains slide comparators which provide the most accurate calorimetric comparisons available. The professional complete test kit, tests for DPD chlorine 0.0-3.0 p.p.m. and 1.0-10 p.p.m., pH 6.8-8.4, acid and base demand, total alkalinity, calcium hardness, cyanuric acid, copper 0.0–3.0 p.p.m., iron 0.0–2.0 p.p.m. and total hardness. A must for every pool professional. K-1741C Professional Complete\$684.36

TAYLOR TEST KITS

THE MIDGET COMPARATOR

Recognized by eight liquid-color

standards and a single test cell.

Calibrated to work with specific

turbidity in the water sample are

reagents. Use when color and

Measures one parameter.

LAMOTTE TEST KITS & ACCESSORIES





Ð

C. WATERLINK[®] SPIN TOUCH™

precise treatment instructions.

E. POCKET TESTERS

1749

push button calibration.

The innovative WaterLink[®] Spin photometer does all your pool and

precise amount of reagent needed to run a complete series of tests.

Just fill one unique Spin reagent disk with less than 3 mL of water

and all your vital tests are done automatically. In just 30 or 60 seconds all the test results are transferred into the DataMate[®] software (sold separately) and analyzed to display results and recommend

spa water testing for you. Each sealed reagent disk contains the

ELaMotte

A. ColorQ PRO 7

42

| The ColorQ PRO7 photometer was designed for pool and spa profession- |
|--|
| als to measure seven primary pool and spa tests directly on a digital dis- |
| play. Test factors include Free Chlorine, Total Chlorine, Bromine, pH, |
| Alkalinity, and Calcium Hardness using liquid or tablet reagents to mea- |
| sure tests, and Cyanuric Acid with 100 TesTabs®. The user friendly pho- |
| tometer, testing reagents and photo-diagrammatic multilingual instructions |
| (English, Spanish, French) are packaged in a convenient carrying case. |
| MODEL LA-2056 (Reagent version) |
| MODEL LA-2057(Tablet version) |

COLORQ REAGENTS & TEST TABS

| P-6740-G DPD1A Reagent 30 ml | \$ 10.19 |
|------------------------------|-----------------|
| | \$ 10.19 |
| | \$ 12.60 |
| | \$12.15 |
| | \$14.74 |
| | \$1 2.60 |
| | \$ 12.67 |
| | \$36.69 |
| 6903A-J DPD1 Tabs 100 pack | \$ 29.94 |
| | \$ 29.49 |
| | \$17.10 |
| | \$ 20.94 |
| | \$ 20.94 |

B. INSTA-TEST 3 TEST STRIPS Insta-test 3 strips provide the simplest and precise test for free chlorine or bromine (0–10 ppm) total alkalinity (0-240 ppm) and pH (6.8-9.0) in the market. Comes complete with 50 strips per bottle and complete instructions. 2976 . . . \$8.25 **INSTA-TEST 5** Tests for free and total chlorine/bromine, pH, total

alkalinity and total hardness. Comes complete with 50 strips per bottle. 2977 . . . \$13.63 **INSTA-TEST PHOSPHATE** Measures the phosphate levels from

0, 100,200, 300, 500, 1000, in 15 seconds. The phosphate strips are packaged 25 strips to a bottle. 3021 . . . \$13.50 **INSTA-TEST SALT** Measures from 1500, 2000, 2500, 3000, 3500,

4000 and 5000 ppm in 20 seconds. The Salt Strips are packaged 10 strips per bottle **2998** . . . \$**8.50**

R



CYANURI ACIE

E LAMOTTE DIP CELL SERIES TEST KIT

This 7013L Test kit is designed for the pool operator and service pro. It tests for free and total chlorine in ranges of 0.5–10.0 ppm, pH 6-8–8.2, total alkalinity, calcium hardness, acid and base demand and cvanuric acid. Comes complete with color coded instructions and handbook.

G. LAMOTTE'S POOL MANAGER SERIES KIT

This kit is an all table test kit designed for public pool operators. The precise Octa-Slide Comparator System tests for free and total chlorine 0.5–10.0 p.p.m., pH 6.8–8.2, total alkalinity, calcium hardness, acid demand and cyanuric acid. Also includes diagrammed instructions, saturation index calculator water quality handbook and enough tablets for 50 tests (CI and pH).

H. LAMOTTE PRO 250 SERIES TEST KIT

This is a complete kit for the commercial public pool operator. It tests for free and total chlorine, pH, total alkalinity, calcium hardness, acid and base demand. cyanuric acid and copper and iron. A must test kit for the commercial pool operator.

LAMOTTE EC-5 CYANURIC ACID KIT

This kit provides an economical and simple way of determining cyanurics by turbidity methods in pools and spas in ranges of 20–100 p.p.m. 6838 \$42.69 I AMOTTE TEST TARIETS

| J. | LAMU | IE IES | I IADLE | |
|----|------|--------|---------|--|
| | | | | |

| 6999A-J DPD #1 tablets | \$ 10.50 per 100 |
|--|--|
| 6905A-J DPD #3 tablets | \$10.50 per 100 |
| 6915A-J pH tablets | |
| 3920A-J Alkalinity tablets | |
| 6846A-J Calcium hardness tablets | \$ 10.50 per 100 |
| 6994A-J Cyanuric acid tablets | \$ 13.50 per 100 |
| LAMOTTE TEST REAGENTS | |
| P-6111-H Akalinity Titrant 60 ml \$15.41 | P-6743-G DPD3 30 ml\$12.60 |
| P-6740-G DPD1A 30 ml\$10.19 | P-6743-H DPD3 60 ml\$18.56 |
| P-6740-H DPD1A 60 ml\$15.64 | P-7026-G Phenol red indicator 30 ml. \$12.22 |
| P-6741-G DPD1B 30 ml\$10.19 | P-7026-H Phenol red indicator 60 ml. \$14.58 |
| P-6741-H DPD1B 60 ml\$15.64 | P-7028-G Alkalinity indicator 30 ml \$15.08 |

C. 3581 Mobile Waterlink Spin Touch Lab...... \$1,437.19 D. 4335-H 3 Use Free CL/BR/ALK/PH (50 pkg)...... \$157.50 Lamotte Pocket Testers are a great way to accurately test your levels. They feature an easy to read LCD screen and Salt/TDS/TEMP Pocket Tester\$173.25







THERMOMETERS

- A. 13" INDOOR/OUTDOOR BIG & BOLD CLOCK **#90057** 13["] Big & Bold Clock. \$19.95
- **B. 13" INDOOR/OUTDOOR BIG & BOLD THERMOMETER #90007** 13" Big & Bold Thermometer \$19.95

C. CHROME THERMOMETER by Rainbow

The thermometer has an ABS cycolac molded tube showing both fahrenheit and centigrade scales. Comes complete with 3' polvethylene cord. #R141076 \$32.29

D. E-Z READ COMBO SINK OR FLOAT THERMOMETER by Pentair Snap on/snap off floatation top with 3 foot tether. #R141200 \$21.23





A. GUARDEX 4-IN-1 TEST KIT

This kit tests for chlorine residual, pH, acid and base demand and total alkalinity quickly and economically. 26131GDX No Longer Available

B. GUARDEX DPD 4-IN-1 TEST KIT

This kit tests for free available and total chlorine. pH. acid and base demand and total alkalinity. 26133GDX No Longer Available

GUARDEX REAGENTS

| 26240GDX #1 Sol | \$ 5.82 | 26246GDX #4 Sol | ^{\$} 4.74 |
|------------------------|----------------|------------------------|--------------------|
| 26242GDX #2 Sol | \$ 5.94 | 26252000 #5 Sol | \$ 6.09 |
| 26244GDX #3 Sol | \$ 4.92 | | |



C TAYLOR DPD TEST KIT

This kit tests for free chlorine, .5–5 ppm or bromine 1–10 ppm, pH 6.8–8.2. Ideal for above-ground pool owners. K-1001.... \$15.64

D TAYLOR TROUBLE-SHOOTER TEST KIT

This kit tests for free and total chlorine, .5–5 ppm or bromine 1–10 ppm, pH 6.8–8.2 acid demand and total alkalinity. K-1004 \$30.22



- E. RAINBOW CHALLENGER TEST KIT This kit is geared for the above-ground pool owner and tests for total
- chlorine (0.1–3ppm) and pH (6.8–8.2). **R151076**. \$20.72 F. RAINBOW CHALLENGER BROMINE TEST KIT

This kit tests for bromine (0.4 to 3.0 ppm) and pH (6.8–8.2). Is ideal for residential pools and spas utilizing bromine. R151196 \$20.75

G. REAGENT REFILL FOR RAINBOW TEST KITS OTO & PH 1/2 oz. reagent pack refill. R161150 \$7.79

TEST KITS

INTEST TEST KITS MOMETERS



A. LUMISO POOL TEST EXPERT

The Pooltest 10 Bluetooth is ideal for large commercial pools, spas and pool engineers. The Pooltest 10 is guick and easy to use and is fully integrated with the Palintest tablet test reagents.

- Built in water balance calculations
- Store 100 user ID's and 500 datasets
- Includes all major pool parameters
- Digital measurements for quick and accurate results
- Simple and easy to use
- Waterproof and portable
- Suitable for poolside use
- Bluetooth and USB connectivity
- Compatible with Palintest's Aqua Pal app

Test for

- Bromine • Iron
- Calcium Hardness
- Chlorine (free, combined & total)
- Copper

• Cvanuric Acid **Calculations for**

• Langelier Saturation Index • Palintest Water Balance

LMPXUS \$1,591.00

| TEST | REAGENT RANGE | 250 TE | ST PACK |
|--|------------------|--------|----------|
| Alkalinity | 10-500 | AP188 | \$123.00 |
| Calcium Hardness | 5-500 | AP252 | \$144.00 |
| Free Chlorine(DPD 1) | .01-5 | AP011 | \$40.80 |
| Total Chlorine (DPD1 & DPD3) | .01-5 | AP031 | \$79.20 |
| Free Chlorine (DPD-XF)) | .01-10 | AP013 | \$48.00 |
| Total Chlorine (DPD1 & DPD3)XT | .01-10 | AP033 | \$92.40 |
| Cyanuric Acid | 2-200 | AP087 | \$100.80 |
| PH (Phenol Red) | 6.8-8.4 | AP130 | \$40.80 |
| Replacement Photometer Test Tubes (pack of 5) | *PT595/5 \$70.20 | | |

*PT595/5 - Round 10ml test tube (5 pack) for SP709US

- Ozone • pH Phenol Red
 - Phosphate
 - Total Alkalinity





G. PUBLIC POOL REGULATION SIGN 18" x 24". #2020 \$17.25 **H NO DIVING ALLOWED SIGN**

A necessity for every pool commercial or residential.



| I. DIAL 911 EMERGENCY NUMBER SIG | SN |
|----------------------------------|-----------------|
| #R231700 | \$1 8.95 |
| . POOL CLOSED SIGN - #R231400 . | \$21.25 |
| (. SPA CLOSED SIGN – #R231500 . | \$ 16.00 |

| al no PODO de Belexie y PODA de la la la productione al no PODO de Belexie y PODA de la la la productione de la productina productione de la productione de la productione de la producti | B WARNING NO LIFEDUARD ON DUTY | B WARKING: NO LIFEGUARD ON DUTY |
|---|--|--|
| | D SHOWER BEFORE ENTERING SPA | B SHOWER BEFORE ENTERING POOL |
| B 45 1250 db 1884 K (M) 64 155 K B 1 1270 db 1884 K (M) 64 15 K B 18 1996 db 1884 K (M) 64 15 K B 1 1270 db 1884 K (M) 64 15 K B 0 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 0 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 0 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 0 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 0 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K B 12 K (M) 64 15 K B 10 4.200 db 18 K (M) 64 15 K | D NO ANIMALS IN SPA OR ON SPA DECK | ED IND ANIMALS IN POOL OR ON POOL DE |
| B Amount of the registry of the first of the registry | D NO FOOD OR DRINK IN SPA OR DN DECK | IND FOOD OR DRINK IN FOOL OR ON D |
| Konsequences in a Alayz Konsequences Konsequ | B NO DIVING | E NO DVING |
| D EMERGENCY ASSISTANCE D EMERGENCY ASSISTANCE MAURINE TEMPERATURE 100 Y (AFC) PROCEEDING PROCEEDING PROCEEDING PROCEEDING PROCEEDING PROCEEDING | CHILDREN UNDER 12 YEARS OLD MUST BE ACCOMPANIES BY AN ADULT | CHILGREN UNDER 12 YEARS OLD NUE ACCOMPANIED BY AN ADULT |
| Determine CADDINATION DEFENSION DEFENSION POOL NOTINE POOL NOTINE POOL NOTINE POOL NOTINE POOL NOTINE | BATHING LOAD | B BATHING LOAD PERSONS |
| SPA HOURS CITED INFORM | C EMERSENCY ASSISTANCE | D EMERGENCY ASSISTANCE |
| 576 HOURS (1997) | MAXIMUN TEMPERATURE 105'F (40°C) | P00 10185 |
| N | 574, HOURS | |



N. CHEMICAL WARNING SIGNS

| 10" x 7" Chemical safety sign | |
|-------------------------------|---------------------|
| #2602 Danger Acid Sign | \$ 23.60 ea. |
| #2606 Danger Chlorine Sign | \$ 23.60 ea. |

SAFETY LINES & FITTINGS



A. STANDARD POLYETHYLENE FLOATS 5" x 9" Floats for 3/4" rope #917BW Blue & White \$8.25 3" x 5" Floats for ¾" rope #916BW Blue & White \$3.38 **B. HANDILOCK FLOATS** Eliminates need for float clamps. Simply twist float on

| Emmaco need for neur clamps. Cimply | imot nout of |
|--|----------------|
| rope to lock float unto rope securely. | |
| 5" x 9" Handlelock for ¾" rope | |
| #915BWB Blue White Blue | \$11.23 |
| #915RWR Red White Red | \$11.23 |
| 3" x 5" Handlelock for ¾" rope | |
| #914BWB Blue White Blue | \$ 5.87 |
| #914RWR Red White Red | \$5.87 |
| | |



C. POLYPROPYLENE LINE Blue & white poplypropylene line. Will not crack, fray or absorb water. #932 %" diam.. \$0.60/ft. #933 ¾" diam.. \$1.10/ft.



D. SAFETY LANE FLOAT KIT Each kit contains Handlelock floats. 1 hook. 1 fid and blue and white rope. #986 16 ft. kit. 5 floats \$43.74 **#987** 18 ft. kit, 6 floats \$53.80 **#988** 20 ft. kit, 7 floats \$63.88



| E CLAMP TYPE ROPE HOOKS | |
|--|-------------------|
| Chrome-plated brass. | |
| | \$30,40 |
| G ROPE CLAMPS | ••••• |
| | |
| Chrome-plated brass clamps. | |
| #PH-57 For ¾" rope | 3.78 ea. |
| #PH-59 For ¾" rope \$11 | |
| H. FLOAT KEEPERS | |
| Permanently secures the #916 and #9 | 17 floats |
| to the line to prevent it from sliding. On | e set |
| holds one float. | |
| #943 For 3" x 5" float, ¾" rope \$2 | 2.40 /set |
| | |
| · • | 5 .15 /set |
| 1. # 920 Swivel Eye | \$ 9.16 |
| | |





A.A.

REQUIRED HARDWARE #PH-59 ³/₄" Rope Hook (2 required) **#PH-57** %" Rope Hook (2 required)



LIFE GUARD UMBRELLAS

LIFE

A. RED LIFEGUARD

UMBRELLA This Lifeguard

umbrella is made of durable weather resistant nylon with a vinyl laminate covering to protect it against the elements. When opened this red lifequard umbrella's diameter is 6 1/2'. This umbrella comes with a 7 1/2 ' aluminum pole that has push button device to allow the user to position the umbrella in a manner to protect the user from the sun. #12-004 Red Umbrella 6 ¹/₂ ft. umbrella with

7½' x 1 ½" pole . . . \$105.00

B. THE WINDBRELLA

The Windbrella is ideal for windv areas due to superior venting at the top of the umbrella. This umbrella is extremely light and the pole diameter is 1 1/4 " diameter. It also

has a tilting mechanism and closure strap. Umbrella spans 6 ½'. Comes with 7 ½' pole. #12-003-S-PB Silver outside with blue trim \$64.75 **#12-003-S-PG** Silver outside with green trim \$64.75


C. NYLON UMBRELLA This umbrella is made of durable weather resistant nylon with a vinyl laminate covering to protect it against the elements. When opened, the diameter of the umbrella spans 6 1/2'. Comes with 7 1/2' pole. #12-002-NAVY Navy & White Umbrella.... \$94.50

#12-002-RED Red & White Umbrella \$90.13 #12-002-ROYAL Royal & White Umbrella. . . \$94.50

All Umbrellas F.O.B. Charolette, NC



SAFETY EQUIPMENT




D. DRI-DEK® - THE SELF-DRAINING FLOOR SYSTEM

No more puddles. No more wet floors. No more aerms. Now there's Dri-Dek. The perfect solution for showers. Steam rooms. Dressing areas. Locker rooms - or any place that gets wet. Why? Because Dri-Dek's textured surface not only drains water. Its patented design lifts you above wet floors, too. And it comes in 9 designer colors. So you can match decor. Anywhere, Any time.

| #978 1' x 1' Dri-Dek | P.O.A. |
|---|--------|
| #978-3x4 3' x 4' Dri-Dek sheet | P.O.A. |
| #978-3x12 3' x 12' Dri-Dek Roll | P.O.A. |
| #978-CORNER 2" x 2" Corner | P.O.A. |
| #978-EDGE 2" x 12" Edge | P.O.A. |
| For color choices, add to code number | |
| (example: #978-1): -1 Red, -2 Yellow, -3 Bl | ue, |
| -4 Almond, -5 Green,-6 Gray, -7 Black, -8 B -9 Teal. F.O.B. Naples, FL | |

E. C.P.R. MICROSHIELD

A "First Response" protective device which provides a barrier between the victim and the



prevents the victim's secretions from contacting the rescuer. Packaged in a convenient vinyl case with instructions, it is ready for use any time and is completely disposable. Note: The microshield is for use by C.P.R. trained individuals only. DO NOT USE ON INFÁNT VICTIMS. Dispose of after initial use.

#975 \$11.93



F. **#18604** 24 Unit First Aid Kit. \$78.75 (ILLINOIS STATE APPROVED)

G. LIFE HOOK and RESCUE POLE Double loop life hook with 2-6 ft. poles.. #909 Life Hook with Rescue Pole . . . \$157.37

H. **#909A** Life Hook only \$59.00



I. RING BUOY ASSEMBLY

U.S.C.G. Approved. Ideal for camps, pools and home use. Assembly consists of our JB-20 ring buoy. Equipped with stainless steel rack and 60 ft. throw line.

J. RING BUOYS

U.S. Coast-Guard approved. Ring buoys are made of PVC foam. Covered with heavy nylon fabric. #JB-20 20" dia. \$118.65 #JB-24 24" dia. \$126.00

K THROW LINES

Polypropylene throw lines with float can be attached to a ring buoy without taping or splicing. **#957** 60' long \$36.68



L. WATER RESCUE TUBES

A wrap-around type life-saving aid for open water. Made of the highest quality Ensolite enclosed cell foam. Covered with an extra heavy duty vinyl skin. Comes complete with towline and shoulder strap. This device is not U.S.C.G. approved. #9

| 980 40" Rescue Tube | - | - | - | - | - | - | - | \$73.19 | |
|----------------------------|---|---|---|---|---|---|---|-----------------|--|
| 980A 50" Rescue Tube | | • | • | • | • | • | • | \$ 79.28 | |



M. SPINE BOARD

AB Spineboard is an economical yet extremely strong board. The shell of the board is heavy duty and is x-ray translucent. The board comes with 21 hand holds and 8 pins for your strapping needs. The spineboard is waterproof and excellent for water rescue. The weight capacity of this board is 700 lbs. It's made of durable polyethylene. In large orders, we can do custom colors.

#10-993-ORG Spine board only 72" x 18"x 2.5" \$220.50



N. #10-301-BLK One piece spine board strap 72" x 2" \$12.38



0. HEAD IMMOBILIZER

Head Immobilizer is easy to use and is compatible with the majority of spineboards on the market. Our immobilizer features side blocks with fast-stick closures for a snug fit and up to 50% more support surface. The Head Immobilizer comes with 2 head/chin straps and a base plate that adheres easily to the board. It's waterproof and buovant. so it can be used for water rescues. Can easily be cleaned and disinfected for reuse.

#10-001-ORG Water rescue model 10" x 16" x 7" \$115.50



P. VELCRO SPINE BOARD STRAPS

Velcro straps are made of durable nvlon webbing covered with velcro, enabling the user to accomplish fast and firm immobilization. This strap is for use with all spine boards. It's sold in a set of three. **#10-305-ORG** Velcro spine board straps

SOLAR BLANKETS SOLAR REELS

- **COMMERCIAL REEL SYSTEM**
- A. ELITE COMMERCIAL REELS
- Various sizes to fit any shape or size pool(may require multiple reels)
- Dual bearings per frame allow for smooth cover rollup
- 36" high white frames are made of structured aluminum
- Stainless steel hardware for maintenance free use

Cat No.

• Heavy duty aluminum tubes were designed to handle heavy loads

Pool Width



Max

Cover Length

Price



B. PROTECH RESIDENTIAL SOLAR COVERS


For residential pool applications. 6 year prorated warranty. Approximately 12 mil grade thickness. Reduces water evaporation. Conserves energy.

| Cat. No. | Pool Size | Price | Cat. No. | Pool Size | Price |
|-------------|-----------|------------------|-------------|-----------|------------------|
| 104012 x 24 | 12' x 24' | \$ 99.79 | 104020 x 40 | 20' x 40' | \$277.20 |
| 104016 x 32 | 16' x 32' | \$177.41 | 104020 x 44 | 20' x 44' | \$270.77 |
| 104018 x 36 | 18' x 36' | \$224.53 | 104024 x 40 | 24' x 40' | \$332.64 |
| 104018 x 40 | 18' x 40' | \$ 249.48 | 104024 x 44 | 24' x 44' | \$324.93 |
| | | | 104025 x 50 | 25' x 50' | \$ 393.75 |



- Fits under low profile
- diving boards (17' clearance)

| Cat No. | Description | Pool Size | Price |
|-----------|----------------------------|--------------|------------------|
| HVSIGN-18 | 18' Reel | 12' - 18' | \$ 390.25 |
| HVSIGN-20 | 20' Reel | 19' - 20' 6" | \$420.00 |
| HV-7041 | Optional Caster Set | Set of 4 | \$49.50 |



- Warms pool water 10° or more in season.
- Extends swimming season!
- Cuts heating bills by 70% or more!
- Reduces evaporation!
- Saves water and chemicals!

Made in USA

Keeps pool cleaner, too!

ABOVE GROUND SOLAR COVERS



D. PROTECH ABOVEGROUND SOLAR COVERS For aboveground pool applications. Cuts nighttime heat loss. Reduces water evaporation. Conserves energy.

| Cat. No. | Pool Size | Price | Cat. No. | Pool Size | Price |
|----------|-----------|------------------|-----------|----------------|------------------|
| 103012 | 12' round | \$33.26 | 103012X24 | 12' x 24' oval | \$66.53 |
| 103015 | 15' round | \$51 .98 | 103016X24 | 16' x 24' oval | \$ 88.70 |
| 103018 | 18' round | \$ 74.8 4 | 103016X32 | 16' x 32' oval | \$11 8.27 |
| 103021 | 21' round | \$101 .87 | 103018X36 | 18' x 36' oval | \$149.69 |
| 103024 | 24' round | \$1 33.06 | 103018X38 | 18' x 38' oval | \$158.00 |
| 103028 | 28' round | \$181.10 | 103022X41 | 22' x 41' oval | \$203.83 |
| 103030 | 30' round | \$ 207.90 | | | |

ABOVE GROUND REEL SYSTEM



E. ELITE ABOVE GROUND SOLAR REEL SYSTEM

Designed for both Round and Oval aboveground pools. Three sizes to choose from. Sturdy 4" diameter extruded aluminium tubing prevents sagging. Portable and easy to remove. Swivel ends pivot or lift out.

| Cat. No. | Description | Pool Width | Price |
|----------|-------------------|------------|------------------|
| HV-18 | Above-ground reel | 12–18 ft. | \$253.75 |
| HV-24 | Above-ground reel | 19–24 ft. | \$ 292.25 |
| HV-28 | Above-ground reel | 25- 28 ft. | \$355.25 |

| dui ite: | I col IIIaiii | Root Longin | to tot Longin | 11140 |
|-----------|---------------|-----------------|---------------|--------------------|
| HV-100C14 | Up to 14' | 16' | 125' | \$1 ,386.00 |
| HV-200C14 | Up to 30' | 16' (Dual Tube) | 90' | \$2,054.50 |
| HV-100C20 | 15' - 20' | 22' | 125' | \$1,631.00 |
| HV-200C20 | Up to 40' | 22' (Dual Tube) | 90' | \$2,544.50 |
| HV-100C24 | 21' - 24' | 26' | 125' | \$1,790.25 |
| HV-200C24 | Up to 48' | 26' (Dual Tube) | 90' | \$ 2,863.00 |
| | | F.O.B. FACTORY | | |

Max

Reel Length

833.SWIM.327 8 3 3 · 7 9 4 6 · 3 2 7 www.halogensupply.com



ABOVE GROUND WINTER COVERS



GLI WINTER COVERS FOR ABOVE-GROUND POOLS

GLI Pool Products attractive heavy-duty covers are available in, Estate Green solid, and Arctic Blue Solid complete with cable & winch. Backed by the strongest warranty in the business. Eliminate costly maintenance and clean up. Keep all dirt. debris and fine particles out of your pool.

| | BLUE CLASSIC COVER | | GREEN ESTATE COVE | |
|----------------|--------------------|------------------|-------------------|------------------|
| Size | Cat No. | Price | Cat No. | Price |
| 10' x 15' Oval | 4105010X15 | \$ 53.17 | 4108010X15 | \$71.53 |
| 12' Round | 4105012 | \$ 49.98 | 4108012 | \$ 68.69 |
| 12' x 18' Oval | 4105012X18 | \$ 72.98 | 4108012X18 | \$91.10 |
| 12' x 21' Oval | 4105012X21 | \$ 82.93 | 4108012X21 | \$103.51 |
| 12' x 24' Oval | 4105012X24 | \$ 90.80 | 4108012X24 | \$ 122.01 |
| 15' Round | 4105015 | \$ 71.93 | 4108015 | \$ 94.96 |
| 15' x 27' Oval | 4105015X27 | \$ 123.88 | 4108015X27 | \$165.12 |
| 15' x 30' Oval | 4105015X30 | \$ 124.74 | 4108015X30 | \$164.96 |
| 16' x 25' Oval | 4105016X25 | \$ 112.04 | 4108016X25 | \$151.10 |
| 16' x 32' Oval | 4105016X32 | \$ 135.22 | 4108016X32 | \$ 177.22 |
| 18' Round | 4105018 | \$ 94.06 | 4108018 | \$ 120.81 |
| 18' x 34' Oval | 4105018X34 | \$ 153.89 | 4108018X34 | \$ 202.34 |
| 18' x 36' Oval | 4105018X36 | \$175.10 | 4108018X36 | \$ 238.56 |
| 21' Round | 4105021 | \$11 5.69 | 4108021 | \$ 148.68 |
| 21' x 41' Oval | 4105021X41 | \$224.45 | 4108021X41 | \$ 304.88 |
| 24' Round | 4105024 | \$ 133.06 | 4108024 | \$ 181.15 |
| 28' Round | 4105028 | \$174.70 | 4108028 | \$ 231.00 |
| 30' Round | 4105030 | \$214.89 | 4108030 | \$ 284.11 |

Winterizing Air Equalizer Pillows #1052 4' x 4' Equalizer \$20.67 #1053 4' x 8' Equalizer \$37.20

GLI POOL PRODUCTS LEAF NET Fits In-Ground or Above-Ground Pools! Stretches across solar blanket or winter pool cover Catches leaves and other debris • Makes leaf-removal a snap • Helps prolong life of solar blankets and winter covers · Keeps pool clean



| 1 134 | | 1 | - Ale | | A Tr | | |
|----------|----------------|------------------|---|-----------------------|----------|--|--|
| Cat. No. | Pool Size | Price | Cat. No. | Pool Size | Price | | |
| 1145 | 18' round | \$ 146.52 | 1150 | 16' x 32' oval | \$213.59 | | |
| 1146 | 24' round | \$ 211.58 | 1151 | 16' x 32' rectangular | \$227.91 | | |
| 1147 | 27-28' round | \$ 280.39 | 1152 | 18' x 36' rectangular | \$280.18 | | |
| 1148 | 12' x 24' oval | \$140.43 | 1153 | 20' x 40' rectangular | \$329.28 | | |
| | | | Other sizes available. Call for prices. | | | | |

IN GROUND WINTER COVERS



PVC coated polyester fabric is 30% lighter than standard solid covers. 50% more puncture resistant! 100% Sunlight Blockage - NO spring time algae growth. Comes with patented "Kleen-Screen" drain (drains water from surface filtering out dirt, leaves and debris) Secures pool from children, pets and stray animals. Also available with Sure-Flo™ full length drain! Pump is available in lieu of drain. Custom HyPerLite Covers come standard with Commercial Grade Springs - A \$125 value! Available in 3 attractive colors. 15 Year Limited Warranty.

#HYPERLITE POOL COVER Price on Request



Blocks sun like a solid cover - No springtime algae growth. Made from a unique weave of polypropylene mesh that blocks out algae producing UV Rays. Keeping sunlight out ensures that you will open to cleaner water in the spring. Secures pool from children, pets and stray animals. Nearly 50% lighter than solid covers for easier installation, removal and storage. Nearly 75% more tensile strength than competitor's standard mesh! Custom ProMesh Covers comes standard with Commercial Grade Springs - A \$125 value! Available in 4 attractive colors. 15 Year Limited Warranty.

#PROMESH POOL COVER..... Price on Request



WINTER POOL COVERS

Why use a winter cover?

- Keeps pool water clean and free from dirt, leaves and debris
- Stops chemical loss through evaporation Prevents algae growth
- Protects pool from the wear and tear of winter
- Eliminates costly maintenance and spring cleanup





#5200 SERIES "CLASSIC" BLUE WINTER COVER Features: Lighter–Easy to put on or take off the pool. Lasts longer– will not crack, spilt or tear from the most severe winters. Will not stretch or distort out of shape in summer. Best Warranty! 8 years prorated 1 full year.

#6200 SERIES "ESTATE" GREEN WINTER COVER

With a proper winterizing program, the Aquacover® Winter Cover: Protects pool from winter effects to eliminate costly maintenance and spring cleanup. Strongest Warranty! 12 years prorated, with 2 full years!

| Pool Size | Cover Size | Cat. No. | Price | Cat. No. | Price |
|-----------|------------|----------|-------------------|----------|-------------------|
| 14' x 28' | 19' x 33' | 521428 | \$1 09.5 4 | 621428 | \$147.55 |
| 16' x 32' | 21′ x 37′ | 521632 | \$1 33.2 7 | 621632 | \$1 79.6 1 |
| 16' x 40' | 21′ x 45′ | 521640 | \$1 64.56 | 621640 | \$ 213.26 |
| 18 'x 36' | 23' x 41' | 521836 | \$1 63.8 4 | 621836 | \$ 219.9 1 |
| 20' x 40' | 25'x 45' | 522040 | \$1 92.55 | 622040 | \$ 258.82 |
| 20' x 44' | 25' x 49' | 522044 | \$ 208.80 | 622044 | \$ 296.86 |
| 24' x 40' | 29' x 45' | 522440 | \$205.74 | 622440 | \$316.28 |
| 24' x 44' | 29' x 49' | 522444 | \$270.54 | 622444 | \$347.40 |
| 25' x 50' | 30' x 55' | 522550 | \$ 280.4 1 | 622550 | \$ 366.8 1 |
| 30' x 50' | 35′ x 55′ | 523050 | \$ 327.18 | 623050 | \$477.90 |

ORDER TUBES SEPARATELY. Water tubes retain pool covers where tie-downs fail. Double Chamber: #1047-BL 8'-20 mil black . \$16.29 #1047-B 10'-20 mil black \$18.96

SAFETY VACUUM RELEASE SYSTEMS GRATES & SUMPS



SR-500 Stingl Switch (Safety Vacuum Release System)

The Model SR-500 is a Safety Vacuum Release System (SVRS) which works by monitoring the vacuum on the suction side of the pool or spa pump. When a blockage occurs in the main drain or skimmer a sudden rise in vacuum will cause the SR-500 to shut down pump operation and activate an audible alarm. The pump will remain off with the alarm sounding until manually reset.

Vac-Alert[™]

"Save a child's life.... Vac-Alert™ saves lives"

SAFETY VACUUM RELEASE SYSTEM

- Vac-Alert[™] Model VA-2000 SVRS Unit reacts in less than a second to quickly release dangerous pump suction vacuum
- A totally mechanical safety system easy to install, adjust, and test
- Made of engineered plastics and 3
 16 stainless steel
- The vac-alert complies with ASME/ANSI standard A112.19.17 for vacuum release systems for r esidential and commercial pool and spas
- 3-year limited warranty

48

#VA-2000S Below Grade Unit \$725.00 **#VA-2000L** Above Grade Unit \$725.00





StingL

SUPERFLOW[™] SUMP AND GRATE (Up to 18 x 18 drains - VGB-2008) Only Lawson Aquatics, Inc. has SuperFlow[™]

VGB-2008 certified main drain grates and sumps with a super flow rate and a unique top profile design that provides extreme comfort under foot. Removes the need for field-built sump certification.

- Open grate area of 54%-allowing for a maximum flow rate
- Internal plumbing fittings instead of external. Allows stacking and avoids breaking off or cracking during shipment, pressure testing or handling.
- Unique built-in water stop with two vertical extensions prevents water passing over the flange.
- A solid one-piece, injection-molded unit. Less expensive than fabricated PVC sheets, stainless steel and fiberglass.

| MODEL NUMBER | DESCRIPTION | OPEN AREA SQ. IN. | PRICE |
|-----------------|---------------------------------------|----------------------|------------------|
| #MLD-SG-0909-WT | 9" x 9" Sump & Grate - 4" Side Port | 42.12 | \$ 371.99 |
| #MLD-SG-1212-WT | 12" x 12" Sump & Grate - 6" Side Port | 81.30 | \$ 530.52 |
| #MLD-SG-1818-WT | 18" x 18" Sump & Grate - 8" Side Port | 183.06 | \$1,413.83 |

6

FIBERGLASS SUMPS

(18 X 36 • 18 X 54 • 18 X 72 - VGB-2008) Lawson Aquatics offers standardsize fiberglass main drain sumps with unblockable PVC grating for area 18" x 36" and larger

- Plumbing connection are configured and customized to your piping schematics
 Connections can either be threaded, (for 8" and smaller)
- threaded, (for 8" and smaller) flanged or couplings

| MODEL NUMBER | DESCRIPTION | SQ. IN. | PRICE |
|----------------|------------------------|---------|-------|
| #FI-SG-1836-WT | 18" x 36" Sump & Grate | 343.44 | POA |
| #FI-SG-1854-WT | 18" x 54" Sump & Grate | 515.16 | POA |
| #FI-SG-1872-WT | 18" x 72" Sump & Grate | 686.88 | POA |



MAHC-I SERIES 18" x 36" Stainless Steel Sump with Four 9" x 18" Anti-Entrapment Suction

Outlet Covers For ANSI/APSP-16 flow ratings and VGB Certification documentation

Floor/Wall 1,674 GPM at 1.5 fps Floor/Wall 1,116 GPM at 1.0 fps

358 square inch opening

Configurable sumps simplify compliance with the Model Aquatic Health Code, the International Swimming Pool and Spa Code, and the latest revisions to ANSI/APSP-16. Priced on application

e m o t r o n°

A simple, cost effective VGBA solution to prevent pool and spa entrapment

Kev Features

The Emotron PSP20 uses the existing Pump Motor as a Sensor to protect swimmers from pool & spa entrapment. When a spa or swimming pool pump experiences a loss of suction caused by the drain being blocked, the PSP20 detects a significant drop in motor load and shuts the pump off in 1 second



| MODEL | VOLTAGE | FULL LOAD AMPS | PHASES | HP RANGE | PRICE |
|----------------|---------|-------------------|--------|-------------|------------------------|
| #PSP20-10-25 | 120 | 0.4 - 25 | 1 | 0.5 - 1.5 | \$1, 489.25 |
| #PSP20-20-25 | 208/230 | 0.4 - 25 | 1 | 0.5 - 3.0 | c1 400 0F |
| #r 3r 20-20-23 | 200/230 | 0.4 - 25 | 3 | 0.3 - 7.5 | \$1,489.25 |
| #PSP20-20-50 | 208/230 | 26 - 50 | 1 | 5.0 - 7.5 | \$1 / 4/ 75 |
| #r 3r 20-20-30 | 200/230 | 20-30 | 3 | 10.0 | ^{\$} 1,646.75 |
| #PSP20-40-10 | 480 | 0.4 - 10 | 3 | 0.5 - 7.5 | \$1, 489.25 |
| #PSP20-40-25 | 480 | 11 - 25 | 3 | 10.0 - 15.0 | \$1, 489.25 |



Anti-Entrapment Suction Outlet Covers

- All components meet or exceed ANSI/APSP 16-2011 and NSF/ANSI 50-2009a national standards and ASTM G154 UV testing exposure.
 Sump manufactured from strong PVC sump with 3" socket and 4" spigot
- side port, and 2" socket 2½" spigot bottom port.
- Manufactured from superior UV-resistant engineered polymers.
 Comes with 3" and 2" NPT cap with o-ring for pressure testing and winterizing.
- •#316 stainless steel screws • Trademarked VGB compliance button easily identifies VGB 2008
- compliant cover from on deck and underwater.
- Replace drain cover every five years from the date of installation.

| м | ODEL NUMBER | DESCRIPTION | OPEN AREA SQ. IN. | PRICE |
|----|--------------|----------------------|----------------------|-------------------|
| #W | AV9WR101SSB | WAVE 9" Square Sump | 48.4 | \$ 585.3 1 |
| #W | AV12WR101SSB | WAVE 12" Square Sump | 90.8 | \$ 793.4 2 |





FRAMES AND GRATES



| MODEL NUMBER | DESCRIPTION | OPEN AREA SQ. IN. | PRICE |
|----------------|--|-------------------|---------------------|
| #WGX1048E | 8" Round Grate Only (Each) | 8.10 | ^{\$} 27.59 |
| #WG1030AVPAK2 | 8" Round Frame and Grate (Pkg of 2) | 8.10 | ^{\$} 67.22 |
| #WG1031HF2PAK2 | 9" x 9" Inner/Outer Frame and Grate (Pkg of 2) | 23.96 | \$1 87.8 0 |
| #WG1032HF2PAK2 | 12" x 12" Inner/Outer Frame and Grate (Pkg of 2) | 41.07 | \$ 298.6 4 |
| #WG1033HF2PAK2 | 18" x 18" Inner/Outer Frame and Grate (Pkg of 2) | 124.10 | \$913.19 |
| #WGX1031BHF2 | 9" x 9" Grate w/Inner Frame (Each) | 23.96 | \$ 77.8 1 |
| #WGX1032BHF2 | 12" x 12" Grate w/Inner Frame (Each) | 41.07 | \$107.82 |



| WATER | WAY |
|-------|-----|
|-------|-----|

| OPEN AREA SQ. IN. | PRICE |
|-------------------|---------------------|
| 43.60 | ^{\$} 64.95 |
| 43.60 | \$86.33 |
| 62.40 | \$87.78 |
| 62.40 | \$130.95 |
| 174.40 | \$477.23 |
| | |





AQUASTAR


| | MODEL NUMBER | DESCRIPTION | OPEN AREA SQ. IN. | PRICE |
|----|---------------|---------------------------------|-------------------|----------------------|
| A. | #R9MF101 | 9" x 9" Moflow Grate Only | 35.80 | ^{\$91.08} |
| | #R12MF101 | 12" x 12" Moflow Grate Only | 69.10 | ^{\$} 119.98 |
| B. | #WAV9WR101 | Wave 9" x 9" Frame and Grate | 48.40 | ^{\$} 206.63 |
| | #WAV12WR101 | Wave 12" x12" Frame and Grate | 90.80 | ^{\$} 241.83 |
| | #WAV18WR101 | Wave 18" x 18" Frame and Grate | 176.80 | ^{\$} 587.68 |
| | #WAV18WRNF101 | Retro Fit Grate Kit w/ Riser | 176.80 | ^{\$} 484.93 |
| C. | #914101 | 14" x 14" Retrofit to 9" x 9" | 84.00 | \$251.05 |
| | #1216101 | 16" x 16" Retrofit to 12" x 12" | 101.00 | ^{\$} 287.35 |
| D. | #32CDFL101 | 32" Channel Drain 3-Port | 25.90 | \$334.13 |
| E. | #A10RCFR101 | 10" Round Sumpless Cover | 31.50 | \$71.18 |
| | #R8MF101 | 8" Round MoFlow Grate | | \$ 37.08 |

ANTI-ENTRAPMENT

AEGIS ANTI-ENTRAPMENT SHEID

• ASME A112.19.8.a-2008 VGB-2008 & NSF Certified

- Easily installed over existing main drains
- Prevents bather entrapment
- Fiberglass construction
- No bonding required
- Slip resistant surface
- Includes stainless steel hardware
- Wall flowrate: 1120 GPM
- Floor flowrate: 1432 GPM
- Life: 15 years submerged outlet
 - Covers up to 24" x 24" main drain



1/4" dia S.S. drop-in anchors with 1/4" S.S. fasteners & washers

| MODEL NUMBER | OVERALL SIZE L x W | OPEN AREA | MAX. FLOW RATE @ 1.5 F.P.S. |
|--------------|--------------------|------------------------|-----------------------------|
| #3030AEC | 30" X 30" | 128.21 in ² | 600 GPM |

#3030AEC ANTI-ENTRAPMENT SHIELD . . \$2,619.03



LAWSON

| MODEL NUMBER DESCRIPTION | | OPEN AREA SQ. IN. | PRICE |
|--------------------------|---------------------------|-------------------|----------------------|
| #MLD-FGD-0909-WT | 9" x 9" Frame and Grate | 42.12 | \$216.55 |
| #MLD-FGD-1212-WT | 12" x 12" Frame and Grate | 81.30 | ^{\$} 286.65 |
| #MLD-FGD-1818-WT | 18" x 18" Frame and Grate | 183.06 | ^{\$} 528.28 |

FRAMES AND GRATES

VIRGINIA GRAEME-BAKER POOL & SPA SAFETY ACT

By December 19, 2008

ALL public pool owners must

- Install drain covers that meet ANSI/ASME A112.19.8-2007 standard on EVERY drain/grate.
- Install an automatic shut-off system, gravity drainage system, Safety Vacuum Release system (SRVS), suction-limiting vent system or disable the drain, if the pool operates off of a SINGLE main drain. Pools and spas with unblockable drains are exempt from this requirement.
- Ensure that dual or multiple main drains are at least 3 feet apart.

WARNING: Installing a VGB Act approved grate does not necessarily establish compliance. ONLY a professional design engineer or your local health department can help you to confirm that all criteria of the act have been met.



Universal Drain Cover Concrete, Vinyl & Equalizer Pools

SDX2 RETRO HIGH-FLOW SAFETY DRAIN

SDX2 is a high flow suction outlet suitable for use as a wall fitting, or as a floor fitting when debris removal is not a concern. Available for concrete, vinyl and fiberglass pools, SDX2 performs at a very high flow rate while operating at one

flow rate while operating at one of the lowest velocity ratings in the industry. SDX2 boasts a flow rating of 188 gpm on the floor and 154 gpm on the wall.

SDX-RETRO-WHT \$69.53





6

ENERGY SAVING SYSTEMS



Filtrex regenerative diatomaceous earth filters eliminate the need to backwash . . . saving makeup water, chemicals and heating energy. Filtrex provides unequalled water clarity – up to 99% effective in removing contaminants down to 1 micron.

Haloaen has over 400 Filtrex installations. **Call for references** in vour area.



REGENERATIVE D. E. FILTERS

Diatomaceous Earth (D.E.) is the best pool filtration media. Filtrex makes the best D.E. Filter. Filtrex's advanced technology combines low carbon stainless steel construction with the exclusive Flex- Tube[™] filter element and a proven system of precoat regeneration to eliminate the need for continuous slurry feed throughout the filter cycle. The New Vacuum Transfer System, now standard on all New Filtrex Systems, allows for quick and easy filter precoat and eliminates airborne diatomaceous earth previously associated with the old precoat tank. Existing Filtrex Systems can also be retrofit with the New Vacuum Transfer System. Call us toll free for more information.

0000

Price on Request

EPD POLY LINED STEEL HIGH RATE SAND FILTERS

NSE)

EPD has utilized the latest in plastics technology to bring you the new Poly lined steel filter vessels (50 and 100 psi models) which combine the corrosion

durability of linear low-density polyethylene with the strength of steel. The monolithic liner means the need for cathodic protection is eliminated. These new poly lined 🧲 steel tanks can be ordered with 13.5 or 16.5 sq. ft. of filter area per tank in single (1) through (8) tank configurations with the automatic filter controller. the EPD Hi-Rate sand filtration system does not require supervision of its day to day operation. Operating and maintenance costs. normal-

lv associated with commercial filtration systems, are non-existent. The automatic backwash control console is programmed to perform all of the filtration and backwash functions automatically 24 hours per day, 365 days per year. Systems can be also purchased with semi-automatic and pressure

differential controllers. Price on Request

DANFOSS ADJUSTABLE FREQUENCY DRIVES



Danfoss adjustable frequency drive offers a list of features and ease-of-use unmatched in the industry. On its own or when matched with our Halo Gen energy management system to provide state-of-the-art control of your pool and save you thousands of dollars in energy. Call and talk to one of our technical advisors on the advantages of this time-proven approach to energy savings.

#VLT 6000 Adjustable Frequency Drive Price on Request

WATERMASTER II LEVEL CONTROL SYSTEM



The WarerMaster II is an all-electronic level control system for commercial swimming pool applications. This system solves the level control needs of customers or designers who want to eliminate the need for pneumatic controls in their buildings systems.

The system controls surge tank water level to \pm 0.05 feet of set point. The PLC controller also controls pool skimming action by measuring changes in gutter flow into the surge tank and turning on the fresh water make-up solenoid as needed

The control package includes a PLC based level controller, either an ultrasonic level sensor or an electronic pressure reducer, a 120 volt hydraulic main drain modulating valve and a 120 volt slow closing fresh water make-up solenoid valve Price on Request

HALOGEN CONTROLLERS



All-Encompassing Control

of Regenerative Systems:

- It's More Than a Filter, It's a Science.
- **HALO**Gen.RTS (*Regenerative Total System*)

HALOGen.CS (Custom System)

Benefits include:

- Ease of Use Total System Control
- Mobile Connectivity
 Training Built In
- Alarm Logging and Trend Reports
- Maximize Resource Savings Minimize Operating Costs



Ease of Use

- Large 15 1/2" color touch screen
- with sound, graphics and video • Intuitive user interface and experience
- Graphically displayed system status
- shown on one screen
- · Flexibility with auto or manual modes
- User-friendly set-point entry
- Accessible from tablets. mobile devices and PCs
- **Total System Control**
- Filter cycle control
- Flow control with VFD
- Chemical control • Temperature control
- Level control with automatic
- fresh water makeup
- Cleaning modes All safety interlocks
- Customized solutions
- tailored to your facility

PRICES ON

REQUEST

- HALOGen.RTS
- (Regenerative Filter System) and HALOGen.CS (Custom System)

Training videos with audio

- for all procedures
- Imbedded manuals and data sheets specific to system design
- Alarm Logging and
- **Trend Reports** Real-time trending reports
- for all control loops
- Trending histories stored
- · Easy-to read graphical displays of
- real-time trends and histories · Audible alarms to alert staff
- Alarm emails immediately sent to staff

Maximize Resource Savings -Minimize Operating Costs

 Complete integration of all system controls maximizes resources and ease of use System component synergy contributes to the longevity, performance and efficiency of a pool system.

Price on Request

NSF. の LISTED Please contact Halogen for complete specifications.





BLUE-WHITE FLOW METERS

A. MODEL F300 BLUE WHITE FLOW METERS

NEW! Dual scale reads Sched 40 & Sched 80 PVC. **NEW!** Easy to read red float with no more float bounce. Unique pitot tube design increases accuracy & reduces straight pipe requirements by 50 %. The F-300 Series is a low cost, accurate pitot tube type flow meter designed specifically for the swimming pool industry. Mounts on horizontal pipe only. Available for pipe only.

| Cat. No. | Size | SCH40 / SCH 80 | Price | |
|----------|-------------|-----------------------|------------------|--|
| F-30150 | 1½" | 10-70/10-60 gpm | \$145.95 | |
| F-30200 | 2" | 20-120/18-100 gpm | \$145.95 | |
| F-30250 | 2 ½" | 29-150/25-130 gpm | \$145.95 | |
| F-30300 | 3" | 45-240/40-215 gpm | \$145.95 | |
| F-30400 | 4" | 79-400/70-375 gpm | \$145.95 | |
| F-30600 | 6" | 170-1100/160-1000 gpm | \$208.95 | |
| F-30800 | 8" | 300-2200/275-1950 gpm | \$ 208.95 | |

Note: Add a "P" to Catalog No. for PVC or Iron pipe. No longer available for copper pipe.

B. VERTICAL MOUNT FLOW METERS D-300/U-300

For installations with a minimal amount of room. hence more vertical pipe than horizontal. Please specify if direction of flow is up or down.

| Cat. No. | Flow Direction | Size | SCH 40 /SCH 80 | Price |
|----------|----------------|-------|-------------------|----------|
| U-30150 | Up | 11/2" | 12-70/10-60 gpm | \$145.95 |
| D-30150 | Down | 11/2" | 12-70/10-60 gpm | \$145.95 |
| U-30200 | Up | 2" | 20-120/18-100 gpm | \$145.95 |
| D-30200 | Down | 2" | 20-120/18-100 gpm | \$145.95 |

Note: Add a "P" to Catalog No. for PVC or Iron pipe. No longer available for copper pipe.

C. BLUE-WHITE F-2000 DIGITAL FLOWMETER

The F-2000 Series is battery or plug-in transformer (included) operated and can be quickly installed on an instrument panel or wall. This top

quality meter is accurate to $\pm 1\%$ full scale and can handle pressure up to 300 PSI and temperature to 200°F.


| Cat. No. | Pipe Size/Type | Flow Range | Price |
|------------|----------------|--------------|------------------|
| RTPB-15K8 | 1½" (sch. 80) | 15–150 gpm | \$ 975.45 |
| RTPB-20K8 | 2" (sch. 80) | 30–300 gpm | \$ 975.45 |
| RTPB-30K8 | 3" (sch. 80) | 60-600 gpm | \$975.45 |
| RTPB-40A8 | 4" (sch. 80) | 100–1000 gpm | \$975.45 |
| RTPB-60A8 | 6" (sch. 80) | 250–2500 gpm | \$975.45 |
| RTPB-80A8 | 8" (sch. 80) | 400–4000 gpm | \$975.45 |
| RTPB-100A8 | 10" (sch. 80) | 600-6000 gpm | \$975.45 |
| RTPB-120A8 | 12" (sch. 80) | 800-8000 gpm | \$975.45 |

D. BLUE & WHITE DIGI-FLO F-1000

This meter is ideal for those who require rate of flow only. The meter is shipped pre-programmed. The meter LCD display is powered with 2 (AAA) batteries. Please specify pipe type (sched. 40 or sched. 80 PVC).

| Features: | Size | Cat. No. | Price |
|--|-------|-----------|----------|
| Display update time: | 11/2" | RB-150S8 | \$471.45 |
| every 2 seconds | 2" | RB-20058 | \$471.45 |
| Enclosure | 3" | RB-300S8 | \$471.45 |
| ABS material | 4" | RB-400S8 | \$471.45 |
| Accuracy ± 2% | 6" | RB-600S8 | \$471.45 |
| full scale | 8" | RB-800S8 | \$471.45 |
| Saddle Mount design | 10" | RB-1000S8 | \$471.45 |
| for easy installation. | 12" | RB-1200S8 | \$471.45 |
| | | | |

F.O.B. Alsip, Illinois



E. FlowVis[®] Key Features

INTRODUCING

- The only flow meter to carry NSF 50 (required by CA Title 24)
- NSF verified average accuracy 97.9%
- Install right next to other fittings without the need for
- Install horizontal, vertical, or even upside-down
- Includes water velocity indication of 5'. 7'. and 9' per second
- Establish correct flow rates for heaters.
- water features and chemical feeders
- Quickly re-establish correct flow rates after customer tampering
- Retrofit kit easily, converts existing Jandy or Praher check valves into Flow Vis flow meter or repairs existing Flow Vis
- meters. No plumbing required. • Installing a flow meter with a variable speed pump allows you

| num speed |
|--------------------|
| .\$ 204.75 |
| .\$ 204.75 |
| .\$ 145.25 |
| .\$145 . 25 |
| .\$ 537.27 |
| .\$ 595,00 |
| |

E SIGNET 8150 Battery Powered Flow Totalizer

The Signet 8150 Battery Powered Flow Totalizer is compatible with the Signet 515 and 529 flow sensors, and will provide years of dependable operation. The large digital display indicates flow rate and totalized flow volume simultaneously.

F2.

Features:

- Three totalizers: 2 resettable and 1 permanent, user-selectable Long-Lasting Lithium batteries
- Mounting versatility
- No-flow indicator • Large digital display with averaging
- Simple push-button operation
- User-selectable access code prevents unwanted changes
- Auto-calibration
- F1.#3-8150-1 (yellow body) FIELD MOUNT for Pipe, #3-8150-1P (black body) PANEL MOUNT includes mounting bracket and gasket. Panel sold separately . . \$928.81 #3-8150-PO INTEGRAL MOUNT* 1/2" to 4" pipe ... \$1,447.60
- #3-8150-P1 INTEGRAL MOUNT* 5" to 8" pipe....\$1,483.21 * Mounted on Model 515 Paddlewheel Sensor For Installation Directly On Pipe to Be Monitored
- F2. SIGNET 515 ROTOR-X PADDLEWHEEL FLOW SENSORS

| Cat. No. | Pipe Size | Price |
|-------------------------|----------------------------------|----------|
| P51530-P0 | 1⁄2" to 4" | \$568.84 |
| P51530-P1 | 5" to 8" | \$590.01 |
| P51530-P2 | 10" and up | \$637.18 |
| See Installation Fittir | ngs For Mounting 515 Sensors and | |

3-8150 Integral Mount Units To Pipe

G. SIGNET 2551 MAGMETER

The Signet 2551 Magmeter is an insertion style magnetic flow sensor without any moving parts. All versions are constructed of corrosion-resistant materials to provide long-term reliability with minimal

maintenance costs. Utilizing the comprehensive line of Signet installation fittings, sensor alignment and insertion depth is automatic. These versatile, simple-to-install sensor's deliver repeatable flow measurement over a wide dynamic range in pipe sizes ranging from 0.5 to 12 inches. The 4 to 20mA output can be used for a direct input to PLCs. chart recorders. etc. Price includes Magneter sensor with local display.

Frequency or Digital (S³

| (S ³ L) output | | | |
|---|--------------|------------|------------------------|
| No Display | Cat. No. | Pipe Size | Price |
| with polypropylene and | 3-2551-P0-11 | ½" to 4" | \$1,504.39 |
| 316L SS Sensor Body. | 3-2551-P1-11 | 5" to 8" | \$1,548.66 |
| Programmable open collector for use with | 3-2551-P2-11 | 10" to 36" | \$2,151.19 |
| the 9900 instruments | | | |
| 4 to 20mA output | Cat. No. | Pipe Size | Price |
| No Display- | 3-2551-P0-12 | 1⁄2" to 4" | \$1,504.39 |
| for use with PLC, | 3-2551-P1-12 | 5" to 8" | \$1, 548.66 |
| PC or similar equipment | 3-2551-P2-12 | 10" to 36" | ^{\$} 2,313.85 |
| 4 to 20mA output | Cat. No. | Pipe Size | Price |
| With Display- | 3-2551-P0-42 | 1⁄2" to 4" | \$2,367.75 |
| for use with PLC, | 3-2551-P1-42 | 5" to 8" | ^{\$} 2,412.99 |
| PC or similar equipment | 3-2551-P2-42 | 10" to 36" | \$3,015.51 |
| | 0 233112 12 | 10 10 00 | |

FLOW METERS

H. 9900 SmartPro® Transmitter Features:

• Large auto-sensing backlit display with at a glance visibility

+GF+

- "Dial-type" digital bar graph '• Optional field upgradable relays
- Custom 13-character label capabilities for the channel type
- Intuitive and "user-friendly" interface consistent with legacy Signet ProPoint® and ProcessPro® devices




| Cat. No. | Description | Price |
|-----------|------------------|-------------------|
| 3-9900-1P | 9900 Panel Mount | \$828.71 |
| 3-9900-1 | 9900 Field Mount | \$ 828.7 1 |

1 9950 Dual Channel® Transmitter Features:

• One instrument for multiple sensor types

INSTALLATION FITTINGS

- Two different sensor types can be combined in one instrument
- Configurable display Derived measurements
- Optional modules can be added for additional capabilities
- USB Port for Field Upgrades using standard USB Flash Drive



| cai. No. | rower | FILLE |
|----------|-------|------------------------|
| 8-9950-1 | DC | ^{\$} 1,417.76 |
| 8-9950-2 | AC/DC | \$1 ,438.948 |
| | | |

. . .

. .

D.....

Not shown)

| INSTALLATION TITTINGS | Iron Strap-on Saddle (Not shown) | | |
|---|---|--|--|
| PVC-U Clamp-on Saddles SCH 80 Cat. No. Size-In. Price | Cat. No. Size-In. Price IR8S100 10 \$879.73 IR8S120 12 \$879.73 | | |
| PV8S020 2 \$239.66 PV8S025 2.5 \$239.66 PV8S030 3 \$278.16 PV8S040 4 \$329.18 PV8S060 6 \$399.44 PV8S080 8 \$490.88 | PVC-U Clamp-on Saddle | | |
| ACCESSORIES #2-8050 Universed Mount Kit | | | |

| #3-8050 Universal Mount Kit | |
|---|-------------------|
| for 9900 Transmitter | . \$ 95.29 |
| #7310-1024 24 VDC Power Supply, | |
| 0.42 A, 10W | \$1 59.78 |
| | |
| #7310-1024-4X 24 Power Supply in NEMA 4X Enclosure | \$508.88 🧲 |



- straight pipe before or after
- Includes check valve function

- Models for 1.5", 2", and 2.5" pipe

LEVEL CONTROLLERS SAFETY SWITCHES GAUGES & ACCESSORIES

WATERMASTER II LEVEL CONTROL SYSTEM



The WarerMasterII is an all-electronic level control system for commercial swimming pool applications. This system solves the level control needs of customers or designers who want to eliminate the need for pneumatic controls in their buildings systems.

The system controls surge tank water level to \pm 0.05 feet of set point. The PLC controller also controls pool skimming action by measuring changes in gutter flow into the surge tank and turning on the fresh water make-up solenoid as needed

The control package includes a PLC based level controller, either an ultrasonic level sensor or an electronic pressure reducer, a 120 volt hydraulic main drain modulating valve and a 120 volt slow closing fresh water make-up solenoid valve **Price on Request**



B. LEVELOR ELECTRONIC WATER LEVELER

The alternative choice of contractors over mechanical floats. Trouble-free, easy to install and no moving parts. Levelor is a computer-controlled device that automatically detects and replaces a low water condition to a pre-set level. Works well on new and existing pools and spas and also where a consistent liquid level is desired like aquariums. ponds. reservoirs. storage tanks. water cooling towers, etc.

#K1100CKA Levelor Controller (110V). . . \$897.48

C. WARRICK AUTOMATIC WATER LEVEL CONTROL To prevent vacuum filter overflow or to automate your city water make up to the swimming pool. This solid state control is more reliable as well as less expensive, compared to electromechanical units. Electrode fittings are available with either 2" pipe thread or 2" standard pipe flange. Electrodes are type 303 stainless steel.

| #16ML1A1 Warrik solid state |
|---|
| level controller |
| #16ML1A0 Controller relay |
| replacementless housing \$493.27 |
| #3E2B Electrode fitting threaded |
| for two electrodes |
| #3E3B Electrode fitting threaded |
| for three electrodes |
| #3F2E Electrode fitting flanged |
| for two electrodes |
| |
| #3F3E Electrode fitting flanged |
| for three electrodes |
| #3R1CO Electrode rod 1 ft. length \$42.47/ft. |
| NOTE: The third character in item no. indicates rod length. |
| Please designate length when ordering and contact us for |
| pricing. |
| |

W

WARRICK



D. CARLO GAVAZZI LEVEL SENSOR **AMPLIFIER, CONDUCTIVE TYPE**

Level control relay for conductive liquids for swimming pool applications. The relay operates approximately 10 seconds after the sensor is no longer immersed in the water. A complete system consists of all components listed below D1. #S194-156-115 Amplifier \$357.32 D4. **#VM755CT** Enclosure for Gavazzi Controller \$140.76

SWITCHES & VALVES



E. MCDONNELL MILLER FLOW SWITCH

The **FS250 Series** flow switch with a 5 year warranty offers an economical and positive way to start or stop almost anything electrically operated. Actuate a signal light, sound an alarm, start or stop a motor, use wherever it is important to know when flow or no-flow occurs.

POOL SENTRY



AUTOMATIC POOL WATER LEVEL MONITOR

Pool Sentry takes the worry out of maintaining a constant water level. As any responsible pool owner knows pools lose water for a variety of reasons. Evaporation from the sun and wind, loss from playful splashing, the water gets carried out with emerging swimmers, and even minor leaks in the pool itself. The Pool Sentry works to keep water levels stable around the clock.

Works with above ground or in-ground pools!

w.halogensupply.com



| G. EQUIPMENT GAUGES | 6 2 2 40 |
|-----------------------------------|-----------|
| Pressure • Vacuum • Compound 1/4" | PSI |
| NPT, bottom mount. | |
| 2" Diameter, polypropylene case | S |
| #1354 Vacuum 0–30 Hg | . \$11.40 |
| #1354-30 Pressure 0-30 p.s.i | A1 A AA |
| #1354-60 Pressure 0-60 p.s.i | \$10.20 |
| #1354-60B Pressure 0-60 p.s.i. | |
| 1/4" Backmount Connection | 510.20 |
| 2" Diameter, steel case | |
| #1355-30 Pressure 0-30 p.s.i | \$10.55 |
| #1355-60 Pressure 0-60 p.s.i | \$10.55 |
| #1355-60B Pressure 0–60 p.s.i. | |
| 1/4" Backmount Connection | \$10.55 |
| | |



| H. 31/2" diameter – steel case | |
|--|------------------|
| #1356-30 Pressure 0–30 p.s.i. | \$29.82 |
| #1356-60 Pressure 0–60 p.s.i. | \$29.82 |
| #1356-100 Pressure 0–100 p.s.i. | \$29.82 |
| #1357 Vacuum 0–30 Hg | \$ 29.82 |
| #1357 Vaccount 0-30 Hg | \$ 29.82 |
| #1358 Compound 30 Hg_0_60 p.s.i | . ° 17.01 |

I. Liquid filled gauges 4" diameter

| – stanness steer case | |
|--|---------------------|
| #1364 Vacuum 0–30 Hg | ^{\$} 86.94 |
| #1365 Compound 30 Hg_0_60 p.s.i | \$ 86.94 |
| #1366-30 Pressure 0–30 p.s.i. | \$ 84.53 |
| #1366-60 Pressure 0–60 p.s.i | \$ 84.53 |
| #1366-100 Pressure 0–100 p.s.i | ^{\$} 84.53 |
| Liquid filled gauges 2 Ell diameter | |

| Liquia nnea gauges 2.5" alameter | |
|--|---------------------|
| – stainless steel | |
| case 1/4" NPT | |
| #9767053 60 p.s.i | ^{\$} 27.06 |
| #9767002 30" vacuum | |
| #9767029 Compound 30" 0–60 p.s.i. | \$31.98 |



| J. Pressure snubber to protect gauges from pulsation (%" NPT x %" FPT brass construction. #1367 | |
|--|-----------------|
| K. Tee handle gauge cock. ¼" NPT x ¼" FPT brass construction. #1362 | \$ 19.07 |





BASKET STRAINERS

FLUIDTROL SW SERIES STAINLESS STEEL STRAINERS

Welded from schedule 10 type 304 stainless steel with perforated stainless steel baskets, stainless steel tee handles to secure the clear acrylic lid and loose flange rings to help ease installation.



7.122.8

A12601 125 8055

| Complete Strainer w/Basket | | | Replac | ement | Baskets |
|----------------------------|--------------|------------|-------------|--------------|---------------------|
| Cat. No. | Pipe Size | Price | Cat. No. | Pipe Size | Price |
| 1440 | 3" | \$2,996.05 | 1448 | 3" | \$595.75 |
| 1441 | 4" | \$3,222.07 | 1449 | 4" | ^{\$618.45} |
| 1442 | 6" | \$4,615.28 | 1450 | 6" | \$ 788.43 |
| 1443 | 8" | \$5,829.48 | 1451 | 8" | \$ 912.98 |
| 1444 | 10" | \$6,963.60 | 1452 | 10" | \$1,133.88 |
| 1445 | 12" | \$8,421.67 | 1453 | 12" | \$1,374.85 |

TITAN CAST IRON IN-LINE BASKET STRAINERS

Heavy duty hair and lint strainers for use on commercial pool filtration systems. Heavy cast iron, quick opening cover, and stainless steel basket with ½" perforations designed for minimum pressure drop. 125 lb. flanged conpections only **Prires are FO**

| ļ | nections only. Prices are F.O.B. Chicago, IL. | | | | | | |
|---|---|--------------|--------------------|------------------|-------------|--------------|------------------|
| ĺ | | | Strain | ers | Replace | ment B | askets |
| | Cat. No. | Line Size | Shipping Weight | Price | Cat. No. | Line Size | Price |
| ĺ | 1301 | 2" | 27 lbs. | \$391.76 | 1314 | 2" | \$130.20 |
| | 1302 | 2 ½" | 51 lbs. | \$403.26 | 1315 | 2 ½" | \$ 206.85 |
| | 1303 | 3" | 58 lbs. | \$447.46 | 1316 | 3" | \$ 264.60 |
| | 1304 | 4" | 88 lbs. | \$ 624.88 | 1317 | 4" | \$336.00 |
| | 1305 | 5" | 174 lbs. | \$840.43 | 1318 | 5" | \$44 7.80 |
| | 1306 | 6" | 195 lbs. | \$1,162.56 | 1319 | 6" | \$556.50 |
| | 1307 | 8" | 215 lbs. | \$1,777.14 | 1320 | 8" | \$926.10 |
| | 1308 | 10" | 425 lbs. | \$3,265.46 | 1321 | 10"\$ | 1,330.35 |
| | 1309 | 12" | 650 lbs. | \$5,504.00 | 1322 | 12"\$ | 1,743.00 |

BASKET STRAINERS

FRP "T" STYLE BASKET **STRAINERS by Mermade** Engineered For **Commercial Systems** Strainer Housings are fiberalass reinforced plastic construction. FRP and stainless steel components assure that wetted parts will not rust. Features include: guick opening latches. see thru lid. and a stainless steel basket. Flanged connections are drilled to ANSI 150 lb. standard. Strainers are pressure tested to 50 PSI.

| | FF | RP Strain | S.S. Rep | laceme | ent Baskets | |
|-------------|--------------|--------------------|------------|------------|--------------|------------|
| Cat. No. | Line Size | Shipping Weight | Price | Cat No. | Line Size | Price |
| 1340 | 3" | 32 | \$2,393.75 | 1346 | 3" | \$537.25 |
| 1341 | 4" | 34 | \$2,395.75 | 1347 | 4" | \$537.25 |
| 1342 | 6" | 44 | \$3,085.25 | 1348 | 6" | \$644.00 |
| 1343 | 8" | 70 | \$3,921.75 | 1349 | 8" | \$873.25 |
| 1344 | 10" | 98 | \$5,026.00 | 1350 | 10" | \$1,190.00 |
| 1345 | 12" | 115 | \$6,322.75 | 1351 | 12" | \$1,450.75 |

Also Available As A Reducing Strainer

The outlet size can be sized smaller than the inlet to allow direct reduction to pump suction connection. Call Toll Free For Pricing

SERVICE CLAMPS

SERVICE CLAMPS Provide quick and easy installation of flow meters, sensors and chlorinator injection fittings. Please specify tap size required: 1/2", 3/4", 1", 114", 112" or 2".

| Cat. No. | Size | Material | Price |
|-------------|-------------|----------|----------|
| 671 | 2" | PVC | \$94.55 |
| 673 | 2 ½" | PVC | \$113.61 |
| 675 | 3" | PVC | \$67.57 |
| 677 | 4" | PVC | \$85.12 |
| 681 | 6" | PVC | \$141.87 |
| 683 | 8" | PVC | \$300.28 |
| 685 | 10" | PVC | \$588.72 |
| All P\ | VC cla | mps com | e with |

THERMOMETERS & SIGHT GLASSES

A. INDUSTRIAL THERMOMETER 9" adjustable angle industrial thermometer. 0°-160° range with 4" bottom stem for installation in 3/4" NPT separable brass well. #SX93575 Thermometer only.....\$129.05 #W35B Brass well only\$32.76 Other scale ranges available upon request.

B. POOL HEATER THERMOMETER #1416 Pool heater thermometer, ½" N.P.T. Bottom connection. Range 40°F to 280°F\$32.03 #1416-1 Same as 1416, but with lower back connection. (Not shown).....\$38.75

C. LETRO THERMOMETER Reads 30°F to 130°F and 0°C to 55°C. Easy read 3" dial. ½" N.P.T. Nylon well. #SL-1DW Thermometer with well \$82.95 #SWN Well only \$27.12

D. SIGHT GLASSES

Constructed of non-breakable clear plastic with brass bodies and deflecting vane to force water through sight chamber. #A41198-0 1½" M.I.P. \$257.65

E. IN-LINE SIGHT GLASSES

 With ABS plastic bodies.

 #SP1072S
 1½" SKT

 #SP1074S
 2" SKT

 \$108.32

BASKET STRAINERS PUMP CONNECTORS THERMOMETERS SIGHT GLASSES & SERVICE CLAMPS

PUMP CONNECTORS



RUBBER EXPANSION JOINTS/REDUCERS

Constructed of neoprene and a high strength synthetic fabric to reinforce the body. These connectors reduce the force exerted on pipe lines and equipment, as well as control pulsation shocks and noise transmission. These joints can be used to connect pipes of the same size, as a concentric reducer for pipes of varying size that share a common centerline or eccentric reducers for pipes of unequal sizes with offset axes.

| | | Con | centric Re | ducers | | |
|---|--|--|----------------------|--------------------|--------------------|--------------------------------------|
| Cat. No. Size | Shipping Weight | | Cat. No. | | Shipping Weight | Price |
| 1426 4" 1427 6" 1428 8" 1429 10" | 18 lbs. 28 lbs. 40 lbs. 68 lbs. | \$186.35 \$243.54 \$372.69 \$537.82 \$815.18 \$1,037.52 | 1432 1433 1435 | 6" x 3" 6" x 4" | 19 lbs. 20 lbs. | P.O.A. P.O.A. P.O.A. P.O.A. |

Prices for eccentric reducers and sizes not listed available upon request. Prices are F.O.B. Chicago, IL



53

CHEMICAL FEEDERS

*****PULSAR SYSTEMS

With the Pulsar® System chlorinator remarkable water clarity color and sparkle are as easy to achieve as they are to enjoy. The Pulsar System reduces the hazards of chlorine gas and liquid bleach, protects plaster and equipment and reduces chloramine odors dramatically. The Pulsar feeder chlorinates, removes organics and metals, boosts hardness and shock treats, all in one simple process. Pool water that's balanced using the Pulsar System is clean and clear with less hassle, leading to longer pool and equipment life.



High-Tech Commercial Pool Disinfection with Powerful Performance

A. PULSAR PRECISION

The Pulsar® Precision feeder is a high capacity erosion (HCE) feeder that is compact and lightweight with a modular design. This innovative feeder system is easy to maintain and service with a flexible design that allows for easy integration for small to large commercial pools.



- Won't overstabilize pool
- More concentrated than liquid bleach
- Dry, easy to handle formulation
- Will not cause reduction of ORP
- Highly concentrated to reduce shipping & handling costs
- Longer shelf life compared to liquid bleach

#73250 Pulsar Precision Feeder Complete **P.O.A. #73280** Pulsar Precision Feeder Only **P.O.A.**

| Feeder Specifications | | |
|-----------------------|---|---|
| Width | 25.3″ | 642.62mm |
| Depth | 29.8" | 756.92mm |
| Height | 40.9" | 1038.89mm |
| Water Inlet Size | 1/2" MNPT | 12mm MNPT |
| Solution Outlet Size | 1/2" MNPT | 12mm MNPT |
| Operating Weight | 220lbs | 99.7kg |
| Shipping Weight | 60lbs | 27.7kg |
| Dry Chemical Capacity | 70lbs | 31.75kg |
| Feed Rate Range | 5-192lbs/day AvCl 0.2-8lbs/hour AvCl | 2.3-87.3kg/day AvCl 0.09-3.6kg/hour AvCl |
| Electrical | 115VAC | |
| Operating Temperature | 40°- 120° F | 4.4°-48.9° C |
| | | |



with Powerful Performance

B. PULSAR PRECISION 30

The Pulsar® Precision 30 feeder is a high capacity erosion (HCE) feeder that is compact and lightweight with a modular design. The feeder uses Pulsar® Plus Briquettes that produces a fresh concentrated liquid chlorine solution for clean & sanitized water. This innovative feeder system is easy to maintain and service with a flexible design that allows for easy integration for small to medium size commercial pools.

- Won't overstabilize pool
- More concentrated than liquid bleach
- Dry, easy to handle formulation
- · Will not cause reduction of ORP
- Highly concentrated to reduce shipping and handling costs
- Longer shelf life compared to liquid bleach

#73371 Pulsar Precision 30 Feeder Complete P.O.A. **#73379** Pulsar Precision 30 Feeder Only P.O.A.

| Feeder Specifications | | |
|-----------------------|------------|-------------|
| Width | 15.5" | 393.7 mm |
| Depth | 19.5" | 495.3 mm |
| Height | 34.0" | 863.6 mm |
| Water Inlet Size | 1/2" MNP T | 12 mm MNP T |
| Solution Outlet Size | 1/2" MNP T | 12 mm MNP T |
| Operating Weight | 52 lbs | 23.6 kg |
| Shipping W eight | 20 lb s | 9.1 kg |
| Dry Chemical Capacity | 30 lbs | 13.6 kg |
| Electrica I | | None |
| Operating Temperature | 40°-120° F | 4.4°-49° C |

SEE PAGE 70 FOR PULSAR BRIQUETTES AND PAGE 58 FOR PULSAR FEEDER PARTS *NOTE: ILLINOIS, NORTHERN INDIANA AND WESTERN MICHIGAN CUSTOMERS ONLY.

STERNER

STENNER CHEMICAL FEEDERS

D. Stenner Peristaltic Chemical Feeders are made of tough high strength polycarbonate plastic that is resistant to the most corrosive chemicals. Patented mechanical control allows precise controlled output and is self-priming. Comes complete with spare tube assembly, injection fitting and 20 feet of ³/₄" tubing (1/4" tubing and fittings available upon request). Stenner maintains ETL (conforms to NSF STD-50), UL and CSA listing. Other models available upon request.

| SINGLE HEAD-ADJUSTABLE FEED RATE | |
|----------------------------------|------------------|
| Model 45MJL5A3S50 gpd @ 25 psi | |
| Model 85MJL5A3S 85 gpd @ 25 psi | \$ 735.95 |

SINGLE HEAD-FIXED RATE

 Model
 45MFL5A3S
 50 gpd
 @ 25 psi
 .
 \$540.41

 Model
 85MFL5A3S
 85 gpd
 @ 25
 .
 .
 \$540.41

HIGH PRESSURE PERISTALTIC PUMPS

Reliable operation against pressures up to 100 psi. SINGLE HEAD-ADJUSTABLE FEED RATE Model 45MJH7A3S 22 gpd @ 100 psi . \$762.74 Model 85MJH7A3S 40 gpd @ 100 psi . \$762.74

SINGLE HEAD-FIXED RATE

Model 45MFH7A3S 22 gpd @ 100 psi . \$567.48 Model 85MFH7A3S 40 gpd @ 100 psi . \$567.48



E. DOUBLE HEAD-ADJUSTABLE FEED RATE Model 100JL5A3S 100 gpd @ 25 psi dual head \$1,043.97 Model 170JL5A3S 170 gpd @ 25 psi dual head \$1,043.97

STENNER TANK SYSTEMS



F. PUMP AND TANK SYSTEM IN ONE!

- Increase savings and convenience pre-assembled for easy start-up.
- Rugged polyethylene construction for indoor or outdoor applications.
- Compact and light-weight design to minimize space requirements.
- Attractive styling for convenient access and placement.
- Includes rainroof.
- Available as tank only.
- Dimensions:
- **15 gallon**: 25 ¼" H x 20 ½" OD **30 gallon**: 37 ½" H x 20 ½" OD

Model S1N45MJL1A3S

| 3 gpd @ 25 psi w/15 gallon tank \$1,030.09 |
|---|
| Model S1N85MJL1A3S |
| 5 gpd @ 25 psi w/15 gallon tank \$1,030.09 |
| |
| Model S1N45MJL2A3S |
| 10 gpd @ 25 psi w/15 gallon tank \$1,078.33 |
| |
| Model S3N85MJL2A3S |
| 17 gpd @ 25 psi w/30 gallon tank \$1,078.43 |
| |
| Model S3N45MJL3A3S |
| 22 gpd @ 25 psi w/30 gallon tank \$1,078.43 |
| |
| Other models available upon request. |
| TANKS ONLY |
| |
| Model STS15NC 15 gallon \$300.83 |
| Model STS30NC 30 gallon \$460.99 |
| |



BLUE/WHITE FLEXFLO PERISTALTIC METERING PUMPS FEATURES:

• Peristaltic pump design does

not have valves that can clog requiring maintenance. • Self priming even against maximum line pressure. By pass valves not required. Cannot vapor lock or lose prime. • Outputs pressures to 100 psi. • Base or rear panel mount. **MODEL A-100NA FIXED SPEED - DIAL KNOB CONTROL** • Easy to use dial knob output control. • 20:1 turndown ratio. • Adjustable 60 second repeating interval timer. 3-60 second adjustable on time per 60 second cycle. • Built-in Tube Failure Detection system (TFD). Senses chemical in the pump head, shuts off the pump and activates an NPN open collector output. • Compatible with Blue/White's output flow verification sensor system.

| Model No. | Output GPD | PSI | RPM's | Pump Tube | Price |
|--------------|---------------|-----|-------|--------------|----------|
| A1N00A-4T-1 | 2.3 | 100 | 14 | 1/4" | \$739.00 |
| A1N10A-6T-1 | 16 | 100 | 30 | 3/8" | \$739.00 |
| A1N30A-6T-1 | 30 | 75 | 60 | 3/8" | \$739.00 |
| A1N10A-7T-1 | 52.5 | 50 | 30 | 7/16" | \$739.00 |
| A1N30A-7T-1 | 95.1 | 50 | 60 | 7/16" | \$739.00 |

NEW BLUE/WHITE PRO SERIES FLEXFLO A1A PERISTALTIC METERING PUMP



Specially designed for pools, Spas and Water Parks. Feed rates from .01 to 100 GPD Pressures to 40 PSI Tube Failure Detection (TFD) system Variable speed brushless DC motor 3-year warranty

- Peristaltic pump design does not have valves that can clog requiring maintenance.
- Self priming even against maximum line pressure. Bypass valves are not required. Cannot vapor lock or lose prime.
- Outputs rates from .01 to 100 GPD (.01 to 15.8 LPH) and pressures up to 40 PSI (2.76 Bar).
- Energy efficient variable speed DC motor. to save money over VS. the competition
- Patented Tube Failure Detection (TFD) system. Senses tube failure by detecting chemical in the pump head, shuts off the pump and activates a 48VDC @80mArelay, No false triggering.
- Remote Start/Stop: Non-powered dry contact for remote start/stop.
- Three Nylon molded squeeze rollers for optimum squeeze, unparalleled accuracy, and long tube life.
- Heavy duty rotor single piece plastic rotor means no flexing and increased accuracy with no metal springs or hinges to corrode.
- Chemically resistant tubing capable of pumping bleach (sodium hypochlorite), calcium hypochlorite 20%, and muriatic acid (hydrochloric acid).

| Model. | Voltage* | Price |
|---------|----------|------------------|
| A1A4-7T | 115 VAC | \$ 819.00 |

CHLORINE & BROMINE EROSION FEEDERS

HAYWARD SMALL RESIDENTIAL CHLORINATOR

Easy-Lok Assembly has thread assist mechanism to provide dependable sealing. Chlorine Chamber has extra large capacity CL-100 series holds 4.2 Lbs of Tri-Chlor tabs, CL-200 series holds 9 lbs. Dual Regulating Valve is easy to use and lets you control and adjust rate of feed.

#ćL100 In-Line 4.2 lb.capacity. \$116.24 #CL200 In-Line 9 lb. capacity. \$149.27 #CL110 Off-Line 4.2 lb. capacity \$131.12 #CL220 Off-Line 9 lb. capacity. \$191.88

RAINBOW IN-LINE FEEDER

RAINBOW HIGH CAPACITY CHLORINE/BROMINE FEEDERS

These professional high capacity feeders are designed to sanitize large residential or commercial swimming pools using either Chlorine or Bromine tablets or sticks. For off-line 1" hard plumbing installations.



#R171215-Model HC3315

15 lb. capacity. Can treat up to 97,600 gals. with Chlorine (Tri-Chlor) and 20,200 gals with Bromine . \$384.87 #R171230-Model HC3330-30 lb. capacity. Can treat up to 160,000 gals. with Chlorine (Tri-Chlor) and 40,900 gals with Bromine \$421.51 #R171240-Model HC3340-40 lb. capacity can treat up to 332,000 gals. with Chlorine (Tri-Chlor) and 61,600 with Bromine \$441.59 See page 58 for Erosion Feeder parts

PENTAIR RAINBOW FEEDER

Model 300 works on pressure side of pump where chlorine is discharged in return line down-stream from equipment. For use with Bromine or Trichlor slow dissolving tablets. Comes complete with easy to adjust control valve and check valve. Holds approximately 11–3" tablets or 98 small tablets. NSF listed.

#R171070 Treats 80,000 to

322,000 gallons \$254.27

| #KI/IUI6 Irea | ats | 51 | 2, | 00 |)0 | to |) | | |
|----------------|-----|----|----|----|----|----|---|---|----------------------|
| 48,000 gallons | • | • | • | | • | • | • | • | ^{\$} 154.71 |

Holds approximately 237–1" tablets or 29-3" tablets. NSF listed. (Not shown).



STORAGE TANKS

POLYETHYLENE TANKS Used for storage of liquid or granular chlorine, soda ash or sodium bisulfate solutions.

#8613 30 gal. - tank only \$400.89 #8614 55 gal. - tank only \$466.14 #8625 Cover only for 55 or 30 gal. tank . . . \$148.66 #113 100 gallon polyethylene tank with cover . . . \$1,000.16 F.O.B Factory Note: Other tank sizes available upon request.

CHEMICAL FEEDERS

ELECTRONIC METERING PUMPS



ELECTRONIC PUMPS By Pulsatron

The Pulsatron chemical feed pump comes complete with Teflon faced reinforced diaphragms, dual control versatility, safety circuit protection and water resistant cover. Comes complete with all necessary valves and tubing including Pulsatron's exclusive 5-function anti-syphon valve.

 #LPA3SAPTC1-500
 12 gpd/100 psi
 \$1,053.15

 #LPB4SAPTC1-500
 24 gpd/100 psi
 \$1,156.05

 #LPE4SAPTC3-500
 44 gpd/100 psi.
 \$1,381.80


 #LPH6SAPTC3-500
 120 gpd/100 psi.
 \$1,849.05

See page 59 for Pulsatron parts



AUTOMATIC CHEMICAL CONTROLLERS AND REPLACEMENT PROBES & OZONE GENERATORS

AQUASOL CONTROLLERS



A. THE AQUASOL LINE OF WATER CONTROLLERS automatically maintains both the chlorine/bromine residual (using ORP technology) and pH in your pool or spa, continuously providing sanitary, clear water while eliminating tedious, manual water testing and treatment. Aquasol eliminates the problems associated with water chemistry control. By paying for themselves through chemical savings and reduced labor costs, the Aquasol controllers are an essential item to the operating budget of any commercial pool/spa operator.

Advantages and Features:

56

- Saves on chemicals up to 40% Saves on labor of testing and correcting
- Eliminates odor and eye burn complaints Functional lifetime warranty on the circuit board Indicator lights show feed and alert status Overfeed safety timer

• Most importantly, Aquasols are serviceable by your staff saving you hundreds, even thousands of dollars in service fees charged by other controller companies. Available in three models.

B. #WTC Model WTC – Features digital meters for both ORP and pH display \$2,512.13 #MO11-HP Safety Pressure Switch–Is recommended to interlock controller with system flow (not shown) \$299.25

Controller Probes and Parts See Page 60



HALOGEN CONTROLLERS



Training Built In

for all procedures

Trend Reports

for all control loops

Training videos with audio

Alarm Logging and

Real-time trending reports

Trending histories stored

· Imbedded manuals and data

sheets specific to system design

· Easy-to read graphical displays of

· Alarm emails immediately sent to staff

Maximize Resource Savings -

Minimize Operating Costs

Complete integration of all

system controls maximizes

resources and ease of use

System component syneray

contributes to the longevity,

performance and efficiency

Price on Request

FLEBRATING

OF OZONE

TECHNOLOG

of a pool system.

real-time trends and histories

Audible alarms to alert staff

All-Encompassing Control of Regenerative Systems:

It's More Than a Filter, **It's a Science. HALO**Gen.RTS (*Regenerative Total System*) **HALO**Gen.CS (*Custom System*)

Ease of Use

- Large 15 1/2" color touch screen
- with sound, graphics and video
- Intuitive user interface and experience
 Graphically displayed system status
- Graphically displayed sy shown on one screen
- Flexibility with auto or manual modes
- User-friendly set-point entry
- Accessible from tablets,
- mobile devices and PCs

Total System Control

- Filter cycle control
- Flow control with VFD
 Chemical control
- Temperature control
- Temperature control
 Level control with automatic fresh water makeup
- Cleaning modes
- All safety interlocks
- Customized solutions
- tailored to your facility
- HALO Gen.RTS
- (Regenerative Filter System) and HALO Gen.CS (Custom System)

CLEARWATER TECH OZONE GENERATORS

Ozone is a powerful oxidizer. It has been used in waste water treatment, aquariums and large volume water stores, as well as swimming pool and spa applications. Since 1986 ClearWater Tech (CWT) has designed, engineered, and manufactured ozone generation equipment for many applications such as bottled water, potable water, commercial laundry, and pool and spa systems. CWT's ozone systems provide not only oxidation, but also sanitation, reducing chloramine production and provide **The Ultimate Swimming Experience!** Allow Halogen to help with your ozone water treatment needs.





Call For A Quotation

FLOAT VALVES FLUIDTROL MODULATING FLOAT VALVES


Designed to mount up to standard companion flanges. Valves have polypropylene disc, stainless steel shaft and float rods and polyethylene floats. Provides full flow when open and 80% shut-off when closed. Comes in five sizes and three styles for vertical or



| | | | Horizor | ital w/ | |
|------|----------|------------|----------|---------------------|--|
| | Hori | izontal | Vertical | Floats | |
| Size | Cat. No. | Price | Cat. No. | Price | |
| 4" | 1252 | \$1,557.15 | 1257 | \$2,591.19 | |
| 6" | 1253 | \$1,707.30 | 1258 | \$2,775 . 99 | |
| 8" | 1254 | \$2,091.60 | 1259 | \$3,091.20 | |
| 10" | 1255 | \$2,533.65 | 1260 | \$3,243.24 | |
| 12" | 1256 | \$2,884.35 | 1261 | \$3,654.84 | |
| | | | | | |

F.O.B. Huntsville,AL

PVC VAN STONE PIPE FLANGES



| Cat. No. | Pipe Size | Price |
|----------|-----------|-----------------|
| PF2 | 2" | \$ 9.25 |
| PF2.5 | 2-1/2" | \$15.80 |
| PF3 | 3" | \$1 5.28 |
| PF4 | 4" | \$20.45 |
| PF6 | 6" | \$ 32.99 |
| PF8 | 8" | \$53.35 |
| PF10 | 10" | \$71.28 |
| PF12 | 12" | \$84.56 |

VALVE BOLT KITS

| Cat. No. | Size | Price | Cat. No. | Size | Price |
|-----------|----------------------|-----------------|----------|------|----------|
| BBK2WW | 2" | \$22.23 | BBK8WW | 8" | \$79.72 |
| BBK2½/3WW | 2½" & 3 " | \$22.16 | BBK10WW | 10" | \$174.35 |
| BBK4WW | 4" | \$41.40 | BBK12WW | 12" | \$205.18 |
| BBK6WW | 6" | \$ 61.25 | | | |

FLANGE GASKETS

| | | | | | |
|----------|-------------|-----------------|----------|------|-----------------|
| Cat. No. | Size | Price | Cat. No. | Size | Price |
| GSK2R | 2" | \$10.98 | GSK6R | 6" | \$17.12 |
| GSK2½R | 2 ½" | \$ 12.92 | GSK8R | 8" | \$23.94 |
| GSK3R | 3" | \$ 16.20 | GSK10R | 10" | \$31.61 |
| GSK4R | 4" | \$1 5.80 | GSK12R | 12" | \$ 51.80 |



CHECK VALVES



A. SPEARS PVC CHECK VALVES

Unique resilient seal provides an airtight shut off and prolonged life compared to metal seated valves. Large free area resulting in low pressure loss. Flanged and wafer styles for 2" to 12" line sizes.

| | Flange | d | | Wafe | r |
|------|----------|------------------|------|----------|-------------|
| Size | Cat. No. | Price | Size | Cat. No. | Price |
| 2" | 1280 | \$ 945.40 | 2" | 1272 | \$741.18 |
| 2%" | 1281 | \$1,230.51 | 2%" | 1273 | \$1,021.44 |
| 3" | 1290 | \$1,767.40 | 3" | 1274 | \$1,306.54 |
| 4" | 1291 | \$2,294.75 | 4" | 1275 | \$1,776.87 |
| 6" | 1292 | \$3,720.05 | 6" | 1276 | \$2,693.85 |
| 8" | 1293 | \$5,330.60 | 8" | 1277 | \$4,570.45 |
| 10" | 1299 | \$9,815.59 | 10" | 1278 | \$8,403.84 |
| 12" | 1300 | \$13,906.17 | 12" | 1279 | \$11,849.32 |



B. TITAN SILENT CHECK VALVES

Bronze to bronze seating with special stainless steel spring control to insure positive, noiseless opening and closing. These valves are applicable to all water systems, work in any position and are designed with larger-than-pipe-size flow area for low pressure loss and maximum efficiency.

| Cat. No. Size | Shipping Weight | Price |
|---------------|-----------------|------------|
| 1285 3" | 11 lbs. | \$298.95 |
| 1286 4" | 18 lbs. | \$471.69 |
| 1287 6" | 29 lbs. | \$1,025.75 |
| 1288 8" | 86 lbs. | \$2,190.00 |
| 1289 10" | 129 lbs. | \$3,787.99 |

Pricing for valve sizes not shown available upon request. Prices are F.O.B. Chicago, IL

BUTTERFLY VALVES



C. CAST IRON BUTTERFLY VALVES by Bray

Bray series 30-119 is a wafer style with polyester coated cast iron body, nylon II coated ductile iron disc, 416SS stem, EPDM seat and 10-position lever handle operator. Stainless steel disc available. Call for guotation.

| Cat. No. | Size | Price | Cat. No. | Size | Price |
|----------|-------------|------------------|----------|------|----------|
| 1390 | 2" | \$157.50 | 1395 | 6" | \$357.00 |
| 1391 | 2 ½" | \$174 .30 | 1396 | 8" | \$525.00 |
| 1392 | 3" | \$191.10 | 1397 | 10" | \$726.60 |
| 1393 | 4" | \$243.60 | | | |



D. PVC BUTTERFLY VALVES

Features PVC body and disc for better chemical and abrasion resistance, lever operator and EPDM seal for bubble tight shut-off.

Flange gaskets not required.

| 6 2" \$ 17 | 1000 | | |
|-------------------|------------------|----------|------------------|
| 0 2 - 17 | 5.54 1230 | 6" | \$337.90 |
| 7 3" \$ 17 | 7.23 1231 | 8" | \$ 492.89 |
| 8 4" \$ 20 | 1.97 | | |
| , , | " \$ 20 | \$201.97 | |

F.O.B. Chicago

E. MODULATING FLOAT CONTROL VALVE

SOLENOID VALVES E. GRANZOW SOLENOID VALVES

An economical solenoid valve alternative for air and water applications. 2-way, internally piloted, normally closed solenoid valve. Brass body, stainless steel armature, plunger spring and fixed core. Nema 4 electrical connection rating. Available in standard and slow close models. Slow closed models have manual flow control and bypass knob. All valves are 115 Vac normally closed, 230 and 24 volt

models available upon request.

| Size | Standard No. | Price | Slow Closing No. | Cat. Price |
|--------|-----------------|------------------|---------------------|---------------|
| 1/2" | W4B19-000 | \$241.05 | | |
| 3/4" | W5B19-000 | \$325.80 | W5B19-000-02 | \$412.08 |
| 1" | W6B19-000 | \$ 395.48 | W6B19-000-02 | \$445.48 |
| 1-1/4" | W7B19-000 | \$ 760.28 | W7B19-000-02 | \$810.23 |
| 1-1/2" | W8B19-000 | \$803.23 | W8B19-000-02 | \$853.38 |
| 2" | W9B19-000 | \$1,090.38 | | |

G. PVC SOLENOID VALVES

TFV series solenoid valves are made from glass reinforced nylon with natural rubber diaphragm. Quarter turn bleed lever allows manual operation without spills. Exact water flow adjustment with flow control units. In-line maintenance - no need to remove from line. Available with 24 or 110 volt solenoid

| | | Flow | | |
|--------|---------|---------|--------------|-------------------|
| Size | Voltage | Control | Cat. No. | Price |
| 1" | 24 | No | TFV100T | \$107.01 |
| 1" | 110 | No | TFV100T110V | \$115.21 |
| 1" | 24 | Yes | TFV100TF | \$117 .87 |
| 1" | 110 | Yes | TFV100TF110 | \$126.06 |
| 1-1/2" | 24 | Yes | TFV1 50TF | \$211.14 |
| 1-1/2" | 110 | No | TFV150TF110V | \$219.10 |
| 2" | 24 | Yes | TFV200TF | \$ 274.16 |
| 2" | 110 | No | TFV200TF10V | \$ 282.0 4 |

H. ELECTRIC SOLENOID VALVES Normally closed, Nema-1 Enclosure by ASCO

Locate on chlorine booster pump discharge line for true safety. When main recirculation pump shuts down no water will be allowed to the chlorine ejector. Operate with chemical controller to automate erosion chemical feeders. Also used on fresh water make-up lines in conjunction with water level control.

| Size | Standard No. | Price | Slow Closing No. | Cat. Price |
|--------|-----------------|--------------------|---------------------|---------------|
| 1/2" | 8210G002 | \$211.56 | 8221G003 | \$481.06 |
| 3/4" | 8210G095 | \$261.42 | 8221G005 | \$513.40 |
| 1" | 8210G004 | \$419.07 | 8221G007 | \$1,047.01 |
| 1-1/4" | 8210G008 | \$510.70 | 8221G009 | \$1,251.83 |
| 1-1/2" | 8210G022 | \$776.16 | 8221G011 | \$1,813.74 |
| 2" | 8210G100 | \$1 ,369.06 | 8221G013 | \$2,193.73 |

All valves are 1 phase, 115 volt. 230 and 24 volt units available upon request.

COMMERCIAL VALVES

MODULATING VALVES



Modulating butterfly valves can be used on vacuum filters, gutter lines and surge tank applications. ROTARY ACTUATED BUTTERFLY VALVES by Brav

Bray Series 30 valve operated by their series 90 spring to close pneumatic rotary actuator complete with VRC pneumatic positioner, adjustable pressure regulating valve and pressure gauge. Please specify if valve is to be normally open or closed.

| Cat. No. | Size | Price | Cat. No. | Size | Price |
|----------|------|--------|----------|------|--------|
| 1483 | 3" | P.O.A. | 1486 | 8" | P.O.A. |
| 1484 | 4" | P.O.A. | 1487 | 10" | P.O.A. |
| 1485 | 6" | P.O.A. | 1488 | 12" | P.O.A. |

NOTE: If an electo-pneumatic positioner is required in lieu of pneumatic positioner add "-6A" to model numbers above.

Pricing Available Upon Request.

J. DIAPHRAGM OPERATED BUTTERFLY VALVES by Dezurik

Model 632 with diaphragm actuator will utilize water or air pressure to actuate the diaphragm operator and will provide bubble tight shutoff. Comes complete with cast iron body, lugged end style stainless steel disc, and shaft. Please specify normally open or normally closed. **Pricing Available Upon Request.**



CHEMICAL FEEDER PARTS

PULSAR FEEDER PARTS

| A. | OLIN-79 | 217 | Discharge valve assembly complete | \$111.76 |
|-----|----------------|------|--|---------------------|
| B. | OLIN-79 | 804 | Discharge valve, arm & float only | \$45.99 |
| C. | OLIN-79 | 218 | Check valve for discharge valve | \$78.64 |
| (1 | OLIN-79 | 805 | Discharge valve arm | \$31.19 |
| (2 | OLIN-79 | 806 | Discharge valve body | \$ 28.60 |
| (3 | OLIN-79 | 810 | Discharge valve float | \$25.49 |
| | | | Discharge valve locknut | \$17.66 |
| E. | OLIN-71 | 538 | PVC nut, discharge valve arm | \$5.72 |
| F. | OLIN-71 | 576 | Discharge valve gasket | \$8.33 |
| G. | OLIN-71 | 496 | Emergency shut-off valve complete | \$ 268.72 |
| H. | OLIN-71 | 535 | Emergency shut-off valve w arm only | \$134.35 |
| I. | OLIN-71 | 536 | Emergency shut-off valve mounting pla | te\$14.29 |
| J. | OLIN-71 | 537 | Emergency shut-off mounting screws | |
| | | | for PI & PIII | \$ 20.00 |
| | OLIN-71 | 749 | Emergency shut-off mounting screws | |
| | | | for PIV | \$ 69.6 4 |
| K. | OLIN-71 | 539 | Emergency shut-off float plate | ^{\$} 10.40 |
| L. | OLIN-71 | 540 | Emergency shut-off overflow float | \$22.86 |
| M. | OLIN-71 | 811 | Venturi assembly for PIII & PIV | \$365.38 |
| | OLIN-71 | 974 | Venturi assemblý for Pl | \$112.50 |
| N. | OLIN-71 | 894 | 24 volt solenoid valve for PIII & PIV | \$417.87 |
| | | | Solenoid valve for models 45, 140 | |
| | | | and 500 (not shown) | \$441.79 |
| | | 923 | 24 volt transformer | \$ 79.5 2 |
| P. | OLIN-72 | 329 | 24 volt cable 15 feet | \$168.39 |
| Q. | OLIN-79 | 214 | 1 1/2 H.P. booster pump for PIII & PIV \$1 | ,646.19 |
| R. | OLIN-79 | 047 | PIII spray manifold | \$169.38 |
| S. | OLIN-71 | 617 | PIII spray nozzle | \$ 80.82 |
| T. | OLIN-71 | 605 | In-line strainer for PIV | \$132.80 |
| | OLIN-79 | 812 | In-line strainer for models 45, 140 | |
| | | | and 500 (not shown) | \$15.59 |
| | OLIN-71 | | Strainer housing for PIV | \$101.61 |
| | OLIN-71 | 593 | Strainer gasket for PIV | \$ 13.01 |
| U. | OLIN-71 | 928 | Flow indicator PIV | \$191.09 |
| | | | (Limited Quantities Available) | |
| V. | OLIN-72 | 864 | Enhancenent kit for PIII | |
| | | | units w/o washdown feature | \$407.43 |
| | | | 1/2" MXM ball valve | \$75.62 |
| X. | OLIN-71 | 627 | 1/2" MXF ball valve | \$75.62 |
| Y. | OLIN-71 | 609 | Briquette screen for PIII | \$ 217.78 |
| Z. | OLIN-71 | 881 | Briquette screen for PIV | \$530.93 |
| ٩A. | OLIN-77 | 332 | PI Deep Well Grid | \$6.50 |
| | OLIN-79 | 216 | PI Cap Ring (not shown) | \$ 3.13 |
| 3B. | OLIN-71 | 448 | PI Flat Spike Grid | \$ 7.8 1 |
| C. | OLIN-77 | 331 | PI dissolving cup | \$ 90.18 |
|)D. | OLIN-79 | 652 | Briquette Screen Model 140 (not shown) | ^{\$61.34} |
| | OLIN-79 | 651 | Briquette Screen Model 45 (not shown) | ^{\$} 50.15 |
| | OLIN-79 | 643 | Briquette Screen Model 500 (not shown) | \$ 130.46 |
| EE. | OLIN-73 | 062 | Washdown Kit w/Nozzel | |
| | | P45/ | 140/500 (not shown) | \$1 56.20 |
| FF. | OLIN-79 | 649 | Washdown Manifold | |
| | | Mode | 140 (not shown) | \$121.52 |
| GG. | OLIN-73 | 057 | Well Agitator Assembly (not shown) | \$ 19.76 |
| HH. | OLIN-71 | 888 | Spray Nozzle for Model PIV and | |
| | | Wash | down Nozzel for Model 500 (not shown) | \$ 94.86 |





RAINBOW FEEDERS

| A. R172008W 3" thread cap white \$2 | 1.69 |
|---|------|
| | 8.42 |
| | 9.66 |
| | 8.50 |
| E. R172034 Saddle clamp | 7.13 |
| | 2.39 |
| G. R172032 Tube fitting with compression nut \$ | 7.13 |
| R172274 Compression nut only | 3.26 |
| R172263 Saddle gasket only (not shown) \$ | 2.61 |
| J. R172052 Cap wrench | 6.43 |
| K. R172086 ½" control valve | 2.55 |
| L. R172061 Combination check valve w/elbow \$ | 6.93 |
| R172272 ½" NPT x tube90° elbow w/ nut \$ | 8.91 |



PENTAIR HIGH CAPACITY FEEDERS HC SERIES

| A. R172214 Lock ring | | | | \$ 21.29 |
|--------------------------------------|---|---|---|------------------|
| B. R172385D Lid assembly with o'ring | | | | \$ 37.60 |
| C. R172240 Lid o'ring only | | | | \$ 14.27 |
| D. R172224X Vent valve | | | | . \$ 6.93 |
| E. R172221 Vent valve o'ring | | | | |
| F. R175251 Screen | | | | |
| G. R172435 Check ball | | | | . \$ 1.80 |
| H. R270531 1" threaded union | | | | |
| I. R172439 Control valve | | | | \$100.67 |
| J. R175009 ½" drain valve | | | | \$21.42 |
| K. R172134 ½" threaded plug | | | | |
| | • | - | - | |



STENNER CHEMICAL FEEDERS

| A. PMBRPL2 Rotor Assembly with Bearings | \$107.62 |
|--|--------------------|
| B. MP6N040 Phenolic Gear (45m) | \$32.06 |
| MP6N080 Phenolic Gear (85m) | \$32.06 |
| | \$341.98 |
| DM 5040D Feed Rate Control w/Shaftt (models 100 & 170) | |
| D. UCFC5HO Variable Cam (2 pack) | \$32.22 |
| E. UCFC5AY Index Pin Assembly with Lifter. | \$96.62 |
| F. FC5KOOD Index Spider | \$48.31 |
| G. UCFC5ID Index Plate | \$36.23 |
| H. UCFC5AD Main Shaft (single head adjustable) | \$53.69 |
| DM5AOOD Main Shaft (double head adjustable) . | \$43.90 |
| | \$169.02 |
| QP10 "X"-1 Quick Pro Pump Head Assembly | |
| | \$ 182.82 |
| Hi-Pressure Model | \$50.96 |
| *Add Numbers 1, 2, 3, 4, 5 or 7 for "X" to indicate pump, tube | |
| K. QP500-1 QP Roller Assembly Quick Pro | \$54.99 |
| UC3ASYD Roller Assembly Old Style (not shown) . | \$54.99 |
| L. QP400-1 QP Tube Housing w/Latches | \$50.33 |
| M. QP100-1 Tube Housing Cover w/Bushing | \$37.60 |
| N. UCCPSOB Cover Screw (10 pack) | \$10.78 |
| 0. UCDBINJ Injection Check Valve for ¼" tubing | \$25.52 |
| UCINJ38 Injection Check Valve for %" tubing | \$31.57 |
| P. UCCVDBO Check Valve Duckbill (2 pack) | \$16.85 |
| Q. UCAK300 Injection Valve w/ ¼" nut (no check) . | \$14.76 |
| UCAK400 Injection Valve w/ %" nut (no check) . | \$17.64 |
| R. UCMAC38 Hose Weight w/adapter (limited quantity) . | \$21.53 |
| UCMACWO Weight w/clip ¼" | ^{\$21.04} |
| S. ST114 ¼" Suction strainer | \$31.25 |
| ST138 %" Suction strainer | \$ 31.25 |
| T. UCADPTR %" Lead Tube Adapter w/nut (2 pack) . | \$20.07 |
| U. UCAK100 ¼" Connecting nut (10 pack) | \$ 27.50 |
| MANUTOO %" Connecting nut | \$ 3.89 |
| V. UCAK200 ¼" Ferrules (10 pack) | \$12.38 |
| AK600 ¼" Flow indicatorw/bracket (not shown). | \$ 29.32 |
| AK700 ¾" Flow indicatorw/bracket (not shown). | \$ 29.32 |
| | |

BLUE/WHITE FEEDER PARTS



MODEL C-600P

| A. | C-395N-6A Injection Check Valve \$55. | 13 |
|----|--|----|
| | TI 40-4V 1/4" Threadless Injection Fitting \$57. | 38 |
| | For 1½" & 2" Pipe | |
| | TI 40-6V 3/8" Threadless Injection Fitting \$56. | 25 |
| | For 1½" & 2" Pipe | |
| B. | C-330-6 Tubing Nut \$3. | 38 |
| | C-560-6V Valve Housing \$32. | |
| | K-568A-4 Bullet Cartridge Valve Insert(4/set) \$108. | |
| | C-535 Pump Head | |
| F. | C-535FC Head Cover | 00 |
| | C-535A6-6 Head Assembly \$158. | |
| | C-406T Diaphram | |
| | C-340A Foot Valve | |
| M | IODEL A-100N | |
| J. | A-014N-6A Injection Check Valve \$55. | 13 |
| | A1-7T Pump Tube Assembly 7/16" O.D \$55. | |
| | A1-6T New Pump Tube Assembly 3/8" O.D \$55. | |
| | *For Pumps Manufactured Prior to 9-1-15 | |
| | *72000-550 Retro-Fit Kit to Adapt New Tube | |
| | to Old Pump Head \$40. | 50 |
| L. | 71000-159 Roller for 6T tube \$101. | 25 |
| | 71000-350 Roller for 7T tube \$101. | |
| | 71000-156 Housing Cover \$33. | |
| N. | 90004-010 Roller Bushing(new Style) \$4. | 50 |
| 0. | C-342-6 Tube Strainer | 63 |
| | COMMON ITEMS | |
| P. | C-346 Hose Weight (while supply lasts) \$9. | 00 |
| | | |


PULSATRON CHEMICAL FEEDERS

PUISZ

KOPkit

KOPkit

| | A. KOP Kit: includes: head, |
|---|---|
| | diaphragm, complete suction & discharge valve assembly. |
| | |
| | All O-rings and head bolts. e.g |
| | (For pump model |
| | LPB4SAPTC1 order K4PTC1, |
| | e.g.(For pump model |
| | LPH6SAPTC3 order K6PTC3 |
| | K2PTC1\$220.50 |
| | K4PTC1\$259.88 |
| 1 | K5PTC3\$300.83 |
| 9 | K3PTC1\$220.50 |
| | K4PTC3\$300.83 |
| | K6PTC3\$300.83 |



| B. | J40211 foot valve %" O.D. tubing | . \$ 84.92 |
|----|---|----------------------|
| | J40212 foot valve ½" O.D. tubing | . \$ 84.92 |
| C. | J61098 injection check valve ¾" 0.D tubing | ^{\$} 180.34 |
| | J41872 injection check valve ½" O.D tubing | \$163.35 |
| D. | L3101TC1-FPP suction valve %" 0.D tubing | . \$ 99.07 |
| | L3101TC3-FPP suction valve ½" O.D tubing | . \$ 99.07 |
| | L3201TC1-FPP discharge valve %" 0.D tubing | . \$ 99.07 |
| | L3201TC3-FPP discharge valve ½" O.D tubing | . \$ 99.07 |
| F. | LO200300-FPP pump head (A3 pumps) | ^{\$} 110.41 |
| | LO200400-FPP pump head (B4&E4 pumps) | \$ 131.36 |
| | LO200600-FPP pump head (H6 pumps) | \$ 171.83 |
| G. | LO301000-THY diaphram (A3 pumps) | . \$ 99.07 |
| | LO301100-THY diaphram (B4&E4 pumps) | . \$ 99.07 |
| H. | L0301300-THY diaphram (H6 pumps) | ^{\$} 146.95 |
| I. | L380DT01-PVD 5 function valve ¾" 0.D tubing | ^{\$} 195.62 |
| | L380DT03-PVD 5 function valve ½" 0.D tubing | \$ 195.62 |
| | | |

LMI CHEMICAL FEEDER PARTS



| *A. 30917 0.9 diaphragm | | | | | | \$209.25 |
|------------------------------------|-----|---|--|--|--|------------------|
| *B. 31420 1.8 diaphragm | | | | | | \$209.25 |
| *C. 10338 Valve ceramic ball | | | | | | \$ 16.88 |
| *D. 10407 Seal ring | | | | | | |
| E. 25202 ½" suction valve . | | | | | | |
| F. 25201 ½" discharge valve | | | | | | \$ 106.31 |
| * Items included in source narts | kit | ł | | | | |

#SP-U1 Spare Parts Kit for models 81S, 81T, 82T, 85S, 85T, 915, 925, 92T, 94, 94S, 95S, 95T, 196, 196S, . . \$344.25 **#SP-U2** Spare Parts Kit for models 65, 655, 715, 71T, 72S, 72T, 74, 74S, 75S, 75T \$344.25 (Spare Parts Kits not shown)

PRESTOLOK FITTINGS

Specially designed for applications where fast assembly, disassembly and reassembly is important. Just insert the tubing until it bottoms and it's locked in place. Press the release button and remove the tubing brass connection.

| H. W68PLP44 ¼" MPT x ¼" O.D. tubing | \$ 13.14 |
|-------------------------------------|------------------|
| W68PLP64 ¼" MPT x ¾" O.D. tubing | \$ 22.10 |
| W68PLP66 %" MPT x %" O.D. tubing | \$ 23.7 2 |
| W68PLP84 ¼" MPT x ½" O.D. tubing | \$ 24.30 |
| W68PLP86 %" MPT x ½" O.D. tubing | \$ 29.1 4 |
| W68PLP88 ½" MPT x ½" O.D. tubing | \$ 40.61 |

- \$25.94 I. 66PLP44 ¼" FPT x ¼" O.D. tubing 66PLP64 ¼" FPT x ¾" 0.D. tubing \$56.90 66PLPBH66 %" FPT x %" 0.D. tubing \$35.89 66PLPBH86 ¾" FPT x ½" 0.D. tubing \$76.79
- J. W169PLP44 ¼" MPT x ¼" O.D. tubing \$20.07 W169PLP64 1/4" MPT x 3/6" O.D. tubing \$28.08 W169PLP66 %" MPT x %" 0.D. tubing \$28.10
- К. W172PLP44 ¼" MPT x ¼" О.D. tubing \$22.61 W172PLP64 ¼" MPT x ¾" O.D. tubing \$22.39 W172PLP66 %" MPT x %" 0.D. tubing \$39.31 W172PLP84 ¼" MPT x ½" O.D. tubing \$48.51 W172PLP88 ½" MPT x ½" O.D. tubing \$59.81

Female Adaptors:

H.



Male 90° 's

Male Branch Tees



CHEMICAL FEEDER PARTS, TUBING & TUBING FITTINGS

CHEMICAL PUMP TUBING

| <i>Vinyl Suction:</i> IV6062 %" OD x ½" ID IV7062 %" OD x %" ID | ^{\$} 1.94/Ft \$2.50/Ft | |
|---|------------------------------------|--|
| <i>Polyethylene Dis</i> MV4062 ¼" OD x ¼" ID | s <i>charge:</i> \$.90/Ft | |
| MV6062 % OD x % ID MV5062 % OD x % ID MV5062 % OD x % ID | \$1.47/Ft \$1.18/Ft | |

MV8062 ½" 0D x ¾" ID \$2.13/Ft MV10062 %" OD x ½" ID \$2.63/Ft

A.

R

B.

Α.

FAST & TITE® **THERMOPLASTIC FITTINGS**

Fast & Tite fittings install in seconds without the use of tools and provide a tight leak proof seal without clamps or adjustments.

C. **P4MC4** ¼" MPT x ¼" O.D. tubing \$5.48 \$**3.98 P6MC4** ¹/₄" MPT x ³/₈" O.D. tubing **P6MC6** %" MPT x %" O.D. tubing \$7.10 P6MC8 ½" MPT x ¾" O.D. tubina \$7.60 **P8MC4** ¼" MPT x ½" O.D. tubing \$8.13 **P8MC8** ½" MPT x ½" O.D. tubing \$10.10 **P10MC8** ½" MPT x ½" 0.D. tubing \$12.05

Male Adaptors





Female Adaptors

Male Elbow E.



Female Elbows






· 7 9 4 6 · 3 2 3 www.halogensupply.com Male Adaptors:

E. **P4ME4** ¼" MPT x ¼" O.D. tubing **P6ME4** ¼" MPT x ¾" O.D. tubing P6ME6 %" MPT x %" O.D. tubing

P8ME4 1/4" MPT x 1/2" O.D. tubing **P8ME8** 1/2" MPT x 1/2" O.D. tubing



\$7.18

\$**9.48**

\$**9.90**

\$13.00

\$12.05

G. **P4MT4** ¹/₄" MPT x ¹/₄" O.D. tubing P6MT4 ¼" MPT x ¾" 0.D. tubing **P6MT6** %" MPT x %" O.D. tubing \$19.28 \$20.85 **P8MT6** %" MPT x ½" O.D. tubing \$24.48 **P8MT8** ½" MPT x ½" O.D. tubing

CHEMICAL CONTROLLER PROBES AND PARTS

CHEMICAL CONTROLLER REPLACEMENT PROBES













| | PRODCUCT NO. | DESCRIPTION | CELL CONNECTION | CONTROLLER CONNECTION | USED WITH | PRICE |
|----|--------------|-------------|-----------------|-----------------------|---------------|----------------------|
| A. | S010 | ORP PROBE | COMPRESSION | 10' CABLE W/BNC END | AQUASOL | ^{\$} 228.81 |
| | S020 | PH PROBE | COMPRESSION | 10' CABLE W/BNC END | AQUASOL | ^{\$} 141.48 |
| B. | HSC-012 | ORP PROBE | COMPRESSION | 10' CABLE W/BNC END | CHEMTROL | ^{\$} 141.60 |
| | HSC-022 | PH PROBE | COMPRESSION | 10' CABLE W/BNC END | CHEMTROL | ^{\$102.99} |
| С. | HSC-013 | ORP PROBE | 1/2" MPT | 10' CABLE W/BNC END | CAT/STRANTROL | ^{\$} 212.67 |
| | HSC-023 | PH PROBE | 1/2" MPT | 10' CABLE W/BNC END | CAT/STRANTROL | ^{\$} 182.28 |
| D. | HSC-014 | ORP PROBE | 1/2" MPT | F/BNC | ACUTROL | ^{\$} 212.70 |
| | HSC-024 | PH PROBE | 1/2" MPT | F/BNC | ACUTROL | ^{\$} 182.01 |
| E. | HSC-019 | ORP PROBE | TWIST LOCK | F/BNC | WATERMASTER | ^{\$} 318.24 |
| | HSC-029 | PH PROBE | TWIST LOCK | F/BNC | WATERMASTER | ^{\$} 270.78 |
| F. | 3-2725-60 | ORP PROBE | 3/4" MPT | MINI-DIN | HALO | ^{\$} 508.20 |
| | 3-2726-00 | PH PROBE | 3/4" MPT | MINI-DIN | HALO | ^{\$} 401.36 |

CHEMICAL CONTROLLER ACCESSORIES



















| | PRODCUCT NO. | DESCRIPTION | PRICE |
|----|--------------|---|----------------------|
| A. | S030 | FLOW CELL W/ FITTINGS | ^{\$} 286.20 |
| B. | F220 | ELECTRODE FITTING 1/2" MPT | ^{\$11.33} |
| С. | M011-HP | SAFETY PRESSURE SWITCH | ^{\$} 299.25 |
| D. | 3076 | SAFETY PRESSURE SWITCH ONLY | ^{\$} 56.68 |
| E. | 1078002 | 1/4" MPT X HOSE BALL VALVE | ^{\$} 42.53 |
| F. | 1080002 | 1/4" MPT X FPT BALL VALVE | ^{\$} 42.53 |
| G. | 155481 | GEMS SENSOR 1/2" FPT RFO TYPE 4.5 TO 24 VDC PULSED OUTPUT | ^{\$} 334.61 |
| | 155485 | GEMS SENSOR 1/2" FPT RFS TYPE SET POINT CALIBRATION | ^{\$} 494.78 |
| H. | 754000310 | ACUTROL FLOW CELL W/FLOW SWITCH (NOT SHOWN) | ^{\$} 972.11 |
| ١. | 754000340 | ACUTROL FLOW CELL JAR ONLY | \$399.69 |
| J. | 754000360 | ACUTROL 1/4" IN-LINE STRAINER | ^{\$} 89.92 |
| K. | 754000440 | ACUTROL FLOW SWITCH W/10'CABLE | ^{\$103.82} |

60

AQUALINK® RS POOL & SPA AUTOMATION SYSTEM



Make Smart Pool Control Simple

Premium Automation at its Finest Jandy AquaLink RS systems enable total control of your backyard experience. AquaLink RS systems are fully integratable with home automation systems and feature our patented seasonal adjust technology, which can modify schedules throughout the year for additional energy savings. AquaLink RS delivers the ultimate pool/spa automation experience.

Features:

- Control individual pool and spa functions, lighting, and water features from the convenience of your home.
- Automate daily pool equipment functions, such as filtration, sanitation and cleaning, and create one-touch macros.
- Integrates seamlessly with home automation systems.
- Control equipment anytime, anywhere from a smartphone or tablet with the iAquaLink® app.
- Program and enable preferred operational settings with one-touch control.

Priced on application



INTELLICENTER® POOL CONTROL SYSTEM



IntelliConnect allows pool owners to monitor and control various devices, including pumps, lights sanitizers and more, all through an app on a smart device, for easy convenient control. IntellConnect provides real-time information on the status of the filtration system and other pool equipment. Pool owners can command the system to work a little harder when extra filtration is needed.


Features:


- Easy to program, with step-by-step, on screen instructions.
- Color touchscreen interface displays intuitive instructions in clear text and rich colors.
- Convenient control from inside and outside the home via outdoor and indoor control panels and wireless remotes.
- Remote control from anywhere: Android® and IOS® device, Web browsers on Mac® and PC computers and voice command with smart speaker devices like Amazon Echo®.
- Interfaces with iOS[®], Android mobile devices, Apple Watch[®] and smart speakers, enabling owners to check their pools status remotely.

Priced on application

AUTOMATION AND AUTOMATION PARTS

AQUALINK ACCESSORIES






| A. JAN-7790 Temperature Sensor | \$126.14 |
|---|------------|
| B. R0658100 3HP Relay | . \$126.75 |
| C. IQ30-RS RS Upgrade Kit W/Web Connect | \$1,660.05 |
| D. AQWHR18 Wireless Handheld Remote . | |

COMPOOL PARTS



INTELLICHLOR SALT CHLORINE GENERATOR



61

POOL LINERS, LADDERS & ACCESSORIES

OVERLAP PATTERNS


Made in the U.S.A. by GLI Pool Products with the highest quality workmanship using the best available virgin vinyl liner. Our colors are Solid Blue, Blue Wall with print floor. All liners are available in 20 gauge vinyl and are 48"/52" high walls.

| | A . | Blue Wall Blue Floor |
|-------------------|------------|-------------------------|
| ROUNDS | Cat. No. | 48"/52" |
| 12 | 1631212 | \$ 166.05 |
| 15 | 1631515 | \$ 219.79 |
| 18 | 1631818 | \$ 261.70 |
| 21 | 1632121 | \$354.33 |
| 24 | 1632424 | \$ 386.99 |
| 12 Round x 36" | 1631236 | \$106.56 |
| X 30 | 1031230 | \$100.30 |
| OVALS | Cat. No. | 48"/52" |
| 12x24 | 1630224 | \$ 342.99 |
| 15x30 | 1630530 | \$ 448.88 |
| 16x32 | 1630632 | \$ 544.70 |

Expandable Liners only available on round size pools. Add 25% to list price. Beaded style liner pricing available upon request.

B. Happy Bottom® Pool Pad

Ideal padding for underneath pool liner. 2 lb. density 1/4" thickness makes it soft and durable. **#PP300-FT** 1/4" X 48" width x 1 Foot \$**3.30 per foot**



62

REPAIR KITS FOR ALL ABOVEGROUND POOLS



- 8. 4 oz. can of #100 vinyl adhesive, dauber applicator and 500 sq. in. of patching vinyl. Works under water. #1061 4 oz. con #100 vinyl adhesive \$21.56
- D. #1068 Vinyl adhesive 4 oz. can and dauber \$12.60
- F. Vinyl repair patches for blue liners 2 H.D. gauge vinyl strips measuring 6" x 23" (must use vinyl adhesive) Color blue vinyl. #1064 \$9.32

LADDERS & ACCESSORIES

A. HEAVY DUTY A-FRAME FOR 48" TO 54" POOL Unique one-piece handrail/leg design will hold 300 lbs. Outer steps swing up and lock into upright position. Just fill with water to prevent floating. #7000 \$395.12



Į

COMPLETE STEP-SYSTEM

C. CONFER-STEP

For above ground pools with flat bottoms. Easy, snap together installation. Large, flat steps (each with 270 square inches) complete with two all-plastic handrails. Mounting brackets included; secures unit to pool or deck. Gray steps for high visibility in water. Economical, yet strong; holds 400 pounds. • Fits Decks up to 60" • Height to Top Step – 47 inches • Height to Handrail – 38 inches • Projection into Pool – 32 inches

- Width 31 inches
- Riser Height 11 inches
- Step Dimensions 10" x 27"

#STEP-1 \$391.88





AIR BLOWERS

A. FUJI COMMERCIAL AIR BLOWERS

Blower construction: cast aluminum housing, impeller and cover, 1 and 3 phase models.

| 1 | | · / | | P | | | - 100 |
|------------|------|-----|-------|---------|-----------------------|----------|-------|
| Model No. | Туре | HP | Phase | Volts | Use | Price | |
| VFC400P-5T | Fuji | 1 | 1 | 115/230 | Spa Duty ^s | 1,361.20 | X |
| VFZ401A-7W | Fuji | 1.4 | 3 | 230/460 | Spa Duty ^s | 1,230.08 | 1 |
| VFC508P-2T | Fuji | 2.5 | 1 | 230 | Spa Duty ^s | 1,727.96 | |
| VFZ501A-7W | Fuji | 2.7 | 3 | 230/460 | Spa Duty ^s | 1,532.10 | |

B. SILENCER from AIR SUPPLY

Extremely quiet outdoor blower... nothing else compares. UL listed for indoor or outdoor use. A high quality spring check valve is included with each silencer. One year no-questions-asked warrantyincluding water damage.

#631010Ĭ-

 1.0 H.P. 110 Volts .
 \$203.60

 #6310201 1.0 H.P. 220 Volts .
 \$216.20

 #6315101 1.5 H.P. 110 Volts .
 \$222.50

 #6315201 1.5 H.P. 220 Volts .
 \$235.10

 #6320101 2.0 H.P. 110 Volts .
 \$262.40

 #6320201 2.0 H.P. 220 Volts .
 \$268.70

C. SPA FACTOR: Thermal Cover For Hot Tubs And Spas

Lightweight yet durable, the Spa Factor thermal cover helps prolong the life of spas and reduces daily maintenance. Floats on water surface, providing these advantages:

- Protects and extends the life of your hard cover
- Significantly reduces heat, water and chemical consumption by reducing evaporation
- Helps prevent moisture damage to sensitive electronic controls
- Trimmable, easy to install

Reversible colors, black/blue.


| #HV8x6\$131.29 | #HV9x9\$200.03 |
|----------------|-----------------|
| #HV8x7\$142.49 | #HV9x10\$222.50 |
| #HV8x8\$162.54 | #HV9x12\$340.20 |

D. WATERWAY EXECUTIVE 56-FRAME PUMP

High performance, quiet operation, longer motor life.

| | Price |
|------------------------|--|
| EXECUTIVE 56 2 HP 2SPD | \$616.28 |
| EXECUTIVE 56 3 HP 2SPD | \$658.49 |
| EXECUTIVE 56 4 HP 2SPD | \$717.93 |
| EXECUTIVE 56 5 HP 2SPD | \$815.24 |
| | EXECUTIVE 56 3 HP 2SPD EXECUTIVE 56 4 HP 2SPD |





E. SPRING WOUND COUNTDOWN TIMER

The FF Series Commercial Countdown timers are designed to replace any standard wall switch and do not require electricity to operate. These energy-effcient switches automatically limit the ON times for fans, lighting, motors, heaters and other energy consuming loads.

| #FF15M 15 Minute. | | | | | | | | \$55.35 |
|-------------------|--|--|--|--|--|--|--|-----------------|
| #FF30M 30 Minute. | | | | | | | | \$ 55.35 |



- F. LEN GORDON AIR SWITCHES Basic Air Switch Turns on/off any piece of equipment, such as: pump, blower, lights, etc. Air button not included.
- F2.#910106-007 FF-1094TC System \$480.67 Four Function Switch w/Time Clock



H. AIR BUTTONS & AIR CONTROLS



 H1 #950401-000 Lite touch 1¼" mounting 75' max dis
 \$35.51

 H2 #951590-601 Classic touch 1³/8" mounting 150' max dist
 \$39.26

 H3 #951001-000 Power touch 1¾" mounting 150' max dist
 \$41.13

 H4 #10-2100 1" Slip.
 \$29.75

 H5 #10-2200 ½" Slip
 \$21.06





E.

-

| #10-4562 Converta'ssage Gunite Assy | \$ 69.28 |
|--|------------------|
| 11 #30-4401 Nozzle | . \$ 8.53 |
| 12 #30-4332 Niche | |
| 13 #56-5215 Wall fitting w / bearing | \$15.23 |
| 14 #10-4564 Converta'ssage Fitting Assy | \$ 35.6 4 |
| 15 #16-5274WHT Micro'ssage Fitting Assy | |



| J #10-5100 Hydro Jet Assembly | \$ 58.03 |
|---|------------------|
| J2 #30-3805 Eyeball | . \$ 2.79 |
| J3 #30-3806 Eyeball retainging ring | . \$ 4.07 |
| J4 #10-3500 Standard wall fitting assy | \$17.73 |
| J5 #30-7825 Wrench tool | |



FROG PRODUCTS



Frog® offers innovative mineral technology for pool & spa care that is EPA registered to destroy bacteria which SAVES 50% on chlorine or bromine use for softer water that leaves a crystal clear shine and is easier on equipment and surfaces. In addition Frog[®] offers repeat sales of multiple products every year for a strong after market business.



A. FROG SERENE® FLOATING SYSTEM

Complete spa care using mineral and bromine cartridges that snap into a reusable holder. With minerals in the spa, bromine use can be reduced by up to 50%.

| #01-14-3883 Frog Serene System | \$ 51.39 |
|--------------------------------|-----------------|
| #01-14-3824 Bromine Cartridge | \$1 5.86 |
| #01-14-3812 Mineral Cartridge | \$ 32.61 |

B. FLIPPIN FROG XL® Fresh mineral water

Beit

for any pool up to 10,000 gallons. The patented floats and flips technology tells users to replace. Destroys bacteria with minerals and only 0.5 ppm chlorine.

#01-12-8606 Flippin Frog XL . . . \$73.04 #01-03-8550 Flippin Frog XL Cartridge Only \$29.32

C. POOL FROG® ABOVE GROUND PACKAGE

Includes a POOL FROG[®] Cycler 6100 and Mineral Reservoir Series 6100. Cycler is in-line with 11/2" threaded ports for pools up to

> 25,000 gallons. Includes 6" nipple installation kit. instruction manual. and video on CD-ROM. Do not install off-line. Mineral Reservoir lasts 6 months. #01-01-6180 ... \$327.08



D. REPLACEMENT PRODUCTS FOR ABOVE GROUND AND IN **GROUND POOL PRODUCTS**

#01-12-5462 In ground mineral reservoir . . . \$137.34 #01-12-6112 Above ground mineral reservoir . \$107.37 #01-03-5880 Pool Frog Bac Pac. . \$33.47 #01-10-5060-1 Frog Bam Algaecide \$37.04





E. POOL FROG® IN GROUND PACKAGE

Includes a POOL FROG[®] Cycler 5400 and Mineral Reservoir Series 5400. Cycler is in-line with 2" male adapters installed for pools up to 40,000 gallons. Do not install off-line. Mineral Reservoir lasts 6 months.

#01-01-5480 Inline unit.

F. POOL FROG XL PRO®

Includes a POOL FROG[®] Cycler and Mineral Reservoir series 5400 and a second POOL FROG® Cylcler that fits the new FROG[®] 7lb. chlorine pac. Cyclers are inline with 2" slip ports for pools up to 40,000 gallons. Mineral Reservoir lasts 6 months. #01-01-5450 XL Pro. \$654.97 #01-03-5613 Pool Frog Chlorine Pac. . . \$86.02



G. NEW WATER® ABOVE GROUND CYCLER 120

| In-line with 11/2" threaded inlet/outlet ports for use on pools up to |
|---|
| 25,000 gallons. Do not install off-line. Uses Cycler Pac #01-03-1413 |
| #01-01-0120 Unit\$189.76 |
| #01-03-1413 4.1 lb container |

H. NEW WATER® IN GROUND CYCLER 400

| #01-01-0400 Unit | ^{\$201.79} |
|--|---------------------|
| 40,000 gallons. Do not install off-line. Uses Cycler Pac #407C | |
| In-line with 2" threaded inlet/outlet ports for use on pools up to | |

LNEW WATER® IN GROUND CYCLER 430

| Off-line with off-line accessory kit for use on pools up to 25,000 gallons. |
|---|
| Do not install in-line. Uses Cycler Pac #407C |
| #01-01-0430 Unit\$248.87 |

J. NEW WATER® IN GROUND CYCLER PAK 407C

6.1 lb trichlor pak used in all new water feeders. #01-03-4613 unit \$87.38

K. PERFORM-MAX[™] ABOVE GROUND 920

| Inline chemical feeder for pools up to 25,000 gallons. For use with |
|--|
| chlorine or bromine, 1" and 3" tablets. 7lb capacity. Do not install off-line. |
| 11/2" threaded inlet/outlet ports and 11/2" union threaded. |
| #01-05-0920 |

L. PERFORM-MAX™ IN GROUND OFF-LINE 960

| #01-05-0960 |
|---|
| 2" threaded inlet/outlet ports. |
| or bromine 1" and 3" tablets, 10lb. capacity. Do not install in-line. |
| Off-line chemical feeder for pools up to 50,000 gallons. Handles chlorine |
| |

M. PERFORM-MAX™ IN GROUND IN-LINE 940

| In-line chemical feeder for pools up to 50,000 gallons. Handles chlorine |
|--|
| or bromine 1" and 3" tablets, 10lb. capacity. Do not install of f-line. |
| 2" threaded inlet/outlet ports. |
| #01-05-0940 |



\$479.68 #01-01-5490 Offline unit \$527.04



SeaKlear

SeaKlear

Reliable. Safe. Effective.

PHOSPHATE REMOVER

SeaKlear Phosphate Remover works better and does more than other phosphate removers. Commercial 1 oz per 5000 gallons Residential 3 oz per 5000 gallons Proven to eliminate phosphates from fertilizers. rainwater, soaps and decaying vegetation and other pollutants. Nontoxic - 100% safe for your family and the environment #1040105 Phosphate Remover Commercial 1 Quart..... \$58.99

ALGAE PREVENTION & REMOVER

- To control algae in pools, simply add SeaKlear Algae Prevention & Remover every 3 months.
- Use against blue-green, black and mustard algae
- A single treatment lasts 3 months
- Non staining formula
- Guaranteed superior performance • Part of the proven family of SeaKlear water treatment solutions

#SKA-B-Q Algae Prevention

& Remover Quarts.....\$27.26

FREE & KLEAR

eaKlear e & Klear

Free & Klear blends our original SeaKlear Chitosan Clarifier, SeaKlear Phosphate Remover and enzyme formulations to keep pool water looking beautiful. Free & Klear is an ideal weekly maintenance product that tackles common issues faced by many pool owners. It reduces problems such as phosphate loading which can cause issues with pool surfaces and equipment. Free & Klear works great with salt systems as it helps maintain optimum performance of cells by reducing troublesome calcium phosphate scale. Free & Klear also treats the buildup of lotions and oils on both the filter and in pool water that can result in clarity problems. If phosphate levels exceed 1000 ppb. use SeaKlear Phosphate Remover to reduce the level down and use the Free & Klear to maintain low levels.

#1040400 Free & Klear Quart \$26.00

THICK TILE & VINYL CLEANER SeaKlear Thick Tile & Vinyl Cleaner is designed to

remove film, oil and scum lines from tile, vinyl and grout. Unlike other products of this type. SeaKlear Thick Tile & Vinyl Cleaner is non abrasive, yet it reaches down into the pores to remove soils. • Removes oil and scum lines Cleans grout lines Removes dull films

Safe for acrylic surfaces

#SKL-T-C Thick Tile & Vinyl Cleaner Quarts. \$18.19

CHITOSAN CLARIFIER

SeaKlear Chitosan Clarifier works better and does more than other clarifiers. Quite simply, it is the best clarifier money can buy. Our proprietary, patented chitosan polymer formula has been proven to be reliable at safely keeping pools clear, easily and effectively.

- Naturally clarifies cloudy water
- Fliminates oil and scum
- Safe to use with all sanitizers
- Removes excess metals
- Easy and simple to use
- Makes cleaning all filters quicker and easier

#SKP-C-Q Chitosan Clarifier for Pools

Quarts. \$22.09



SEAKLEAR & NATURE 2

Nature² is a sanitizing system that uses patented mineral-bed technology to provide crystal clear water and improved water quality. Working with the pool filtration system, Nature² uses elemental minerals that combine with a small amount of chlorine to inhibit bacteria growth and eliminate contaminants. Minerals make the water noticeably softer and less chlorine means a lower potential for red-eye, dry skin or foul odors. With Nature², your swim experience is clean, fresh, and gently soothing.

Nature² PROFESSIONAL "G"

Nature

| Mineral sanitizer dispenser for all In-Ground pools. | |
|--|---|
| (order mineral cartridge separately) | |
| #W25904 Nature ² Professional "G" | |
| Vessel 2" | |
| #W28125 G25 Cartridge 25,000 Gallons . \$253.68 | |
| #W28135 G35 Cartridge 35,000 Gallons . \$277.33 | - |
| #W28145 G45 Cartridge 45,000 Gallons . \$299.84 | |
| | |

Nature² "A" SANITIZER

Nature² "A" brings all the sanitizing benefits of mineral technology to your above ground pool. **#W28165** A30 Mineral Cartridge \$231.21



Nature² EXPRESS

Nature² allows pool owners to bring all the benefits of mineral technology to their existing pool with a quick, do-it-yourself installation. The unit attaches to the plastic plumbing of most inground and above around pool systems. (comes complete with mineral cartridge for pools up to 25,000 gallons)

| #W20086 Nature ² Express I/G | \$ 318.30 |
|---|------------------|
| #W20176 Nature ² Express A/G | \$303.22 |

#W28175 Nature² Express I/G + A/G Mineral Cartridge. \$219.64

Nature² SPA

Nature² Spa works with your existing filter to give you clean, clear water without high levels of chlorine. A difference you can see, feel and smell.







Klear

le & Vinvl Clea



CHEMICAL WATER BALANCE PRODUCTS & FILTER AID

CHEMICALS ETC.



A. **SODA ASH – (pH UP)** Dry granular product to increase pH of pool water. When pH drops below 7.2

to increase pH of pool water. When pH drops below 7.2 soda ash will help restore your pool water to its proper pH level.

| #300-05 5-lb. container | |
|--------------------------------|------------------|
| #300-10 10-lb. container | \$ 25.90 |
| #300-50 50-lb. bag | \$55.00 |
| Also, pH Up available in | |
| Great Lakes Biochemical brand. | |
| #3454 2-lb. jar | . \$ 5.51 |
| #3458 8-lb. container | \$ 18.36 |



66

B. SODIUM BISULPHATE – (G.B.S. or pH DOWN)

Is a granular form of muriatic acid and is safer, easier and less corrosive. Whenever pH rises above 7.6 add pH reducer.

| #312-06 6-lb. container | |
|--------------------------------|------------------|
| #312-50 50-lb. drum | |
| Great Lakes Biochemical brand. | |
| #3489 2-lb. jar | . \$ 4.82 |
| #3491 4-lb. jar | \$ 10.38 |
| #3493 10-lb. container | \$ 21.46 |

NOTE: 50 lb. bags of Sodium Bisulphate (G. B. S.) available on request for BIDS.



c. SODIUM BICARBONATE – (ALKALINITY INCREASER)

Is a granular product to increase the total alkalinity in your pool water when it drops below 80 p.p.m.

 #333-05
 5-lb. container
 \$14.28

 #333-10
 10-lb. container
 \$24.74

 #333
 50-lb. bag
 \$46.26

 Also, available in Great Lakes Biochemical brand.
 \$46.26

 #3497
 10-lb. pail
 \$20.52

 Dosage:
 1½ lb. per 10,000 gallons of water will raise the alkalinity level 10 p.p.m.



D. HAL-STA – (POOL CONDITIONER or STABILIZER)

Chlorine and its derivatives are susceptible to rapid decomposition by the sun's ultraviolet rays. To cut this loss and improve the chlorine's active life, stabilize with pool conditioner. Stabilizer is compatible with the chlorine releasing it at a slow rate to last longer and reduce chemical needs.

| #3393 2-lb. container | | | | | | | | | . \$ 14.52 |
|---|----|-----|----|----|---|----|-----|--|----------------------|
| #3395 4-lb. container | | | | | | | | | . \$ 28.64 |
| #3396 25-lb. container | | | | | | | | | \$ 127.70 |
| #3397 45-lb. container | | | | | | | | | \$ 216.78 |
| #3398 100-lb. drum . | | | | | | | | | ^{\$} 413.30 |
| Also, available in Great Lakes Biochemical brand. | | | | | | | | | |
| #3481 2-lb. jar | | | | | | | | | \$ 8.64 |
| #3483 4-lb. jar | | | | | | | | | . \$ 20.24 |
| Dosage: 1 lb. per 4,000 g | ja | llo | ns | of | w | at | er. | | |





E. SODIUM THIOSULPHATE When chlorine concentration becomes too high in pool water, use this chemical to lower chlorine level safely.

| #335 5-lb. pail | \$ 33.06 |
|--|------------------|
| #339 25-lb. pail | \$1 52.02 |
| # 340 50-lb. pail | |
| Dosage: 1 lb. per 100,000 gallons of water dec | |
| chlorine 1 p.p.m. | |

F. CelaPerl®



H. DIATOMACEOUS EARTH

Swimming pool grade precoat media produces brilliantly clear water for any diatomaceous filters.

| and the second state of th | | |
|--|--|-------------------------|
| # 310 50-lb. bag D.E | | \$ 50.70 ea. |
| #316 25-lb. bag D.E | | \$ 26.50 ea. |
| #FW60 50-lb. bags special D.E. | | |
| for regenerative filters | | \$ 152.00 ea. |



PERLITE FILTER MEDIA FOR SWIMMING POOLS CelaPerl® is a lightweight filter media suitable for use in all diatomaceous earth (DE) filters • EASY TO HANDLE Lightweight Deep Melon it Fonior

- Lightweight Bags Makes it Easier for All to Use • ENVIRONMENTALLY FRIENDLY
- ENVIRONMENTALLI FRIENL All natural, Non-Toxic Product
 GOOD CLARITY

Removes Particles Down to 4.0 Microns
 IMPROVED OIL ABSORPTION

Provides a Cleaner Pool

#313 25 lb CelaPerl[®]....\$39.48



| #3447 8-lb. pail (GLB brand) | \$15.64 |
|--|---------|
| #3442 15-lb. pail (GLB brand) | |
| #318-50 50-lb. bag | |
| Dosage: 5 lb. per 10,000 gallons of water increa | se |
| hardness 25 p.p.m. | |
| · · | |



I. MURIATIC ACID

J. ANTI-FREEZE (non-toxic)

K. WIPE OUT By King Technology

Quickly penetrates dirt, grease and grime and holds them in suspension for fast, easy removal.

- No scrubbing
- No toxic fumes
- Will not affect water balance

 Safely used on fiberglass, tile, concrete, marble, wood, covers and vinyl liners.
 KING-6012 quarts
 S15 88

| | • | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | *IJ.00 |
|---------------------|---|---|---|---|---|---|---|---|---|---|---------|
| #KING-6012-1 gallon | • | • | • | • | • | • | • | • | • | • | \$43.00 |

L. WATERTITE LEAK SEALER

| Fix cracks without draining. Dual action fo | ormula first |
|---|-------------------|
| stops and then seals leak with a waterpro | of glaze. |
| #3643 quart | . \$ 29.26 |

BALANCERS

TIME

B. Leisure Time Spa Down

total alkalinity levels in hot water.

Increases the effectiveness of the

sanitizer when levels are in range.

spa water between 7.2-7.8.

cloudy water.

Always maintain the pH of your

À high pH can cause scaling and or

#3997 Spa Down 2.5 lbs. . . . \$11.61

A granular product that lowers pH and

A. Leisure Time Spa Up

A granular product that raises pH and total alkalinity levels in hot water. Increases the effectiveness of the sanitizer when levels are in range. • Spa water should be maintained at a pH of 7.2-7.8 and a total alkalinity of 80-120 ppm. Compatible with all sanitizers.

#3998 Spa Up 2 lbs.....\$15.45

TIME

Spa Down

CLARIFIERS

9

TIME

E. Foam Down

pools and fountains.

TIME

Metal Gon[®]

An Contents: 16 FL 02, (KS) of

Foam Down rids spas of foam

caused by a concentration of body

acting liquid suppresses foam and

suds in spas. hot tubs. therapeutic

#3996 Foam Down 32 oz ... \$24.91

#3639 Foam Down 1 Gallon .\$76.78

oils and other materials. This fast



• Compatible with chlorine, bromine, ozone and biguanide sanitizers #3995 Bright & Clear 2 qt. . . \$18.27

leisure

TIME

MPLE SPA CARE

CLEANERS



SANITIZER & SHOCKS

H. Leisure Time Reserve A bromide solution that remains in a stable bank in the spa water until Renew oxidizer added. releasing bromine to provide a non-chlorine sanitizing system.

• This product should be added when the spa/hot tub is filled and used weekly thereafter to maintain a bank of bromine water.

 Compatible with bromine sanitizing systems. #3993 Reserve 32 oz \$22.85



I. Leisure Time Renew

A non-chlorine shock oxidizer treatment with a buffering element that eliminates odors and clears cloudy water by reducing contaminates. Can be used with chlorine. bromine or other sanitizers. #3994 Renew 2.2 lbs...... \$27.68

SPA CARE PRODUCTS



J. Leisure Time **Brominating Tablets**

Low-odor, low-dust tablets fit all floaters. When used as directed this product will sanitize spa and hot tub water, keeping it clean, clear and free of odor. This product gives the effectiveness of chlorine without the chlorine odor.

 Easy-to-dose tablets. Compatible with bromine sanitizing systems.

#3991 Brom Tabs 2.21 lbs...\$38.49

K. Leisure Time 56 Granular

Specifically formulated for spas and hot tubs, this concentrated granular chlorine effectively sanitizes and shocks hot water to keep it clean and clear.

• Maintains clean. clear sanitized water

 Compatible with chlorine sanitizing systems.

#3992 56 Granular 2 lbs....\$26.02

TIME

L. Leisure Time Sodium Bromide Creates an immediate bromide reserve before using

Brom Tabs to ensure a full bromine based sanitizing system.

#3987 Sodium Bromide 6 x 2 oz Packaaes. \$23.52





TIME Calcium Booster

C. Leisure Time Calcium Booster Raises the level of water hardness. which help's prevent foaming and corrosion of equipment to extend the life of the spa.

 Maintain a hardness level of 150-400 ppm.

 Compatible with chlorine, bromine, ozone and biguanide sanitizers. #3999 Calcium Booster 32 oz. \$16.71

F. Leisure Time Metal Gon Sequesters iron, copper and other

minerals and prevents staining of spa surfaces. It is highly concentrated and only needs to be added upon start-up.

- Last from refill to refill.
- •. Compatible with chlorine and bromine sanitizers #3989 Metal Gon 16 oz.....\$15.78

TIME







G. Leisure Time Jet Clean

Keeps spa and jetted tub plumbing clear of organics. oils. dirt and

minerals to prevent buildup that can

#3990 Jet Clean 16 oz \$16.23

restrict water flow and damage

eauipment.





POOL PRODUCTS

Advantic T E C H N O L O G I E S An Arch Chemicals Business

NON-CHLORINE SHOCK

A. OXY-BRITE® NON-CHLORINE SHOCK OXIDIZER

Oxy-Brite® non-chlorine shock oxidizer creates sparkling water and shock treats in one step. Containing DuPont™ Oxone®, a powerful oxygen-based oxidizer, its powerful formula rids pool water of contaminants that cause odor and irritation. It also brightens and clears the water with unique blue water brightening crystals.

#3400 1 lb. pouch ... \$8.72 #3406 20 lb. pail. .. \$148.84 #3402 2.2 lb. bottle . \$18.78 #3408 50 lb. drum . \$328.86 #3404 5 lb. bottle. . . \$40.22

Swimming can resume in just 15 minutes! 1 lb. treats 10.000 gallons of water. Use weekly as part of your pool maintenance program. Compatible with chlorine, bromine, salt water chlorine, ozone and minerals

CLARIFIERS

B CLEAR BLUE®CLARIFIER

This super-concentrated clarifier adds sparkle while removing particles that dull pool water. Clear Blue® clarifier improves filter efficiency and reduces sanitizer demand by removing organic particles that clog filters without affecting pH.

#3421 gallon bottle . . . \$57.20 #3423 quart bottle \$18.76 Use just 2 fl. oz. per 10,000 gallons weekly to keep water sparkling clear. Will not affect water balance. Compatible with chlorine, bromine, ozone, salt water chlorine and biguanide sanitizing systems.

C. NATURAL CLEAR®ENZYME CLARIFIER

Natural Clear® clarifier is an enzyme-based water cleaner that quickly rids pools of organics that cause odors. scum lines and cloudy water and helps keep filters clean.

#3405 auart bottle. . . . \$14.20 #3407 gallon bottle . . . \$52.30 Compatible with chlorine, salt water chlorine, bromine, ozone and biguanide sanitizing systems. Prevents waterline buildup and clogged filters by rapidly digesting oils. lotions and organics. Improves filtration.

D. DROP 'N' VAC® FLOCCULENT

With clarifying capabilities, this product drops unfilterable debris to the bottom of the pool for easy vacuum removal. This formula is effective over a wider range of pH levels than comparable products.

#3413 guart bottle \$21.78 Compatible with chlorine, salt water chlorine, bromine. ozone and biguanide sanitizing systems. Prevents waterline buildup and clogged filters by rapidly digesting oils, 68 lotions and organics. Improves filtration.

ALGAECIDES

w-Bri

E. ALGIMYCIN® "2000" ALGAECIDE

Algimycin® 2000 algaecide kills, prevents and controls all algae types. A special wetting agent penetrates and kills algae cells. This nonmetallic, poly-complex formula gives fast and effective control with no foaming or staining. It also acts as a clarifier and filter aid by removing algae fast.

#3429 guart bottle \$33.38 #3431 gallon bottle . . \$117.46 Fast and effective treatment for green, black and yellow algae. Compatible with chlorine, bromine, ozone, salt water chlorine and biauanide sanitizina systems.



H. VANQUISH® DEPOSIT CONTROL

Specially formulated to treat the pink deposits that accumulate on pool walls and in plumbing, Vanquish® deposit control treats pink, white and clear deposits in any swimming pool, including those sanitized with biquanide systems..

#3437 quart bottle \$28.30 Compatible with all sanitizers including chlorine, bromine, salt water chlorine, ozone, minerals and biguanide.



I. ALGAE-X

Algae-X

Algae-X is a non-foaming multipurpose 30% polymer algaecide that treats green and yellow algae. It is effective over a wide pH range.

#3445 quart bottle \$26.22 Does not require pH adjustments to be effective Compatible with chlorine, bromine, salt water chlorine, ozone, biguanide and mineral sanitizing systems

G. STRIKE OUT® ALGAECIDE

Designed to control green and mustard algae. this chelated 7.4% copper algaecide is effective and economical.

#3448 quart bottle \$24.66 Swimming can resume immediately after treatment. Compatible with chlorine, bromine, ozone and salt water chlorine sanitizing systems.

LGAECID



J. ALGIMYCIN® "600" ALGAECIDE This non-foaming, triple-action 60% polymer


algaecide destroys and prevents the regrowth of green algae and increases water clarity all in one step.

#3433 quart bottle \$27.12 Does not require pH adjustment to be effective ideal for winterizing pools Compatible with chlorine, bromine, salt water chlorine, ozone, biauanide and mineral sanitizina systems










F. ALGIMYCIN® "1000" ALGAECIDE algae. Its patented triple-chelation process

holds copper ingredients active in solution for longer algae control. #3425 quart bottle \$41.04 Swimming can resume immediately after treatment. Compatible with chlorine, bromine, mineral purification systems, salt water chlorine

and ozone sanitizing systems





833 • 7 9 4 6 • 3 2 7 www.halogensupply.com

SURFACE CLEANERS

A TLC[®] SURFACE CLEANER

TLC[®] surface cleaner removes oil, grime and mineral scale from common pool surfaces such as tile, vinyl and concrete. Its thick, concentrated formula clings to upright surfaces longer for more effective cleaning power. Do not use TLC[®] surface cleaner on marble, porcelain. terrazzo, enamel surfaces or bronze and metallic glazed tiles, or other surfaces not intended for cleaning. #3434 quart bottle \$15.94

Usage: Always wear rubber gloves with a sponge, cloth or soft brush for application. Allow 3 minutes while it bubbles then scrub briskly.



AIN CONT



STAIN PREVENTION/ **MINERAL CONTROL**

B. STAIN MAGNET

This granular formula guickly eliminates metallic stains from pool surfaces with no need to test the water or close the pool. It is compatible with most types of pool surfaces. #3420 2¹/₂ lb. Granular. . . . \$28.60

C. SEQUA-SOL® SEQUESTERING AGENT

Sequa-Sol® sequestering agent holds iron, manganese, copper and calcium in solution so they do not react with other elements in the water. It prevents staining, scale and rust on pool equipment, pipes and fittings. Protects pool equipment and surfaces from stains, scale and ruse.

#3410 guart bottle. \$24.20 #3412 aglion bottle \$87.40 Dosage: initial treatment 16 fl. oz. per 10,000 gallons of water. Weekly treatment: 4 fl. oz. per 10,000 gallons of water.



D. SUPER SEQUA-SOL® SEQUESTERING AGENT

This concentrated granular is specially formulated to protect pool surfaces from minerals in the water and is ideal for use with hard water. It is also great for pool openings or when adding make-up water. Helps neutralize small quantities of stain-producing minerals such as iron, copper or manganese that occur when adding make-up water or initially filling a pool #3414 2 lb. bottle \$35.86 Dosage: initial treatment 10 oz. per 10.000 gallons of water. Weekly treatment: 2 oz. per 10.000 gallons of water.

FILTER CLEANERS



E. FILTER CLEANSE This multi-purpose granular formulation cleans and unclogs all types of swimming pool filters of grease, oils and scale with a combination of acids and detergents. Its unique chemistry will gradually change from red to yellow as it cleans. Use routinely once every month or two during season to maintain efficient operation #3426 2 lb. bottle \$23.04 #3430 20 lb. bottle. . . . \$213.92 Dosage: Dissolve 1 lb. in 5 gallons of lukewarm water and let soak overnight (at least 12 hours).

E FILTER FRESH® FILTER CLEANER

This specially developed acid-based liquid cartridge cleaner removes debris overnight. Regular treatment with this soak-and-rinse formula helps filters operate at maximum efficiency. Removes body oils, suntan lotions, grease and other organic materials as well as scale and mineral buildup from all swimming pool filters #3629 quart bottle \$16.15 Dosage: 16 fl. oz. of Filter Fresh with every 2¹/₂ gallons of lukewarm water, then place elements in solution and allow to soak for 12 hours.



G. FILTER RINSE

This backwashing aid for sand filters couldn't be easier to use! Just pour it into the pool skimmer to clear sand particles of caked-on organic and inorganic materials. One-step formula cleans sand filters fast. Renews the sand particles and keeps the filter operating at maximum efficiency #3499 quart bottle \$20.54 Dosage: Adding filter rinse to the skimmer during the backwash cycle removes this caked-on material, and permits free and even water flow through the sand. 8 oz. per backwash.



TER CLEAN

GL



H. ULTIMA® ENZYME CLARIFIER

- Enzyme & clarifier in 1 Clears cloudy water
- Improves filter efficiency
- Compatible with sanitizers
- Non-toxic biodegradable
- #3427 1/2 gallon container . \$22.38



I. ULTIMA® TOTAL CONTROL **SHOCK & ALGAECIDE**

Ultima® Total Control is a fast-acting shock and algaecide in one formula. It combines the anti-algae power of chlorinating compounds and chelated copper for immediate and extended relief from black, green and yellow algae. It shock treats at the same time, leaving your pool crystal clear and contaminant-free.

- Shock treats and buffers pH
- Controls algae
- Improves water clarity

• For best results, use this product in the evening after pool use is finished

for the day #3424 3 lb. granular bottle . \$27.80 Dosage: 3 lb. per 20,000 gallons.



833 • 7 9 4 6 • 3 2 7 www.halogensupply.com

POOL PRODUCTS

CHEMICALS

CHEMICAL PRODUCTS BY ALL CHEM



A. PROSHOCK

(Calcium Hypochlorite)-68% 68% available chlorine in powder form. Destroys bacteria, algae, and fungi. Can be manually poured into pool or fed through a chlorinator. (Formerly HTH)

(Formerly HTH)\$6.80 iil....\$267.92

B. SUPER PROSHOCK

PROTOGA

(Calcium Hypochlorite)-73% It is a more powerful shock treatment with more of the benefits pool owners look for. 73% available chlorine. No need to pre-dissolve because it quickly dissolves in less than a minute. (Formerly HTH)



B. #PTHS-351 1-lb.(73% shock) . . \$8.04 #PTHS-358 5-lb.(73% shock) . . \$39.80 #PTHS-355 50-lb.(73% shock) \$315.92



D. PULSAR TABLETS

A specially blended form of calcium hypochlorite (65% available chlorine). The pellets contain an additive that reduces the scale usually associated with calcium hypochlorite solutions. These patented pellets have a uniform dissolution rate, and provide steady, uniform chlorination of pool water. **#165-50** 50-lb. drums \$213.00

Call for Pallet Pricing

CHEMICALS



E. HAL-O-CHLOR (liquid chlorine) 12-15% sodium hypochlorite solution. Kills bacteria, algae and is used as disinfectant and deodorizer. Poured into pool directly or fed by chlorinator. Available in 1 gallon size throwaways. #302 1-gul......\$8.85



NON CHLORINE SHOCK



No Chlor is an auxiliary, non-chlorine shock treatment.

It oxidizes organic materials in pool water and allows swimming immeditely after use. use on a regular weekly basis to improve the efficiency of your

BUCHT IS INFANDED



• Abrasive pad is permanently bonded to the latex mitten • Ideal for fiberglass, acrylic, vinyl and tile • Scour powder designed specifically to remove scum lines from pools and spa. **#SD-1**....\$9.43



I. BUG HOUSE Traps debris, scum and bugs in most skimmer baskets. Place Bug House inside basket with stretch elastic binding for over the rim. #BH-3\$6.30



J. ALGAE BUGGER

Great for cleaning Sand and DE Filters plus cartridge filters. Ideal for hundreds of other uses. Algae Bugger features a shut off valve for easy control. Simply attach to garden hose. **#AB-1** ... \$**17.89**



K. BUG-STRIP Repairs fabric for solar and winter covers. • Easy to apply • Unsurpassed adhesion • Ultraviolet resistant • High strength reinforced. #BS-1\$12.65

POLLEN BUCHBOO Handright Barbart

L. POLLEN BUG-A-BOO Collects pollen, foam, minute insects & surface oils. **#PB-2**\$9.43

SCUMB

F. PROTECH - NO CHLOR

sanitizing chemicals.

 #3311
 Ĭ-lb. bag \$7.90

 #3313
 6-lb. container
 . \$43.52

 #3309
 25-lb. pail
 . \$159.36

 #3310
 50-lb. pail
 . \$301.00

G. THE BUG

Devours scum, slime and grime from pools and spas • Absorbs 40 times its weight in body oils and lotions • 300% more surface area than the ball and cannot be closed in the water lines • When one side is scummy flip over, when saturated clean and reuse • Under normal conditions The Bug should last an average season. **#SB-2 Double Pak \$14.92**

SCUMBUC

polien Bucheno



ALGAECIDES



IHROUGGIN

A. PROTECH - ALGAECIDE 30 Dual acting, concentrated algaecide, specially formulated with 30% polyguat. Non-foaming. #3320 guart \$24.08



water claritv.

HEOUGH

Dentes Poor 6. Spe V DenGuers Treass UP STL000 Gelons

CAUTI

vacuumed to waste.



C. PROTECH - COPPER ALGAECIDE Economically priced. Copper algaecide is specially formulated for the smaller volume vinyl pool. #3352 quart \$21.53

0

nmina Pa

CAUTION

D. YELLOW OUT by Natural Chemistry

 Amazing algae cleanup results when used prior to shock treatment with a EPA-Registered compound that kills green and mustard algae. • 2lbs per 15,000 gallons of water. #3399 \$17.77

CLARIFIERS

E. PROTECH -CLARIFIER Highly concentrated water clarifier. Removes small, non-filterable particles by enlarging them to a filterable size. Does not affect pH. #3318 guart \$8.95



G. PROTECH - 4 IN 1 NATURAL CLARIFIER · Clarifies cloudy water • removes excess metals • eliminates oil & scum lines • improves filter efficiency. #3327 1 quart (10 oz. per 5000 gal.)



STAIN PREVENTION & METAL CONTROL



J. PROTECH – METAL OUT PLUS Super-sequestrant prevents stains caused by iron, copper and manganese in pool water and spa water. #3312 augrt \$21.69



SPECIALTY CLEANERS



L PROTECH POOL COVER CLEANER Cleans and deordorizes solar or

winter cover. Removes stubborn stains. Easy to apply and rinse. #3326 quart \$16.75



CHEMICALS



N. DDDS-PINE (WAS HAL-PINE) DDDS cleans, disinfects, deodorizes and sanitizes floors. walls. and bathrooms. 21/2 oz. of DDDS-Pine per gallon of water. Pine scented. #3116 | gallon \$30.22

0. HAL-TILE CLEANER AND BRIGHTENER

Use anywhere there is iron, rust, oxidation, hardwater stains, soap scum, magnesium and calcium stains, excellent on tiles and shower stalls. #3106 gallon \$32.40



STAINLESS STEEL CLEANING PRODUCTS



P. CITISURF 2310 is a high quality blend of chemicals formulated for cleaning. rust removal and passivation of stainless steel products. CitriSurf 2310 is specifically designed to provide low cost and efficient removal of all rust and free iron from the surface of stainless steel and other metals, providing the highest chrome oxide levels possible. #CF1-2310 Citrisurf 1 Gallon \$92.75

0. RUST + RESCUE 200 is a high quality blend of chemicals formulated for the protection of stainless steel and other metal surfaces from moisture and harsh atmospheric chemicals that could lead to corrosion. #RR1-200 Rust + Rescue 1 Gallon \$133.00



R T.S.P. (TRI-SODIUM PHOSPHATE)



• Removes dirt, grease and oils to prepare pool surfaces for Removes dirt, grease and oils from filter cartridges and filter #331-50 55-lb. bag \$148.68



Philoted

CAUTIO

HHOUSD

WAR

#3331 quart \$18.73

PROCEED

CAUTION

STABALIZED CHLORINE & BROMINE

CHLORINE



A. PROTECH - DICHLORO 56% CONCENTRATED CHLORINE

Is the best stabilized granular chlorine on the market with a 56% available chlorine and 99% active ingredient. This chlorine leaves no residue and will be protected from the sun's damaging rays that affect chlorine. This quick dissolving granular stays effective against algae and bacteria longer than non-stabilized chlorine.

| #3375 2 lb. bottle | . \$21.94 |
|---------------------------------------|-------------------|
| #3376 5 lb. pail | . \$51.02 |
| #3380 25 lb. bucket | \$ 209.66 |
| #3381 50 lb. bucket | \$ 405.9 4 |
| All 25 lb. & 50 lb. buckets come with | |
| childproof easy-open lids. | |



B. PROTECH 3" TABLETS - 8 Oz. each

Is an 8 oz. 3" doughnut shaped stabilized slow dissolving chlorine tablet. Each giant Trichlor tablet has the power of 90% available stabilized chlorine with 99% active ingredient. Works great in floaters, skimmers or almost any automatic chlorine feeders. #3300 5 lb. pail – 10 tablets \$52.16 #3301 10 lb. pail – 20 tablets \$93.480 #3303 25 lb. bucket - 50 tablets . . . \$193.68 #3304 50 lb. bucket - 100 tablets . . . \$363.54 All 3" tablets come wrapped individually except 50 lb. & 25 lb. containers. All 25 lb. & 50 lb.

72 buckets come with childproof easy-open lids.



C. PROTECH 1" TABLETS -

| 1/2 Oz. each |
|--|
| Is a ½ oz. stabilized slow dissolving chlorine tablet |
| with 90% available |
| stabilized chlorine and 99% active ingredient. |
| This tablet will leave no residue when totally |
| dissolved in water. Ideal |
| for floaters, skimmers or almost any automatic |
| chlorine feeders. |
| #3333 5 lb. pail |
| #3333 5 lb. pail |
| All 25 lb. & 50 lb. buckets come with childproof easy-open lids. |



BROMINATING TABLET Is a 63% available bromine and 31% available chlorine.

Bactericide-algaecide disinfectant for pools and spas. Bromine is much more effective over a wider pH range and is less irritating to your eyes and skin. Recommended use in an automatic bromine feeder. #3339 4 lh nail \$64.94

| #3340 | 1½ lb. bottle | | | | | | | | | | | \$25.20 |
|------------|-----------------|------|----|------|-----|------|-----|-----|----|----|-----|------------------|
| #3343 | 25 lb. bucket | | | | | | | | | | | \$ 341.80 |
| #3345 | 50 lb. bucket | | | | | | | | | | | \$ 582.90 |
| All 25 lb. | & 50 lb. bucket | ls c | on | 1e ' | wit | th (| chi | ldr | ro | of | eas | sv-open lids. |

NOTE: There is a Hazardous Fee on all Bromine, ProTech 1" & Protech Sticks if shipped by UPS for \$30.00

POOL CHLORINATORS



E. ELONGATED FLOATING CHLORINATOR Elongated large floating chlorinator. Holds up to

4 lbs of tabs or sticks. **#B8072** Large Floating Chlorinator \$17.39

E RAINBOW FLOATING CHEMICAL DISPENSER Adjustable floating chlorine feeder that has twist lock cap. Holds six 3" trichloro tablet or 3 lbs. of 1" tablets.

SPA CHLORINATORS



G. RAINBOW CHLORINE/BROMINE FLOATING DISPENSER

For spas and small swimming pools. Chlorine, bromine tablets or sticks up to 13/16" diameter. #307A Chlorine/Bromine floater \$20.03



H. ACID MAGIC

A full strength muriatic acid replacement that is safer to ship, store and handle.

- Up to 90% less fumes than traditional muriatic acid.
- Buffering agents prevent burns to intact skin.
- Equal in strength to 20° baume muriatic
- acid(31.45%).

• Direct one-to-one replacement for muriatic acid. **Pools And Spas:** Excellent pH down, alkalinity reducer and filter cleaner. Apply ACID Magic as an acid wash to remove rust, scale, mineral deposits and stains from glass, tile, and porcelain surfaces in showers, locker rooms and restrooms.

| # USA/128-1 1 Gallon | ^{\$} 14.06 |
|------------------------|---------------------|
| # USA/5G-1 5 Gallons | \$ 83.82 |
| # USA/15G-1 15 Gallons | \$ 210.98 |
| # USA/30G-1 30 Gallons | \$ 362.56 |



- I. POOL SALT
- High purity salt for use with salt water chlorinators.
- Quick Dissolving Contains no YPS Meets recommendations of
- leading chlorinator manufacturers
- #SALT-40 40lb bag\$12.10

| Guide for 40lb. bags of salt required to increase salt | |
|--|--|
| | |

| Pool Gallons | 10,000 | 15,000 | 20,000 | 25,000 | 30,000 |
|-------------------|--------|-----------|---------|----------|---------|
| Salt 480 ppm | 1 Bag | 1.5 Bags | 2 Bags | 2.5 Bags | 3 Bags |
| Salt 3,200 ppm | 7 Bags | 10 Bags | 13 Bags | 17 Bags | 20 Bags |
| Salt 4,000 ppm | 8 Bags | 12.5 Bags | 17 Bags | 21 Bags | 25 Bags |



D. PROTECH -

POOL ENZYME PRODUCTS



CHEMISTRY A. Pool Perfect – Just Capfuls Per Week for Clear Perfect Pool Water: The industry standard

NATURAL

for natural enzyme water treatment. Pool Perfect prevents scum and waterline ring. It eliminates chemical odors, keeps filters cleaner, extends filter life and reduces shocking. #03220 2 L/67.6 \$34.36



B. Pool First Aid – The Pool Problem Solver: Combines powerful broad spectrum natural enzyme formula with our organic clarifier to fix pool problems fast.

′#**03122** 2 L/67.7 oz. \$**27.70** (2L/67.6oz treats 33,500 gallons)



C. Pool Magic Spring & Fall-For Hassle Free Spring Startup:

Contains a concentrated natural enzyme based formula designed specifically to work in cold water. It quickly breaks down non-living organic contaminants, and cleans up cloudy, dirty pool water. #03722 1 L/33.9 oz. \$19.86 (1L/33.9oz treats 25,000 gallons)

PHOSPHATE REMOVAL PRODUCTS



D. PHOSfree – Eliminates Phosphates from Pools: Use Natural Chemistry's unique patented formula to reduce phosphate levels in a pool to near zero at initial fill or at season opening. The amount needed depends on pool size and phosphate level in the water. #05221 2 L/67.6 oz. \$30.08 #05121 3 L/101.5 oz. \$40.10 (1L/33.9oz treats 20,000 gal. pool with 300ppb phosphates)

ostree

free

E. Pool Perfect+PHOSfree

A weekly maintenance product that reduces phosphates and non-living organic waste in pool water. Use it to make your water feel soft and silky while preventing problems such as: waterline rings, non-living organic staining, surface oils, and phosphate build up. #05235 2 L/67.6 oz. \$47.32 #05131 3 L/101.5 oz. \$66.42 (1 capful weekly treats 8,000 gallons)



Ideal to treat your pool at the beginning and end of each season as well as reducing phosphates at any time as the first step of Natural Chemistry's Clear, Perfect Water Program. Pool Magic+PHOSfree contains all natural enzymes that break down non-living organics to make opening and closing fast and easy. A quick clean up to start off the season. #05141 1 L/33.9 oz. \$25.36 (1L/33.9oz treats 25,000 gallons)

METAL AND SCALE CONTROL

G. Stain Free – Extra Strength:



free

An all natural citric acid product that eliminates metal staining to pool liners and finishes. Stainfree is ideal for treating staining on all pool surfaces. Use with Natural Chemistry's METAL free and you have the ultimate 1-2 combination for stain fighting!

#07395 1.75lbs. \$39.10

H. METALfree – Deactivates Metals:

A highly effective metal deactivation agent that prevents staining and discoloration from trace metals such as iron and copper. METAL free also prevents scale build-up due to calcium and other minerals. These trace metals and minerals may already be in the pool water or in the fill water. METALfree does not contain phosphonic acids and will NOT raise phosphate levels in pool water. #07001 1 L/33.9 oz. \$25.72 (1L/33.9oz treats 20,000 gallons)

I. SCALEfree: Protects your pool from the damaging effects of scale build-up


and staining due to excessive calcium, iron, copper, and other minerals. SCALEfree protects generator cells from life shortening damage and performance issues caused by scale build-up. RRAIE SCALEfree is compatible with all pool surfaces and can be used with most sanitizing systems. free Do not use SCALEfree with biguanides. #07511 2 L/67.6 oz. \$40.56

POOL SPECIALITY PRODUCTS

J. Clear & Perfect Clarifier – The Ultimate 6 in 1 Clarifier: A technologically advanced and highly concentrated pool water clarifier. Use to effectively and quickly clear problem water or to "polish" dull water by removing small suspended particles that filters cannot capture. Clear & Perfect is not pH sensitive, does not affect pool water pH. Does not contain any dyes. #03500 1 guart/32 oz. \$21.58

K. Instant Pool Water Conditioners:

Used for stabilizing chlorine in swimming pools from sunlight loss. Works the instant it is added to pool water! Concentrated liquid, one gallon will add 32 ppm of



 Works efficiently in any water temperature #07401 1 gallon/3.78L \$35.42

L. Filter Perfect – Sand and Cartridge Filter Cleaner:

A highly concentrated deep cleaning solution that removes build up caused by; oils, grease, non-living organics, and more on filters. It is very effective on cartridge elements, DE filter grids, and sand filters. Filter Perfect improves filter efficiency and lengthens cycles between filter cleanings.

perfect #03215 1 L/33.9 oz. \$19.34

(1L/33.9oz treats average size filter.)

M. COVERfree:



ê

Si Sofila

-

A patented technology that is a revolutionary liquid swimming pool cover. It is an advanced mono-layer product that helps save water and money by decreasing evaporation and heat loss. COVERfree creates an invisible barrier on the surface of the water that works even when swimmers are in the pool.

#07100 1 guart/32 oz. \$27.52 (4oz per 20,000 gallons weekly)

NATURAL CHEMISTRY

PRO SERIES Professional Strength - Professional Results

N. PRO SERIES® ProZymes



PRO SERIES ProZymes Pool reduces the buildup of non-living organic contaminants. Sunscreens, body oils, lotions, cosmetics along with other contaminants make up the non-living organic load that contribute to problematic symptoms such as: waterline rings, short cycling filters, unpleasant odors, poor water clarity and peak load cloudiness. This concentrated naturally based enzyme formula works with all sanitizing systems. #20305 5 aallon \$290.20

0. PRO SERIES[®] Stain & Scale Control:



PRO SERIES Stain & Scale Control protects pools from the damaging effects of scale buildup and staining due to excessive calcium, iron, copper and other minerals. It works without the use of phosphates or harsh acids. This product also works very well at preventing/reducing scale from forming on chlorine generator cells and UV crystal lens. It can be used with most sanitizing systems (do not use with biguanides) and is compatible with all pool surfaces #20705 5 gollon \$307.24

P. PRO SERIES® PhosREMOVE:



Reducing phosphate levels in swimming pools is easy with Natural Chemistry's PRO SERIES phosREMOVE. This product is a lanthanum based formulation. PRO SERIES phosREMOVE effectively and efficiently removes phosphates and reduces pool problems! #20505 5 gallon \$461.36

Q. PRO SERIES® Filter Cleaner:



ő

Station State

.....

-

purge

spa perfect

PRO SERIES Filter Cleaner is a highly concentrated deep cleaning solution that removes buildup caused by: oils, grease, non-living organics and more on filters. It is very effective on cartridge elements, D.E. filter grids, sand filters and regenerative media filters. It improves filter efficiency and lengthens cycles between filter cleaning. PRO SERIES Filter Cleaner is compatible with chlorine, bromine and alternative sanitizing systems. Cleans without acid! #20325 5 gallon \$312.54

SPA PRODUCTS

R. Spa Perfect – One Capful Per Week* for A Perfect Spa: Specifically formulated for hot water temperatures and is a patented natural enzyme and botanical extract formula that powerfully, yet gently biodegrades body oils, cosmetics, suntan oils, and other non-living organics. No more waterline rings, clogged filters or cloudy smelly water. Spa Perfect is also a continuous cartridge filter cleaner. Since oils don't build up, cleaning with nasty chemicals and acids is rarely required.

#04021 16 oz. \$9.48 #04131 1 L/33.9 oz. \$18.74 #04034 2 L/67.7 oz. \$33.04 #20405 5 aallon/18.9L \$284.50 * 1 capful per week treats 400 gallons

S. Spa Purge – Spa Plumbing Cleaner:

Restores spa plumbing to original condition. Removes built-up organic waste deposits from all spa plumbing. Easy and very safe to use. Cleans where you can't.

#04137 1 L/33.9 oz. \$19.34 (1L/33.9oz treats any size spa.)



lear ierfecl



We're Easy to Find. Just minutes away!

Halogen brings innovative solutions that offer savings on natural resources and in turn, extend your dollars.

Whether you're thinking about a new aquatic facility or a retrofit of your existing pool. Combine **Halogen's Total-System Approach** with our hands-on technical support, project management emphasis, and customer advocacy. The solutions, savings and advantage you receive are clear! **Call our Commercial Division at 1.833.SWIM.327**

Morton Grove Park District - Morton Grove, IL

- Five bodies of water
- Lap Pool ~ 250,000 gallons
- Deep Pool ~ 213,000 gallons
- Plunge Pool ~ 18,000 gallons
- Tot Pool and Splash Pad
- EC500S Regenerative D.E. Filter
- EC350S Regenerative D.E. Filter
- EC145 Regenerative D.E. Filter
- HALO Gen.RTS Regenerative Total System Controller X 3
- HALO Gen.CS Custom System Controller
- Close Coupled Pumps, (1) 25HP, (1) 20HP, (1) 15HP, (4) 7.5HP, (1) 5HP (X 8)
- Danfoss Variable Frequency Drives X 10
- Raypak XTherm Hi-Efficiency Heater
- Raypak X94 Hi-Efficiency Heater
- Raypak Professional Series NG Heater X 3



PRESORTED STANDARD U.S. POSTAGE PAID ALGONQUIN, IL PERMIT NO. 13



Photos courtesy of $\ensuremath{\mathbb{C}}$ 2022 Kmiecik Imagery